



Department of Energy
Savannah River Operations Office
P.O. Box A
Aiken, South Carolina 29802

SEP 26 2018

Ms. Susan B. Fulmer, P. G., Manager
Federal Remediation Section
Division of Site Assessment, Remediation and Revitalization
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Mr. Jon Richards
Acting Savannah River Site Remedial Project Manager
Superfund Division
U. S. Environmental Protection Agency, Region 4
61 Forsyth Street, SW
Atlanta, Georgia 30303

Dear Ms. Fulmer and Mr. Richards:

SUBJECT: U.S. Department of Energy Signed Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina (SRNS-RP-2017-00567, Revision 1, July 2018) and Savannah River Site Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment Fact Sheet (ERD-EN-2017-0076, July 2018)

In accordance with the terms of the Federal Facility Agreement (FFA), the U.S. Department of Energy (DOE) is submitting DOE signed *Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina* (SRNS-RP-2017-00567, Revision 1, July 2018) for regulatory signatures. The clean copy of the *Savannah River Site Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment Fact Sheet* (ERD-EN-2017-0076, July 2018) is submitted for your files. The South Carolina Department of Health and Environmental Control (SCDHEC) and U.S. Environmental Protection Agency (EPA) approved the Redline Revision 1 remedy review report on August 31, 2018 and September 12, 2018, respectively.

The original document has been signed by DOE and is being provided to SCDHEC for signature. Once the SCDHEC has signed the document, please forward it to EPA for signature. Once all signatures are completed, please return the signed, original document to the Savannah River Site (SRS) for issuance to the public and distribution to SCDHEC, EPA, and SRS personnel. The effort and time that the SCDHEC and EPA have given on the subject report are greatly appreciated.


Ms. Susan Fulmer
Mr. Jon Richards

2

SEP 26 2018

Questions from you or your staff may be directed to me at (803) 952-8365.

Sincerely,



Brian T. Hennessey
SRS Remedial Project Manager
Infrastructure and Area Completion Division

IACD-18-178

Enclosures:

1. Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina (SRNS-RP-2017-00567, Revision 1, July 2018) (Original to SCDHEC; copy to EPA)
2. Savannah River Site Fifth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment Fact Sheet (ERD-EN-2017-0076, July 2018)

cc w/o encl:

G. K. Taylor, SCDHEC – Columbia
D. Scaturo, SCDHEC-Columbia
S. French, SCDHEC-Columbia
M. D. Wilson, SCDHEC-Columbia
G. N. O'Quinn, SCDHEC-Aiken Environmental Affairs Office
R. H. Pope, EPA-Atlanta

cc w/encl:

D. Lloyd, EPA-Atlanta
J. Tufts, EPA-Atlanta
M. McRae, TechLaw, Inc.