

ENVIRONMENTAL COMPLIANCE & AREA COMPLETION PROJECTS (EC&ACP) STANDARD
OPERATING PROCEDURES, VOL. I

Manual: C3
Procedure: ER-IDS-019-037
Revision: 4
Effective Date: 06/02/2016
Type-Class: Form
Page: 1 of 3

H-AREA INACTIVE PROCESS SEWER FIELD INSPECTION CHECKLIST

WORKING COPY

This document is a Working Copy. Prior to start of work, verify this is the latest revision per the Procedure Index.

Charles P. Carter
Verified By

9-21-17
Date

CAUTION

The Inspector shall IMMEDIATELY notify the Post-Closure Manager and Environmental Compliance Authority if there has been a breach or compromise of the institutional controls of this waste unit. This notification shall be in accordance with Savannah River Site post-closure inspection procedures.

NOTE

1. Manual C3, ER-SOP-019, *Waste Unit Inspection and Maintenance*, shall be referred to for inspection details.
2. Monitoring wells associated with this waste unit are maintained in accordance with EC&ACP Monitoring Well Procedures.
3. Steps in this checklist may be completed concurrently or in any order.



SCHEDULED



UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
1.	Verify the underground piping signs are in acceptable condition, have the correct information, and are legible from a distance of 25 feet.	A	
2.	Check for excessive vegetation that may obstruct warning signs or visibility of the inspection area.	A	

Manual: C3
 Procedure: ER-IDS-019-037
 Revision: 4
 Page: 2 of 3

H-Area Inactive Process Sewer Field Inspection Checklist

 SCHEDULED UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)	A or X	Observation/Corrective Action Taken
3. Inspect the vegetative and/or closure cover over the pipeline for erosion, abnormal soil cracks, depressions (subsidence), standing water, or mounding.	A	
4. Check for signs of burrowing animals.	X	ACTIVE ANT MOUNDS ON SOIL COVER. SEE MAP NOTED. REF. MAINT. REGISTER: PL-2017-00016
5. Visually check vegetative cover for grass density with no bare spots more than 3 feet by 3 feet in area. The height of the vegetation should not impair the visual inspection of the soil cover. This will be determined by the Inspector.	A	
6. Check the survey benchmarks for damage and visibility.	A	
7. Check integrity and condition of concrete and asphalt over pipeline.	A	
8. Verify that there are no excavation digging or construction activities on the soil cover.	A	
9. Other		NO FURTHER ENTRIES CPL 9-21-17


Inspected By

CHARLES P. CARTER/Richard Feagin (Print Name)	Charles P. Carter/Richard Feagin (Signature)	9-21-17/9-21-17 (Date)
--	---	---------------------------

Review By Post-Closure Manager

George W. Jynne (Print Name)	George W. Jynne (Signature)	10/31/17 (Date)
---------------------------------	--------------------------------	--------------------

H AREA INACTIVE PROCESS SEWER



NOTES:

NOTES: (1) = ACTIVE ANT mounds ON SOIL COVER, Applied 0.5 lbs. Extinguish ANT BAIT.

~~NO FURTHER ENTRIES~~

CPC 9-21-17

POST CLOSURE MAINTENANCE REGISTER

Index Number
Unit Name

554 H-AREA INACTIVE PROCESS SEWER LINE

Watershed FOURMILE BRANCH

AHA # NA
 Work Order # NA
 Work Group POST CLOSURE MAINTENANCE
 Priority Medium
 RCRA NO

Maintenance Number	PC-2017-00076	Maintenance Status	Complete
Inspection Date	9/21/2017	Chemical Type	Pesticide
Completion Date	9/21/2017	Chemical Name	Extinguish
		Amount Used	.5 Pounds

Description Of Maintenance Item

Active ant mounds on waste unit


Maintenance Item Corrected

Applied Extinguish ant bait

Notes

Approved by : George Joyner ACP Post Closure Manager

Signature



Approval date : 10/31/17