



Scoping Summary for the General Separations Area Eastern Groundwater Operable Unit (U)

SEMS Number: 46

WSRC-RP-2000-4134

Final

November 2021

DISCLAIMER

This document was prepared in conjunction with work accomplished under Contract No. DE-AC09-08SR22470 with the U.S. Department of Energy.

This work was prepared under an agreement with and funded by the U.S. Government. Neither the U.S. Government or its employees, nor any of its contractors, subcontractors or their employees, makes any express or implied: 1. warranty or assumes any legal liability for the accuracy, completeness, or for the use or results of such use of any information, product, or process disclosed; or 2. representation that such use or results of such use would not infringe privately owned rights; or 3. endorsement or recommendation of any specifically identified commercial product, process, or service. Any views and opinions of authors expressed in this work do not necessarily state or reflect those of the United States Government, or its contractors, or subcontractors.

Printed in the United States of America

Prepared for
U.S. Department of Energy
and
Savannah River Nuclear Solutions, LLC
Aiken, South Carolina

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
LIST OF FIGURES	iii
LIST OF TABLES	iii
LIST OF APPENDICES.....	iii
KEY CHANGES TO THE SCOPING SUMMARY	iv
RECORD OF CORE TEAM AGREEMENTS	iv
1.0 PROJECT PHASE AND STATUS	1
2.0 BACKGROUND.....	1
3.0 LAND USE	2
4.0 SUBUNITS	3
4.1 Groundwater.....	3
4.1.1 Problem Warranting Action.....	7
4.1.2 Remedial Action Objectives (RAO)	7
4.1.3 Scope of Problem	7
4.1.4 Likely Response Action/Interim Action	8
4.1.5 Uncertainty	8
5.0 OPERABLE UNIT STRATEGY AND SCHEDULE.....	8

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
Figure 1. Details of the GSA Eastern GW OU Monitoring Network	9
Figure 2. 2020 Upper Three Runs Aquifer Tritium Concentration	10
Figure 3. Tritium Concentration Upper Three Runs Aquifer	11
Figure 4. 2020 Gordon Aquifer Tritium Concentration	12
Figure 5. Tritium Concentration in Gordon Aquifer well HAA 12A.....	13
Figure 6. 2020 Upper Three Runs Aquifer TCE Concentration.....	14
Figure 7. 2020 Gordon Aquifer TCE Concentration	15
Figure 8. VOC Concentrations in Well HAA 5D.....	16

LIST OF TABLES

<u>Table</u>	<u>Page</u>
Table 1. Groundwater Monitoring Network.....	17

LIST OF APPENDICES

<u>Appendix</u>	<u>Page</u>
A 2010 Through 2020 Monitoring Well Results	A-1
B 2020 Monitoring Well Results	B-1
C Gordon Aquifer Well(s) Replacement Evaluation	C-1

KEY CHANGES TO THE SCOPING SUMMARY

Section	Description of Change	Rationale for Change
Tables	Tables in Appendix A and B were updated with the 2020 data.	Data tables have been updated to include the recent sampling results for 2Q2020.
Figures	Figures were updated to show sample results from 2020.	Update maps and graphs with current sample results.
Tables	Removed HAA-12A, HAA-13A and HAA-15A from the monitoring program.	These wells were abandoned in 2020
Tables	HAA-15AR was installed and added to the monitoring program. HAA-4A was added to the monitoring program.	HAA-15AR was added to replace HAA-15A and HAA-4A was added to replace HAA-12A and HAA-13A.

RECORD OF CORE TEAM AGREEMENTS

Agreement	Meeting
Core Team agreed to sample HAA 4A semi-annually for two years (through 4Q2024) and annually starting 2Q2025. HAA 15AR will be sampled annually.	November 2021
CoreTeam agreed HAA 4A serves as the replacement well for HAA 12A and HAA 13A.	November 2021
Core Team agreed to evaluate the need for replacement of both HAA 12A and HAA 13A. Core team will conduct meeting first quarter CY 2021. The replacement of well HAA 15A will proceed.	October 2020
Core Team agreed to abandon and replace wells HAA 12A, HAA 13A and HAA 15A. Locations for replacement will be approved by the Core Team	September 2018
Core Team agreed to abandon and replace well HAA 12A. Locations for replacement will be approved by the Core Team. Wells HAA 13A and HAA 15A will be investigated via camera survey and testing for the feasibility of rehabilitation and continued use.	October 2017
Core Team agreed to sample well HAA 16D when no sample is available at seepline piezometer CBS-1.	October 2017
Core Team agreed to monitor nonvolatile beta (speciation is no longer necessary) at Gordon Aquifer well HAA 15A.	September 2014
Core Team agreed to add analyses for Target Compound List VOCs and gross alpha for all wells and to perform beta/gamma speciation on well HAA 15A to identify specific radionuclides.	August 2013
As documented in the GSA Eastern and Western Groundwater OUs Groundwater Monitoring Optimization White Paper, SRNS-RP-2012-00783, Rev. 1, January 2014, the Core Team agreed to discontinue monitoring at wells HAA-16D, HGW-1D, HGW-4D, HTF-12D, HTF-15D, SBG-6D.	August 2013
Lead has been detected in the groundwater sporadically. The Core Team determined that lead is not a problem that warrants action, however monitoring should continue for lead.	June 2010

1.0 PROJECT PHASE AND STATUS

The H-Area Tank Farm Groundwater (GW) Operable Unit (OU) was originally composed of various historical spills and leaks in the H-Area Tank Farm. In April 2000, the Core Team (i.e., representatives from the United States Department of Energy [USDOE], U.S. Protection Agency [USEPA] and the South Carolina Department of Health and Environmental Control [SCDHEC]) agreed to eliminate the milestones for the H-Area Tank Farm GW OU and to create a new GW OU, the General Separations Area (GSA) Eastern GW OU (OU). This OU includes the GW associated with operating facilities within H Area (except for GW associated with the H-Area Tank Farm which has been assimilated into the H-Area Tank Farm OU), the H-Area Retention Basin (HRB), Warner's Pond (WP), and HP52 Ponds (HP52).

The Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI)/Remedial Investigation (RI) Work Plan for the GSA Eastern GW OU, Revision 1.1, was approved by the USEPA and SCDHEC in September 2001. A Field Start was achieved for the OU on August 16, 2001.

The GSA Eastern GW OU is currently in a GW monitoring program. The purpose of this Scoping Summary is to present the analytical data obtained in 2020 from the annual GW monitoring program and to determine if the monitoring network and analytical suite remain appropriate for continued monitoring. In 2020, concentrations of monitored constituents have remained consistent with recent past results and continued sampling of the GW monitoring network is recommended.

2.0 BACKGROUND

H Area is located on a topographical high near the center of Savannah River Site (SRS). S Area is located to the immediate northeast of H Area. The GSA Eastern GW OU encompasses H Area, S Area, and adjacent general site areas. The boundaries of the GSA Eastern GW OU are roughly coincident with McQueen Branch to the east; the HRB and the HP52 to the south; WP and Crouch Branch to the west; and S Area and tributaries of Crouch Branch to the north (Figure 1).

The objective of the GSA Eastern GW OU strategy is to monitor GW in the two uppermost aquifers that underlie the OU and that discharge to Upper Three Runs Creek, Fourmile Branch, or their tributaries. The Upper Three Runs Aquifer (UTRA) is the shallowest aquifer beneath the GSA Eastern GW OU. A semi-continuous confining unit (the “tan clay” confining zone) divides the UTRA into an Upper Aquifer Zone (UAZ) and a Lower Aquifer Zone (LAZ). A more continuous aquitard, the Gordon Confining Unit, underlies the LAZ and confines the Gordon Aquifer (GA). GW samples are collected from wells located in both the UTRA and GA.

Figure 1 provides contours of the topography, the UTRA water table surface, the GA potentiometric surface, and shows the existing monitoring network. It is also useful to recognize that the tributaries to Upper Three Runs in the vicinity of the OU have intermittent flows due to rainfall (or permitted outfalls) in their upper reaches and receive more continuous flow from the water table at lower elevations.

Characterization has been performed to determine the nature and extent of GW contamination within the OU. The results indicate that the primary GW contaminants are tritium and volatile organic compounds (VOCs).

3.0 LAND USE

The area encompassed by the GSA Eastern GW OU is heavily developed with many active industrial facilities. No future residential use of the area is anticipated. Land use of the entire GSA Eastern GW OU area will be controlled to prevent use of the GW that exceeds maximum contaminant levels (MCLs). The UTRA and GA are not used as a drinking water source at SRS.

4.0 SUBUNITS

4.1 Groundwater

The GSA Eastern GW OU includes GW in the UTRA and GA. Soils, sediments, and surface water from potential source units are not considered as part of the GSA Eastern GW OU. These media will be addressed during closure of the individual waste units and operating facilities.

In 2020, the GSA Eastern GW OU was under a GW monitoring program that consisted of 24 monitoring wells and one shallow sampling point at the seepline (CBS-1). Samples were collected from all monitoring locations in 2020, except for the seepline sampling point CBS-1 because it was dry. During the October 2017 Core Team meeting, SRS agreed to sample the well HAA 16D for tritium when CBS-1 is dry. Seepline piezometer CBS-1 was dry in 2020, so well HAA 16D was sampled for tritium. Samples from the monitoring wells were analyzed according to Table 1. Sample results from 2010 through 2020 are provided in Appendix A. A matrix table containing all results from 2020 is provided in Appendix B. Analytical results from 2020 for tritium and trichloroethylene (TCE) are depicted in Figures 2, 5, 6 and 7. Time series graphs are presented in Figures 3, 4 and 8. A review of the 2020 data indicates that there are not significant concentration differences between the current data and recent past sampling results. A discussion of tritium, radionuclides, and VOCs (TCE is the primary VOC) is presented below.

Tritium and Radionuclides

Tritium has been detected in the GW of the GSA Eastern GW OU since monitoring began in 2002. In 2020, tritium exceeded the MCL at only one monitoring location and the concentration was 23.7 picocuries/milliliter (pCi/mL) at well HGW 2D as shown on Figure 2. This well has a history of tritium slightly above the MCL and has remained stable to slightly decreasing over the past several years.

In 2012, the maximum tritium result (89 pCi/mL) was at well HAA 12D, located within the center of the H-Area facilities. Following the maximum result in May 2012, tritium

concentrations trended rapidly downward and have decreased to concentrations below the MCL, measuring 6.92 pCi/mL at well HAA 12D in 2020. Figure 3 shows the history of tritium in HAA 12D and other UTRA wells. Potential sources of the tritium are the Off-Site Fuels Receiving Basin facility (244-H), the numerous process sewer lines in the area, and/or the nearby H-Area Inactive Process Sewer Line (HIPSL) that transported low-level radioactive wastewater from the separations facilities to the H-Area Seepage Basins. Both the 244-H Off-Site Fuels Receiving Basin and HIPSL are identified in the SRS Federal Facility Agreement as components of the H-Area OU. The 244-H Off-Site Fuels Receiving Basin is located on Appendix K.1, *D&D Facilities to be Decommissioned*.

In 2020, tritium concentrations in the UTRA were low and similar to recent years at the two distal wells (HGW 2D and HGW 3D) with histories of tritium greater than the MCL. As shown on Figure 3, based on decay alone, tritium at HGW 2D (23.7 pCi/mL in 2020) is expected to be below the MCL by the year 2022. This estimate is conservative as it does not include effects of dispersive attenuation. HGW 3D was below the MCL at 12.1 pCi/mL. Overall, the tritium plume in the UTRA continues to remain stable to shrinking as shown on Figure 2.

In 2020, tritium was below the MCL in all wells in the GA and was detectable in only one of the seven GA monitoring wells. The maximum concentration was 14.2 pCi/mL at well HAA 12A (Figure 4). SRS believes the presence of tritium in the GA at HAA 12A may have been due to downward leakage along the well bore from the overlying UAZ. Tritium has been present above the MCL at wells HAA 12D and HAA 12C in the overlying aquifers. SRS abandoned well HAA 12A in 2020 to ensure any leakage from the overlying aquifer was stopped. Note that well HAA 12C is monitored for the H-Area Tank Farm GW OU. Figure 5 shows the time trend for tritium in HAA 12A.

At the seepline of Crouch Branch, a sample was not collected in 2020 because piezometer CBS-1 was dry. Since monitoring began in 2002, the Crouch Branch piezometer has a history of very low tritium concentrations (2.56 pCi/mL in 2017 when it last produced a sample). The piezometer is less than five feet deep and has often not produced enough water for a sufficient sample. The Core Team agreed during the October 2017 meeting to

sample well HAA 16D for tritium when CBS-1 is dry. HAA 16D was sampled in 2020 with a concentration of 4.26 pCi/mL. Figures 2 and 5 present the 2020 tritium results for the UTRA and GA, respectively.

Gross alpha and nonvolatile beta were below the MCL in all wells in 2020. The maximum concentrations for gross alpha and nonvolatile beta were 6.67 pCi/L and 21.43 pCi/L, respectively.

SRS has previously demonstrated that wells HAA 12A, HAA 13A, and HAA 15A no longer provide samples representative of conditions in the GA likely due to grout intrusion. As per Core Team agreement in 2018, SRS abandoned wells HAA 12A, HAA 13A, and HAA 15A in August of 2020 and installed a replacement well for HAA-15A (HAA-15AR) in June of 2021. SRS conducted an evaluation (Appendix C) to determine whether it was necessary to replace wells HAA-12A and HAA-13A or if existing wells could be used to fill in the monitoring gaps created by abandoning those wells. The evaluation identified an existing well (HAA-4A) as a suitable surrogate to replace HAA-12A and HAA-13A in the monitoring network in lieu of installing two new wells. The Core Team reviewed the evaluation and agreed HAA-4A is a suitable surrogate to replace HAA-12A and HAA-13A in the monitoring network. HAA-4A has been added to the monitoring network. Since this well was last sampled in 2010, SRS will perform maintenance work on HAA-4A to prepare the well for sampling in the second calendar quarter of 2022.

Overall, 2020 results for tritium and radioactive constituents are consistent with previous measurements. Many constituents continue to exhibit stable or decreasing concentrations. This has been the trend since monitoring started in 2002 and it indicates that GW conditions are stable to shrinking with respect to plume extent.

Volatile Organic Compounds

Chlorinated solvents are detected in sporadic locations and in relatively minor amounts in the GSA Eastern GW OU. Generally, the VOCs include TCE, 1,1,1-trichloroethane (TCA), and 1,1-dichloroethane (DCA). Since the start of monitoring in the early 2000s, TCE has been measured above the MCL (5 µg/L) in only two wells, HGW 2D and

HGW 3D, both located on the north side of H Area. In 2020, TCE concentrations were below the MCL in both wells (3.8 µg/L in HGW 2D and 3.4 µg/L in HGW 3D). In all other wells, TCE was not detected, including the GA wells. TCE in the UTRA is depicted on Figures 6 and 7.

Historically, 1,1,1-TCA and 1,1-DCA have been measured above the MCL or the USEPA Regional Screening Level (RSL) at the GSA Eastern GW OU in well HAA 5D. 1,1,1-TCA has been below the MCL (200 micrograms/L [µg/L]) since 2003 and continues to trend downward. Although trending downward since 2002, 1,1-DCA remains above the RSL (2.8 µg/L) in 2020 at 3.7 µg/L. Carbon tetrachloride and TCE were not detected at well HAA 5D. A time trend containing the most recent data for VOCs at well HAA 5D is depicted in Figure 8 to illustrate that VOC concentrations have been stable to declining over time.

All GAU wells were non-detect for VOCs in 2020..

Summary

In 2020, tritium continues to be present in the UTRA in the northern part of H Area, but over a small area in one well (HGW 2D) that has historically been above the MCL. In the GA, tritium is not present above the MCL (maximum value of 14.2 pCi/mL at HAA 12A). At the seep line of Crouch Branch, a sample was not collected in 2020 due to piezometer CBS-1 not producing enough water. Because piezometer CBS-1 was dry, well HAA 16D was sampled for tritium and resulted in a concentration of 4.26 pCi/mL.

As per Core Team agreement in 2018, SRS abandoned wells HAA 12A, HAA 13A, and HAA 15A in August of 2020 and installed a replacement well for HAA-15A (HAA-15AR) in June of 2021. SRS conducted an evaluation to determine whether it was necessary to replace wells HAA-12A and HAA-13A or if existing wells could be used to fill in the monitoring gaps created by abandoning those wells. The evaluation identified an existing well (HAA-4A) as a suitable surrogate to replace HAA-12A and HAA-13A in the monitoring network in lieu of installing two new wells. The Core Team reviewed the evaluation and agreed HAA-4A is a suitable surrogate to replace HAA-12A and HAA-13A

in the monitoring network. Well HAA-4A has been added to the monitoring network for sampling beginning in 2022.

In 2020, the concentration of VOCs continued a downward trend. TCE was detected in only two wells (HGW 2D and HGW 3D) in the UAZ in the north part of H Area and was below the MCL in all wells. On the south east side of H Area, 1,1-DCA remains slightly elevated above the RSL at HAA 5D in the UAZ.

Overall, GW monitoring results for 2020 do not indicate a problem that would warrant an early action at this time. GW monitoring will continue on an annual basis with results reported annually to the Core Team. If future data indicates a problem that requires immediate action, the Core Team will be notified promptly.

4.1.1 Problem Warranting Action

- VOCs and radionuclides are present in the UTRA at levels that exceed MCLs and RSLs.

4.1.2 Remedial Action Objectives (RAO)

- Prevent human exposure to contaminants in GW at levels that exceed MCLs and RSLs.

4.1.3 Scope of Problem

Radionuclides and VOCs are present in GW above MCLs and RSLs. Analytical results for 2020 are provided in Appendix A and B. Tritium is recognized as the most widespread constituent in the GW. Figure 2 depicts the extent of tritium contamination in the UTRA. GW flow direction in both the water table and GA is controlled by discharges to streams that occur within topographic incisions as shown in Figure 1. Consistent with this circumstance, the tritium plume flow path is to the tributary of Upper Three Runs in the northwest portion of the OU, as noted on Figure 2.

Figures 2, 5, 7 and 8 depict tritium and TCE concentrations from the 2nd quarter of 2020 in the UTRA and GA.

4.1.4 Likely Response Action/Interim Action

- No early remedial action is required at this time. Continued monitoring of the GW in the UTRA and GA on an annual frequency is appropriate at this time.

4.1.5 Uncertainty

- Many operating facilities and waste units exist within the boundaries of the GSA Eastern GW OU. Individually and collectively, these facilities and waste sites have contaminated the shallow aquifers that underlie the GSA Eastern GW OU. Because of the large number and wide aerial distribution of potential contaminant sources, there is and will continue to be some uncertainty regarding the source(s) of contaminants in shallow GW. This is true for historic, on-going, and future releases to GW. However, the GSA Eastern GW OU monitoring strategy was carefully developed to provide multiple down gradient monitoring points in both the UTRA and the GA, and to provide a system of early-warning (proximal) and contingency (distal) wells to monitor GW contamination. These uncertainties will be managed by monitoring the GW quality and adjusting the GSA Eastern GW OU well network, sampling frequency, and analyte list as necessary.

5.0 OPERABLE UNIT STRATEGY AND SCHEDULE

- SRS will sample the monitoring network annually for contaminants of concern until there is a decision to modify the strategy. Evaluation will be based on data trends. This information is reported in an annual update to this scoping summary.
- Convene the Core Team annually (or as necessary) to review data, re-evaluate the well network, sampling frequency, and analyte list, assess the effectiveness of the OU logic, and decide if the monitoring strategy is still appropriate or if changes are required (including the need for immediate action).
- Notify the Core Team promptly if monitoring data indicate a problem that requires immediate attention.




Figure 1. Details of the GSA Eastern GW OU Monitoring Network




Figure 2. 2020 Upper Three Runs Aquifer Tritium Concentration




Figure 3. Tritium Concentration Upper Three Runs Aquifer




Figure 4. 2020 Gordon Aquifer Tritium Concentration




Figure 5. Tritium Concentration in Gordon Aquifer well HAA 12A




Figure 6. 2020 Upper Three Runs Aquifer TCE Concentration




Figure 7. 2020 Gordon Aquifer TCE Concentration




Figure 8. VOC Concentrations in Well HAA 5D

Table 1. Groundwater Monitoring Network

Well Network	Analyte List	Field Analyte List	Sampling Frequency
<p>UAZ of UTRA: CBS-1*, HAA-5D, HAA-9D, HAA-11D, HAA-12D, HAA-13D, HAA-14D, HAA-15D, HAA-16D**, HCB-2, HGW-2D, HGW-3D</p> <p>Gordon Aquifer: HAA-4A***, HAA-9AR, HAA-11A, HAA-12A***, HAA-13A***, HAA-14A, HAA-15A****, HAA-15AR, HGW3A</p> <p>* CBS-1 will be sampled for tritium and physical parameters. ** HAA-16D per Core Team agreement will be sampled when no sample is available at seepline piezometer CBS-1. *** HAA-12A and HAA-13A were replaced by HAA-4A which will be sampled semi-annually. **** HAA-15A was replaced by HAA-15AR.</p>	<p>Select Radionuclides</p> <ul style="list-style-type: none"> • tritium • non-volatile beta activity • gross alpha activity <p>Select VOCs</p> <ul style="list-style-type: none"> • 1,1,1-trichloroethane • 1,1-dichloroethane • carbon tetrachloride • trichloroethylene • TCL VOCs <p>Select Metals</p> <ul style="list-style-type: none"> • lead • cadmium 	<p>Field Parameters pH, specific conductivity, temperature, turbidity, and depth to water.</p>	Annual***
<p>HRBOU Wells UAZ of UTRA: HR3-15DU, HR3-16DU*</p> <p>* not sampled until 3Q03</p>	<p>Select Radionuclides</p> <ul style="list-style-type: none"> • tritium • non-volatile beta activity • gross alpha activity • TCL VOCs 	<p>Field Parameters pH, specific conductivity, temperature, turbidity, and depth to water.</p>	Annual
<p>WPOU Wells UAZ of UTRA: HSL-3D*, HSL-004DR*, HR8-11</p> <p>* Currently monitored to fulfill F&H RCRA Part B Permit requirement for VOCs, metals, and radionuclides.</p>	<p>Select Radionuclides</p> <ul style="list-style-type: none"> • tritium • non-volatile beta activity • gross alpha activity • TCL VOCs 	<p>Field Parameters pH, specific conductivity, temperature, turbidity, and depth to water.</p>	Annual
<p>HP52OU Wells UAZ of UTRA: HHP-1D, HHP-2D*</p> <p>* not sampled until 3Q03</p>	<p>Select Radionuclides</p> <ul style="list-style-type: none"> • tritium • non-volatile beta activity • gross alpha activity • TCL VOCs 	<p>Field Parameters pH, specific conductivity, temperature, turbidity, and depth to water.</p>	Annual

Network was revised during the August 2013 scoping meeting based on the Monitoring Optimization White Paper, SRNS-RP-2012-00783, Rev. 1, January 2014. In September 2014, Core Team agreed to monitor beta activity instead of speciation for HAA15A.

This page was intentionally left blank.

APPENDIX A

**2010 through 2020 Monitoring Well Results
Table A**

This page was intentionally left blank.

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
CBS 1	5/4/2010	TRITIUM	0.468	1.36			3.71	20	pCi/mL
CBS 1	5/5/2011	TRITIUM	0.683	1.77			3.11	20	pCi/mL
CBS 1	4/30/2012	TRITIUM	0.479	1.46			4.49	20	pCi/mL
CBS 1	5/9/2013	TRITIUM	0.555	1.36			1.5	20	pCi/mL
CBS 1	4/26/2017	TRITIUM	0.531	1.4			2.56	20	pCi/mL
HAA 5D	5/11/2010	TRITIUM	0.434	1.25			3.09	20	pCi/mL
HAA 5D	5/11/2010	TRITIUM	0.436	1.24			2.96	20	pCi/mL
HAA 5D	5/11/2010	TRITIUM	0.433	1.22			2.74	20	pCi/mL
HAA 5D	5/9/2011	TRITIUM	0.505	1.36			2.82	20	pCi/mL
HAA 5D	5/6/2013	TRITIUM	0.4	1.14	J	J	2.3	20	pCi/mL
HAA 5D	5/6/2014	TRITIUM	0.387	1.07			1.98	20	pCi/mL
HAA 5D	4/27/2015	TRITIUM	0.419	1.15			2.15	20	pCi/mL
HAA 5D	5/2/2016	TRITIUM	0.474	1.21		J	1.71	20	pCi/mL
HAA 5D	5/8/2017	TRITIUM	0.445	1.2			2.09	20	pCi/mL
HAA 5D	5/21/2018	TRITIUM	0.498	1.22			1.43	20	pCi/mL
HAA 5D	5/20/2019	TRITIUM	0.392	1.03			1.55	20	pCi/mL
HAA 5D	5/20/2019	TRITIUM	0.392	1.08			2	20	pCi/mL
HAA 5D	5/20/2020	TRITIUM	0.286	0.866			1.81	20	pCi/mL
HAA 5D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 5D	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 5D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 5D	5/20/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 5D	5/20/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 5D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 5D	5/11/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 5D	5/11/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 5D	5/9/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 5D	5/6/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 5D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 5D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 5D	5/8/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 5D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 5D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 5D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 5D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 5D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 5D	5/20/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 5D	5/20/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 5D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 5D	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 5D	4/27/2015	TOLUENE	0.07	1		U	4.3	1000	ug/L
HAA 5D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 5D	5/20/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 5D	5/20/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 5D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 5D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 5D	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 5D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/20/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 5D	5/20/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 5D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 5D	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 5D	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 5D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 5D	5/20/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 5D	5/20/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 5D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 5D	5/11/2010	NONVOLATILE BETA	4.08	8.7	U	U	0.749	50	pCi/L
HAA 5D	5/11/2010	NONVOLATILE BETA	4.25	8.19	U	U	-1.08	50	pCi/L
HAA 5D	5/9/2011	NONVOLATILE BETA	4.47	9.42	U	U	0.0486	50	pCi/L
HAA 5D	5/6/2013	NONVOLATILE BETA	4.37	9.38	U	U	0.683	50	pCi/L
HAA 5D	5/6/2014	NONVOLATILE BETA	3.96	8.91	U	U	1.27	50	pCi/L
HAA 5D	4/27/2015	NONVOLATILE BETA	4.18	9.41	U	U	1.89	50	pCi/L
HAA 5D	4/27/2015	NONVOLATILE BETA	4.18	9.32	U	U	1.65	50	pCi/L
HAA 5D	5/2/2016	NONVOLATILE BETA	4.05	9.36	U	U	2.21	50	pCi/L
HAA 5D	5/8/2017	NONVOLATILE BETA	2.87	6.92	U	U	1.56	50	pCi/L
HAA 5D	5/21/2018	NONVOLATILE BETA	2.58	6.13	U	U	1.59	50	pCi/L
HAA 5D	5/20/2019	NONVOLATILE BETA	4.21	10.2	U	U	3.67	50	pCi/L
HAA 5D	5/20/2019	NONVOLATILE BETA	4.17	9.48	U	U	1.62	50	pCi/L
HAA 5D	5/20/2020	NONVOLATILE BETA	0.986	2.264	U	U	0.871	50	pCi/L
HAA 5D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 5D	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 5D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 5D	5/20/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 5D	5/20/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 5D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 5D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 5D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 5D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 5D	5/20/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 5D	5/20/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 5D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 5D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 5D	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 5D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 5D	5/20/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 5D	5/20/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 5D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 5D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 5D	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 5D	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 5D	5/20/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 5D	5/20/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 5D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 5D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 5D	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 5D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 5D	5/20/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 5D	5/20/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 5D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 5D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 5D	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 5D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 5D	5/20/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 5D	5/20/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 5D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 5D	5/11/2010	LEAD	0.4	4	U	U	4	15	ug/L
HAA 5D	5/11/2010	LEAD	0.4	4	U	U	4	15	ug/L
HAA 5D	5/9/2011	LEAD	1	10	U	U	10	15	ug/L
HAA 5D	5/6/2013	LEAD	1	10	U	U	10	15	ug/L
HAA 5D	5/6/2013	LEAD	1	10	U	U	10	15	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/6/2014	LEAD	0.5	5	J	J	0.695	15	ug/L
HAA 5D	4/27/2015	LEAD	0.5	5	U	U	5	15	ug/L
HAA 5D	5/2/2016	LEAD	0.5	5	U	U	5	15	ug/L
HAA 5D	5/8/2017	LEAD	0.5	5	U	U	5	15	ug/L
HAA 5D	5/21/2018	LEAD	0.5	5	J	J	0.861	15	ug/L
HAA 5D	5/20/2019	LEAD	0.5	5	J	J	1.2	15	ug/L
HAA 5D	5/20/2019	LEAD	0.5	5	J	J	0.507	15	ug/L
HAA 5D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 5D	5/6/2014	GROSS ALPHA	2.5	5.13	U	U	0.554	15	pCi/L
HAA 5D	5/6/2014	GROSS ALPHA	2.28	4.05	U	U	0.0432	15	pCi/L
HAA 5D	4/27/2015	GROSS ALPHA	2.12	4.45	U	U	0.551	15	pCi/L
HAA 5D	4/27/2015	GROSS ALPHA	2.11	4.43	U	U	0.549	15	pCi/L
HAA 5D	5/2/2016	GROSS ALPHA	2.34	4.04	U	U	0.00232	15	pCi/L
HAA 5D	5/8/2017	GROSS ALPHA	1.49	3.73	U	U	1.04	15	pCi/L
HAA 5D	5/21/2018	GROSS ALPHA	1.48	3.77	U	U	1.04	15	pCi/L
HAA 5D	5/20/2019	GROSS ALPHA	2.5	5.91	U	U	1.24	15	pCi/L
HAA 5D	5/20/2019	GROSS ALPHA	2.53	3.29	U	U	-0.423	15	pCi/L
HAA 5D	5/20/2020	GROSS ALPHA	1.07	2.548	U	U	0.977	15	pCi/L
HAA 5D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 5D	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 5D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 5D	5/20/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 5D	5/20/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 5D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 5D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 5D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 5D	5/20/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 5D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 5D	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 5D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 5D	5/20/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 5D	5/20/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 5D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 5D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 5D	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 5D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 5D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 5D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 5D	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 5D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 5D	5/20/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 5D	5/20/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 5D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 5D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 5D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 5D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 5D	5/20/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 5D	5/20/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 5D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 5D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 5D	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 5D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 5D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 5D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 5D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/20/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 5D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 5D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 5D	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 5D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 5D	5/20/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 5D	5/20/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 5D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 5D	5/6/2014	CHLOROFORM	0.3	1	J	J	0.38	80	ug/L
HAA 5D	4/27/2015	CHLOROFORM	0.1	1	J	U	0.31	80	ug/L
HAA 5D	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 5D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 5D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 5D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 5D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 5D	5/20/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 5D	5/20/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 5D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 5D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 5D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 5D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 5D	5/20/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 5D	5/20/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 5D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 5D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 5D	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 5D	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 5D	5/20/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 5D	5/20/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 5D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 5D	5/11/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 5D	5/11/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 5D	5/9/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 5D	5/6/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 5D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 5D	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 5D	5/8/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 5D	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 5D	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 5D	5/20/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 5D	5/20/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 5D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 5D	5/11/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 5D	5/11/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 5D	5/9/2011	CADMIUM	0.2	2	J	J	0.341	5	ug/L
HAA 5D	5/6/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 5D	5/6/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 5D	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	5/8/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	CADMIUM	0.1	1	U	U	1	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 5D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 5D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 5D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 5D	5/20/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 5D	5/20/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 5D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 5D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 5D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 5D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 5D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 5D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 5D	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 5D	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 5D	5/20/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 5D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 5D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 5D	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 5D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 5D	5/20/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 5D	5/20/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 5D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 5D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 5D	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HAA 5D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 5D	5/20/2019	ACETONE	0.94	2			2.1	14000	ug/L
HAA 5D	5/20/2019	ACETONE	0.94	2			3	14000	ug/L
HAA 5D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 5D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 5D	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 5D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 5D	5/20/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 5D	5/20/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 5D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 5D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 5D	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 5D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 5D	5/20/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 5D	5/20/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 5D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 5D	5/6/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 5D	4/27/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 5D	5/21/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 5D	5/20/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HAA 5D	5/20/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HAA 5D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 5D	5/6/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 5D	4/27/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 5D	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 5D	5/20/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HAA 5D	5/20/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HAA 5D	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 5D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 5D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	600	ug/L
HAA 5D	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.06	1	U	U	1	600	ug/L
HAA 5D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	600	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.42	1	U	U	1	600	ug/L
HAA 5D	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.42	1	U	U	1	600	ug/L
HAA 5D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	600	ug/L
HAA 5D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 5D	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 5D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 5D	5/20/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 5D	5/20/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 5D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 5D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 5D	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 5D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 5D	5/20/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 5D	5/20/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 5D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 5D	5/6/2014	1,2,4-TRICHLOROETHANE	0.3	1	U	U	1	7	ug/L
HAA 5D	4/27/2015	1,2,4-TRICHLOROETHANE	0.08	1	U	U	1	7	ug/L
HAA 5D	5/21/2018	1,2,4-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 5D	5/20/2019	1,2,4-TRICHLOROETHANE	0.54	1	U	U	1	7	ug/L
HAA 5D	5/20/2019	1,2,4-TRICHLOROETHANE	0.54	1	U	U	1	7	ug/L
HAA 5D	5/20/2020	1,2,4-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 5D	5/6/2014	1,2,3-TRICHLOROETHANE	0.3	1	U	U	1	7	ug/L
HAA 5D	4/27/2015	1,2,3-TRICHLOROETHANE	0.09	1	U	U	1	7	ug/L
HAA 5D	5/21/2018	1,2,3-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 5D	5/20/2019	1,2,3-TRICHLOROETHANE	0.48	1	U	U	1	7	ug/L
HAA 5D	5/20/2019	1,2,3-TRICHLOROETHANE	0.48	1	U	U	1	7	ug/L
HAA 5D	5/20/2020	1,2,3-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 5D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1			60.7	7	ug/L
HAA 5D	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1			32	7	ug/L
HAA 5D	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1			33	7	ug/L
HAA 5D	5/20/2019	1,1-DICHLOROETHYLENE	0.27	1			12	7	ug/L
HAA 5D	5/20/2019	1,1-DICHLOROETHYLENE	0.27	1			12	7	ug/L
HAA 5D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 5D	5/11/2010	1,1-DICHLOROETHANE	0.9	2			84.2	2.8	ug/L
HAA 5D	5/11/2010	1,1-DICHLOROETHANE	0.9	2			80.9	2.8	ug/L
HAA 5D	5/9/2011	1,1-DICHLOROETHANE	0.1	2			49.8	2.8	ug/L
HAA 5D	5/6/2013	1,1-DICHLOROETHANE	0.1	2			65.8	2.8	ug/L
HAA 5D	5/6/2014	1,1-DICHLOROETHANE	0.3	1			23.3	2.8	ug/L
HAA 5D	4/27/2015	1,1-DICHLOROETHANE	0.07	1			15	2.8	ug/L
HAA 5D	5/2/2016	1,1-DICHLOROETHANE	0.3	1		J	15.1	2.8	ug/L
HAA 5D	5/8/2017	1,1-DICHLOROETHANE	0.333	1			25.5	2.8	ug/L
HAA 5D	5/21/2018	1,1-DICHLOROETHANE	0.333	1			21.9	2.8	ug/L
HAA 5D	5/20/2019	1,1-DICHLOROETHANE	0.25	1			6.1	2.8	ug/L
HAA 5D	5/20/2019	1,1-DICHLOROETHANE	0.25	1			6.2	2.8	ug/L
HAA 5D	5/20/2020	1,1-DICHLOROETHANE	0.333	1			3.68	2.8	ug/L
HAA 5D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 5D	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 5D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 5D	5/20/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 5D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 5D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 5D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 5D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 5D	5/20/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 5D	5/20/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 5D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 5D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 5D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 5D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 5D	5/20/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 5D	5/20/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 5D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 5D	5/11/2010	1,1,1-TRICHLOROETHANE	0.79	2			17.3	200	ug/L
HAA 5D	5/11/2010	1,1,1-TRICHLOROETHANE	0.79	2			14.5	200	ug/L
HAA 5D	5/9/2011	1,1,1-TRICHLOROETHANE	0.15	2			13.5	200	ug/L
HAA 5D	5/6/2013	1,1,1-TRICHLOROETHANE	0.15	2			15.4	200	ug/L
HAA 5D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1			6.84	200	ug/L
HAA 5D	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1			5.4	200	ug/L
HAA 5D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1		J	6.01	200	ug/L
HAA 5D	5/8/2017	1,1,1-TRICHLOROETHANE	0.333	1			7.48	200	ug/L
HAA 5D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1			7.87	200	ug/L
HAA 5D	5/20/2019	1,1,1-TRICHLOROETHANE	0.25	1			2.6	200	ug/L
HAA 5D	5/20/2019	1,1,1-TRICHLOROETHANE	0.25	1			2.7	200	ug/L
HAA 5D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1			1.88	200	ug/L
HAA 9AR	5/3/2010	TRITIUM	0.456	1.01	U	U	0.225	20	pCi/mL
HAA 9AR	5/4/2011	TRITIUM	0.588	1.27	U	U	-0.00761	20	pCi/mL
HAA 9AR	4/30/2012	TRITIUM	0.47	1.05	U	U	0.319	20	pCi/mL
HAA 9AR	5/7/2013	TRITIUM	0.394	0.933	U	U	0.624	20	pCi/mL
HAA 9AR	5/6/2014	TRITIUM	0.39	0.911	J	J	0.527	20	pCi/mL
HAA 9AR	4/22/2015	TRITIUM	0.525	1.16	U	U	0.221	20	pCi/mL
HAA 9AR	5/2/2016	TRITIUM	0.474	1.04	U	UJ	0.131	20	pCi/mL
HAA 9AR	5/2/2016	TRITIUM	0.467	1	U	U	-0.0337	20	pCi/mL
HAA 9AR	4/26/2017	TRITIUM	0.438	0.985	U	U	0.308	20	pCi/mL
HAA 9AR	4/26/2017	TRITIUM	0.445	0.99	U	U	0.251	20	pCi/mL
HAA 9AR	5/15/2018	TRITIUM	0.395	0.868	U	U	0.144	20	pCi/mL
HAA 9AR	5/15/2018	TRITIUM	0.407	0.892	U	U	0.119	20	pCi/mL
HAA 9AR	5/13/2019	TRITIUM	0.41	0.927	U	U	0.353	20	pCi/mL
HAA 9AR	6/8/2020	TRITIUM	0.317	0.705	U	U	0.176	20	pCi/mL
HAA 9AR	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 9AR	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 9AR	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 9AR	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 9AR	6/8/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 9AR	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 9AR	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9AR	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9AR	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9AR	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 9AR	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 9AR	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 9AR	6/8/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 9AR	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 9AR	6/8/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 9AR	4/22/2015	TOLUENE	0.07	1	J	U	0.18	1000	ug/L
HAA 9AR	5/15/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 9AR	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 9AR	6/8/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 9AR	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 9AR	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 9AR	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 9AR	6/8/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	4/30/2012	SODIUM	0.04	0.4			7.4		ug/L
HAA 9AR	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 9AR	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 9AR	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 9AR	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 9AR	6/8/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 9AR	5/3/2010	NONVOLATILE BETA	4.54	11.6	J	J	6.51	50	pCi/L
HAA 9AR	5/4/2011	NONVOLATILE BETA	4.28	12.2	J	J	10.2	50	pCi/L
HAA 9AR	4/30/2012	NONVOLATILE BETA	4.23	12.3	J	J	10.5	50	pCi/L
HAA 9AR	5/7/2013	NONVOLATILE BETA	4.32	9.96	U	U	2.52	50	pCi/L
HAA 9AR	5/6/2014	NONVOLATILE BETA	3.96	8.33	U	U	-0.14	50	pCi/L
HAA 9AR	4/22/2015	NONVOLATILE BETA	4.17	8.45	U	U	-0.489	50	pCi/L
HAA 9AR	5/2/2016	NONVOLATILE BETA	4.03	9.57	U	U	2.93	50	pCi/L
HAA 9AR	5/2/2016	NONVOLATILE BETA	4.06	9.52	U	U	2.63	50	pCi/L
HAA 9AR	4/26/2017	NONVOLATILE BETA	4.09	10.1	U	U	3.72	50	pCi/L
HAA 9AR	4/26/2017	NONVOLATILE BETA	4.32	10.1	U	U	2.58	50	pCi/L
HAA 9AR	5/15/2018	NONVOLATILE BETA	3.83	11.9			12.5	50	pCi/L
HAA 9AR	5/13/2019	NONVOLATILE BETA	4.2	11.8	J	J	9.38	50	pCi/L
HAA 9AR	6/8/2020	NONVOLATILE BETA	0.943	4.163			21.43	50	pCi/L
HAA 9AR	6/8/2020	NONVOLATILE BETA	0.94	4.02			19.6	50	pCi/L
HAA 9AR	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.221	10	mg/L
HAA 9AR	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 9AR	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 9AR	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 9AR	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 9AR	6/8/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 9AR	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 9AR	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 9AR	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 9AR	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 9AR	6/8/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 9AR	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 9AR	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 9AR	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 9AR	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 9AR	6/8/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 9AR	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 9AR	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 9AR	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 9AR	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 9AR	6/8/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 9AR	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 9AR	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 9AR	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 9AR	6/8/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 9AR	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 9AR	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 9AR	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 9AR	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 9AR	6/8/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 9AR	5/3/2010	LEAD	0.4	4	J	J	0.833	15	ug/L
HAA 9AR	5/4/2011	LEAD	1	10			45.6	15	ug/L
HAA 9AR	4/30/2012	LEAD	1	10	U	U	10	15	ug/L
HAA 9AR	5/7/2013	LEAD	1	10	U	U	10	15	ug/L
HAA 9AR	5/6/2014	LEAD	0.5	5	J	J	0.663	15	ug/L
HAA 9AR	4/22/2015	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9AR	5/2/2016	LEAD	0.5	5	J	J	1.1	15	ug/L
HAA 9AR	5/2/2016	LEAD	0.5	5	J	J	0.969	15	ug/L
HAA 9AR	4/26/2017	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9AR	4/26/2017	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9AR	5/15/2018	LEAD	0.5	5	J	J	0.763	15	ug/L
HAA 9AR	5/13/2019	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9AR	6/8/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 9AR	4/30/2012	GROSS ALPHA	2.59	6.05	U	UJ	1.16	15	pCi/L
HAA 9AR	5/7/2013	GROSS ALPHA	2.52	4.46	U	U	0.106	15	pCi/L
HAA 9AR	5/6/2014	GROSS ALPHA	2.23	3.97	U	U	0.0427	15	pCi/L
HAA 9AR	4/22/2015	GROSS ALPHA	2.07	4.34	U	U	0.542	15	pCi/L
HAA 9AR	5/2/2016	GROSS ALPHA	2.29	5.01	U	U	0.766	15	pCi/L
HAA 9AR	5/2/2016	GROSS ALPHA	2.28	2.93	U	U	-0.379	15	pCi/L
HAA 9AR	4/26/2017	GROSS ALPHA	2.33	5.9	U	U	1.59	15	pCi/L
HAA 9AR	4/26/2017	GROSS ALPHA	2.34	4.01	U	U	0.0139	15	pCi/L
HAA 9AR	5/15/2018	GROSS ALPHA	2.56	4.47	U	U	0.0142	15	pCi/L
HAA 9AR	5/13/2019	GROSS ALPHA	2.49	5.86	U	U	1.22	15	pCi/L
HAA 9AR	6/8/2020	GROSS ALPHA	2.01	4.97	J	J	2.606	15	pCi/L
HAA 9AR	6/8/2020	GROSS ALPHA	1.79	4.49	J	J	2.43	15	pCi/L
HAA 9AR	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 9AR	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 9AR	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 9AR	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 9AR	6/8/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 9AR	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 9AR	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 9AR	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 9AR	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 9AR	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 9AR	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 9AR	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 9AR	6/8/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 9AR	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 9AR	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 9AR	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 9AR	6/8/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 9AR	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 9AR	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 9AR	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 9AR	6/8/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 9AR	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 9AR	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 9AR	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 9AR	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 9AR	6/8/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 9AR	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 9AR	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 9AR	6/8/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 9AR	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 9AR	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 9AR	6/8/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 9AR	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 9AR	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 9AR	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 9AR	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 9AR	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 9AR	6/8/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 9AR	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 9AR	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 9AR	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 9AR	6/8/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 9AR	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 9AR	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 9AR	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 9AR	6/8/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 9AR	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 9AR	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 9AR	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 9AR	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 9AR	6/8/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 9AR	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 9AR	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 9AR	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 9AR	6/8/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 9AR	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 9AR	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9AR	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9AR	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9AR	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9AR	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 9AR	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 9AR	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 9AR	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 9AR	6/8/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 9AR	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9AR	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9AR	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9AR	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9AR	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	5/2/2016	CADMIUM	0.1	1	J	J	0.4	5	ug/L
HAA 9AR	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 9AR	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 9AR	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 9AR	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 9AR	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 9AR	6/8/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 9AR	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 9AR	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 9AR	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 9AR	6/8/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 9AR	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 9AR	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 9AR	6/8/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9AR	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 9AR	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 9AR	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 9AR	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 9AR	6/8/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 9AR	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 9AR	4/22/2015	ACETONE	0.34	2		J	3.4	14000	ug/L
HAA 9AR	5/15/2018	ACETONE	1.74	5		U	11.6	14000	ug/L
HAA 9AR	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 9AR	6/8/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 9AR	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 9AR	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 9AR	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 9AR	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 9AR	6/8/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 9AR	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 9AR	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 9AR	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 9AR	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 9AR	6/8/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 9AR	5/6/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 9AR	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HAA 9AR	5/15/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 9AR	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HAA 9AR	6/8/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 9AR	5/6/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 9AR	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 9AR	5/15/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 9AR	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 9AR	6/8/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 9AR	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	5/6/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HAA 9AR	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1	600	ug/L
HAA 9AR	5/15/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HAA 9AR	5/13/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1	600	ug/L
HAA 9AR	6/8/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HAA 9AR	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 9AR	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 9AR	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 9AR	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 9AR	6/8/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 9AR	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 9AR	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 9AR	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L
HAA 9AR	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 9AR	6/8/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 9AR	5/6/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 9AR	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HAA 9AR	5/15/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HAA 9AR	6/8/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/6/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 9AR	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HAA 9AR	5/15/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HAA 9AR	6/8/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 9AR	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HAA 9AR	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HAA 9AR	6/8/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 9AR	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 9AR	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 9AR	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 9AR	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 9AR	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 9AR	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 9AR	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	UJ	1	2.8	ug/L
HAA 9AR	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 9AR	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 9AR	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 9AR	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 9AR	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 9AR	6/8/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 9AR	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 9AR	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 9AR	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 9AR	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 9AR	6/8/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 9AR	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 9AR	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 9AR	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 9AR	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 9AR	6/8/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 9AR	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 9AR	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 9AR	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 9AR	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 9AR	6/8/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	UJ	1	0.076	ug/L
HAA 9AR	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 9AR	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9AR	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9AR	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9AR	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9AR	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 9AR	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	UJ	1	200	ug/L
HAA 9AR	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 9AR	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9AR	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9AR	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9AR	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 9AR	6/8/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9D	5/3/2010	TRITIUM	0.462	1.71			9.41	20	pCi/mL
HAA 9D	5/3/2011	TRITIUM	0.438	1.63			8.28	20	pCi/mL
HAA 9D	4/30/2012	TRITIUM	0.48	1.67			7.65	20	pCi/mL
HAA 9D	5/7/2013	TRITIUM	0.394	1.5			7.05	20	pCi/mL
HAA 9D	5/6/2014	TRITIUM	0.381	1.47			7.34	20	pCi/mL
HAA 9D	4/22/2015	TRITIUM	0.531	1.63			6.97	20	pCi/mL
HAA 9D	4/22/2015	TRITIUM	0.526	1.6			6.72	20	pCi/mL
HAA 9D	4/26/2016	TRITIUM	0.544	1.62			6.21	20	pCi/mL
HAA 9D	4/26/2017	TRITIUM	0.522	1.6			5.38	20	pCi/mL
HAA 9D	4/26/2017	TRITIUM	0.521	1.59			5.29	20	pCi/mL
HAA 9D	5/15/2018	TRITIUM	0.399	1.31			4.78	20	pCi/mL
HAA 9D	5/13/2019	TRITIUM	0.411	1.33			4.93	20	pCi/mL
HAA 9D	5/20/2020	TRITIUM	0.282	1.156			5.23	20	pCi/mL
HAA 9D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 9D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 9D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 9D	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 9D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 9D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 9D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 9D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 9D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 9D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 9D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 9D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 9D	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 9D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 9D	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 9D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 9D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 9D	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 9D	4/22/2015	TOLUENE	0.07	1		UJ	2.5	1000	ug/L
HAA 9D	4/22/2015	TOLUENE	0.07	1		J	1.3	1000	ug/L
HAA 9D	5/15/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 9D	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 9D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 9D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 9D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 9D	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 9D	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 9D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 9D	4/30/2012	SODIUM	0.04	0.4			7.47		ug/L
HAA 9D	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 9D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 9D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 9D	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 9D	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 9D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 9D	5/3/2010	NONVOLATILE BETA	4.2	9.06	U	U	0.865	50	pCi/L
HAA 9D	5/3/2011	NONVOLATILE BETA	4.3	9.3	U	U	0.605	50	pCi/L
HAA 9D	4/30/2012	NONVOLATILE BETA	4.27	8.79	U	U	-0.231	50	pCi/L
HAA 9D	5/7/2013	NONVOLATILE BETA	4.37	8.75	U	U	-0.803	50	pCi/L
HAA 9D	5/6/2014	NONVOLATILE BETA	3.98	8.74	U	U	0.731	50	pCi/L
HAA 9D	4/22/2015	NONVOLATILE BETA	4.17	8.65	U	U	-0.0144	50	pCi/L
HAA 9D	4/22/2015	NONVOLATILE BETA	4.12	8.15	U	U	-0.857	50	pCi/L
HAA 9D	4/26/2016	NONVOLATILE BETA	4.04	9.07	U	U	1.5	50	pCi/L
HAA 9D	4/26/2017	NONVOLATILE BETA	4.09	10.1	U	U	3.71	50	pCi/L
HAA 9D	5/15/2018	NONVOLATILE BETA	3.83	8.19	U	U	0.533	50	pCi/L
HAA 9D	5/13/2019	NONVOLATILE BETA	4.16	9.18	U	U	0.878	50	pCi/L
HAA 9D	5/20/2020	NONVOLATILE BETA	0.9	1.846	U	U	-0.32	50	pCi/L
HAA 9D	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			1.13	10	mg/L
HAA 9D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 9D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 9D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 9D	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 9D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 9D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 9D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 9D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 9D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 9D	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 9D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 9D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 9D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 9D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 9D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 9D	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 9D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 9D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 9D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 9D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 9D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 9D	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 9D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 9D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 9D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 9D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 9D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 9D	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 9D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 9D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 9D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 9D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 9D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 9D	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 9D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 9D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 9D	5/3/2010	LEAD	0.4	4			5.03	15	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	5/3/2011	LEAD	1	10	U	U	10	15	ug/L
HAA 9D	4/30/2012	LEAD	1	10	J	J	1.43	15	ug/L
HAA 9D	5/7/2013	LEAD	1	10	U	U	10	15	ug/L
HAA 9D	5/6/2014	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9D	4/22/2015	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9D	4/22/2015	LEAD	0.5	5	J	J	0.889	15	ug/L
HAA 9D	4/26/2016	LEAD	0.5	5	J	J	0.855	15	ug/L
HAA 9D	4/26/2017	LEAD	0.5	5	J	J	0.597	15	ug/L
HAA 9D	5/15/2018	LEAD	0.5	5	J	J	1.75	15	ug/L
HAA 9D	5/13/2019	LEAD	0.5	5	U	U	5	15	ug/L
HAA 9D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 9D	4/30/2012	GROSS ALPHA	2.44	6.24	U	UJ	1.6	15	pCi/L
HAA 9D	5/7/2013	GROSS ALPHA	2.5	5.13	U	U	0.554	15	pCi/L
HAA 9D	5/6/2014	GROSS ALPHA	2.22	5.39	U	U	1.19	15	pCi/L
HAA 9D	4/22/2015	GROSS ALPHA	2.06	4.33	U	U	0.54	15	pCi/L
HAA 9D	4/22/2015	GROSS ALPHA	2.06	3.71	U	U	0.152	15	pCi/L
HAA 9D	4/26/2016	GROSS ALPHA	2.26	3.9	U	U	0.00242	15	pCi/L
HAA 9D	4/26/2017	GROSS ALPHA	2.31	3.96	U	U	0.0137	15	pCi/L
HAA 9D	5/15/2018	GROSS ALPHA	2.38	5.27	U	U	0.824	15	pCi/L
HAA 9D	5/13/2019	GROSS ALPHA	2.39	4.14	U	U	-0.00139	15	pCi/L
HAA 9D	5/20/2020	GROSS ALPHA	0.974	2.114	U	U	0.389	15	pCi/L
HAA 9D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 9D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 9D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 9D	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 9D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 9D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 9D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 9D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 9D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 9D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 9D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 9D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 9D	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 9D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 9D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 9D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 9D	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 9D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 9D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 9D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 9D	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 9D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 9D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 9D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 9D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 9D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 9D	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 9D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 9D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 9D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 9D	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 9D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 9D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 9D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 9D	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 9D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 9D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 9D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 9D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 9D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 9D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 9D	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 9D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 9D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 9D	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 9D	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 9D	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 9D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 9D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 9D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 9D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 9D	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 9D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 9D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 9D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 9D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 9D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 9D	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 9D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 9D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 9D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 9D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 9D	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 9D	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 9D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 9D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 9D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9D	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 9D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 9D	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 9D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 9D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 9D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 9D	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 9D	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 9D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 9D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9D	4/30/2012	CADMIUM	0.2	2	J	J	0.464	5	ug/L
HAA 9D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 9D	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	CADMIUM	0.1	1	J	J	0.106	5	ug/L
HAA 9D	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwm/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9D	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 9D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 9D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 9D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 9D	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 9D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 9D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 9D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 9D	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 9D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 9D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 9D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 9D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 9D	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9D	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 9D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 9D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 9D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 9D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 9D	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 9D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 9D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 9D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 9D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 9D	4/22/2015	ACETONE	0.34	2		J	4.2	14000	ug/L
HAA 9D	4/22/2015	ACETONE	0.34	2		J	4.1	14000	ug/L
HAA 9D	5/15/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 9D	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 9D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 9D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 9D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 9D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 9D	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 9D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 9D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 9D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 9D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 9D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 9D	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 9D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 9D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 9D	5/6/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 9D	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 9D	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 9D	5/15/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 9D	5/13/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HAA 9D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 9D	5/6/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 9D	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 9D	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 9D	5/15/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 9D	5/13/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 9D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 9D	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 9D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HAA 9D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 9D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 9D	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 9D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1		5 ug/L
HAA 9D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 9D	5/6/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1		600 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1		600 ug/L
HAA 9D	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1		600 ug/L
HAA 9D	5/15/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 9D	5/13/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1		600 ug/L
HAA 9D	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 9D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1		0.5 ug/L
HAA 9D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 9D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 9D	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 9D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1		0.5 ug/L
HAA 9D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 9D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1		0.2 ug/L
HAA 9D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 9D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 9D	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 9D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1		0.2 ug/L
HAA 9D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 9D	5/6/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1		7 ug/L
HAA 9D	5/15/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1		7 ug/L
HAA 9D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/6/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1		7 ug/L
HAA 9D	5/15/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1		7 ug/L
HAA 9D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 9D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 9D	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1		7 ug/L
HAA 9D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 9D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2		2.8 ug/L
HAA 9D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 9D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 9D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 9D	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 9D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1		2.8 ug/L
HAA 9D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1		2.8 ug/L
HAA 9D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 9D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 9D	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 9D	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1		2.8 ug/L
HAA 9D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 9D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1		5 ug/L
HAA 9D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1		5 ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 9D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 9D	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 9D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 9D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 9D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 9D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 9D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 9D	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 9D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 9D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 9D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 9D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 9D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 9D	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 9D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 9D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 9D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 9D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 9D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 9D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 9D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 9D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 9D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9D	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 9D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 9D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11A	5/3/2010	TRITIUM	0.456	0.982	U	U	-0.015	20	pCi/mL
HAA 11A	5/3/2011	TRITIUM	0.439	0.97	U	U	0.19	20	pCi/mL
HAA 11A	4/30/2012	TRITIUM	0.475	1.02	U	U	-0.0108	20	pCi/mL
HAA 11A	5/7/2013	TRITIUM	0.525	1.18	U	U	0.434	20	pCi/mL
HAA 11A	5/7/2013	TRITIUM	0.524	1.12	U	U	-0.0898	20	pCi/mL
HAA 11A	5/6/2014	TRITIUM	0.383	0.847	U	U	0.172	20	pCi/mL
HAA 11A	4/22/2015	TRITIUM	0.527	1.14	U	U	-0.0145	20	pCi/mL
HAA 11A	4/26/2016	TRITIUM	0.544	1.17	U	U	-0.161	20	pCi/mL
HAA 11A	4/26/2017	TRITIUM	0.445	0.966	U	U	0.0688	20	pCi/mL
HAA 11A	5/15/2018	TRITIUM	0.405	0.881	U	U	0.0789	20	pCi/mL
HAA 11A	5/13/2019	TRITIUM	0.407	0.862	U	U	-0.106	20	pCi/mL
HAA 11A	5/20/2020	TRITIUM	0.287	0.613	U	U	0.0176	20	pCi/mL
HAA 11A	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 11A	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 11A	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 11A	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 11A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 11A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 11A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 11A	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11A	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11A	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11A	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 11A	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 11A	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 11A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 11A	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 11A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 11A	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 11A	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 11A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 11A	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 11A	4/22/2015	TOLUENE	0.07	1		UJ	1	1000	ug/L
HAA 11A	5/15/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 11A	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 11A	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 11A	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 11A	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 11A	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 11A	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 11A	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 11A	4/30/2012	SODIUM	0.04	0.4			4.47		ug/L
HAA 11A	4/30/2012	SODIUM	0.04	0.4			4.46		ug/L
HAA 11A	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 11A	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 11A	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 11A	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 11A	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 11A	5/3/2010	NONVOLATILE BETA	4.49	11.4	J	J	6.11	50	pCi/L
HAA 11A	5/3/2011	NONVOLATILE BETA	4.2	9.65	U	U	2.05	50	pCi/L
HAA 11A	4/30/2012	NONVOLATILE BETA	4.42	10.5	U	U	3.39	50	pCi/L
HAA 11A	4/30/2012	NONVOLATILE BETA	4.07	9.81	U	U	3.27	50	pCi/L
HAA 11A	5/7/2013	NONVOLATILE BETA	4.33	10.6	U	U	4.27	50	pCi/L
HAA 11A	5/6/2014	NONVOLATILE BETA	3.98	10.5	J	J	6.18	50	pCi/L
HAA 11A	4/22/2015	NONVOLATILE BETA	4.07	10.5	J	J	5.92	50	pCi/L
HAA 11A	4/26/2016	NONVOLATILE BETA	4.04	9.9	U	U	3.88	50	pCi/L
HAA 11A	4/26/2017	NONVOLATILE BETA	4.04	9.77	U	U	3.12	50	pCi/L
HAA 11A	5/15/2018	NONVOLATILE BETA	3.81	8.86	U	U	2.26	50	pCi/L
HAA 11A	5/15/2018	NONVOLATILE BETA	3.81	8.76	U	U	2.03	50	pCi/L
HAA 11A	5/13/2019	NONVOLATILE BETA	4.19	9.73	U	U	2.26	50	pCi/L
HAA 11A	5/20/2020	NONVOLATILE BETA	0.947	2.309	J	J	1.67	50	pCi/L
HAA 11A	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.177	10	mg/L
HAA 11A	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 11A	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 11A	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 11A	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 11A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 11A	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 11A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 11A	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 11A	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 11A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 11A	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 11A	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 11A	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 11A	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 11A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 11A	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 11A	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 11A	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 11A	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 11A	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 11A	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 11A	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 11A	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 11A	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 11A	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 11A	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 11A	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 11A	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 11A	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 11A	5/3/2010	LEAD	0.4	4	J	J	2.73	15	ug/L
HAA 11A	5/3/2011	LEAD	1	10	U	U	10	15	ug/L
HAA 11A	4/30/2012	LEAD	1	10			23.9	15	ug/L
HAA 11A	4/30/2012	LEAD	1	10			23.6	15	ug/L
HAA 11A	5/7/2013	LEAD	1	10			238	15	ug/L
HAA 11A	5/6/2014	LEAD	0.5	5			125	15	ug/L
HAA 11A	4/22/2015	LEAD	0.5	5	J	J	1.26	15	ug/L
HAA 11A	4/22/2015	LEAD	0.5	5	J	J	1.24	15	ug/L
HAA 11A	4/26/2016	LEAD	0.5	5	J	J	1.75	15	ug/L
HAA 11A	4/26/2016	LEAD	0.5	5	J	J	1.7	15	ug/L
HAA 11A	4/26/2017	LEAD	0.5	5	J	J	0.854	15	ug/L
HAA 11A	5/15/2018	LEAD	0.5	5	J	J	1.49	15	ug/L
HAA 11A	5/15/2018	LEAD	0.5	5	J	J	1.47	15	ug/L
HAA 11A	5/13/2019	LEAD	0.5	5	J	J	0.605	15	ug/L
HAA 11A	5/20/2020	LEAD	3	10	J	J	3.3	15	ug/L
HAA 11A	4/30/2012	GROSS ALPHA	2.52	7.65	J	J	3.08	15	pCi/L
HAA 11A	4/30/2012	GROSS ALPHA	2.53	3.19	U	UJ	-0.287	15	pCi/L
HAA 11A	5/7/2013	GROSS ALPHA	2.58	4.57	U	U	0.108	15	pCi/L
HAA 11A	5/6/2014	GROSS ALPHA	2.29	4.66	U	U	0.436	15	pCi/L
HAA 11A	4/22/2015	GROSS ALPHA	2.17	2.71	U	U	-0.26	15	pCi/L
HAA 11A	4/26/2016	GROSS ALPHA	2.34	3.01	U	U	-0.389	15	pCi/L
HAA 11A	4/26/2017	GROSS ALPHA	2.37	2.94	U	U	-0.385	15	pCi/L
HAA 11A	5/15/2018	GROSS ALPHA	2.45	3.24	U	U	-0.395	15	pCi/L
HAA 11A	5/15/2018	GROSS ALPHA	2.47	3.27	U	U	-0.398	15	pCi/L
HAA 11A	5/13/2019	GROSS ALPHA	2.44	5.35	U	U	0.809	15	pCi/L
HAA 11A	5/20/2020	GROSS ALPHA	1.18	2.704	U	U	0.813	15	pCi/L
HAA 11A	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 11A	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 11A	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 11A	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 11A	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 11A	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 11A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 11A	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 11A	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 11A	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 11A	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 11A	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 11A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 11A	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 11A	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 11A	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11A	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 11A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11A	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 11A	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 11A	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 11A	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 11A	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 11A	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 11A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 11A	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 11A	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 11A	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 11A	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 11A	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 11A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 11A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 11A	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 11A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 11A	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 11A	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 11A	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 11A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 11A	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 11A	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 11A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 11A	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 11A	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 11A	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 11A	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 11A	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 11A	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 11A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 11A	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 11A	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 11A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 11A	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 11A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 11A	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 11A	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 11A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 11A	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 11A	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 11A	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 11A	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 11A	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 11A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 11A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 11A	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11A	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11A	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11A	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 11A	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 11A	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 11A	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 11A	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 11A	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 11A	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 11A	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11A	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11A	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11A	4/30/2012	CADMIUM	0.2	2	J	J	0.434	5	ug/L
HAA 11A	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11A	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	CADMIUM	0.1	1	J	J	0.111	5	ug/L
HAA 11A	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 11A	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 11A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 11A	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 11A	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 11A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 11A	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 11A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 11A	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 11A	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 11A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 11A	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 11A	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 11A	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11A	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 11A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11A	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 11A	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 11A	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 11A	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 11A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 11A	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 11A	4/22/2015	ACETONE	0.34	2		J	3.8	14000	ug/L
HAA 11A	5/15/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 11A	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 11A	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 11A	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 11A	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 11A	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 11A	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 11A	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 11A	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 11A	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 11A	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 11A	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 11A	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 11A	5/6/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 11A	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HAA 11A	5/15/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 11A	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HAA 11A	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 11A	5/6/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 11A	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 11A	5/15/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 11A	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 11A	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 11A	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	1,2-DICHLOROETHANE	0.3	1	U	U	1	600	ug/L
HAA 11A	4/22/2015	1,2-DICHLOROETHANE	0.06	1	U	U	1	600	ug/L
HAA 11A	5/15/2018	1,2-DICHLOROETHANE	0.333	1	U	U	1	600	ug/L
HAA 11A	5/13/2019	1,2-DICHLOROETHANE	0.42	1	U	U	1	600	ug/L
HAA 11A	5/20/2020	1,2-DICHLOROETHANE	0.333	1	U	U	1	600	ug/L
HAA 11A	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 11A	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 11A	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 11A	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 11A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 11A	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 11A	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 11A	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 11A	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 11A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 11A	5/6/2014	1,2,4-TRICHLOROETHANE	0.3	1	U	U	1	7	ug/L
HAA 11A	4/22/2015	1,2,4-TRICHLOROETHANE	0.08	1	U	U	1	7	ug/L
HAA 11A	5/15/2018	1,2,4-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/13/2019	1,2,4-TRICHLOROETHANE	0.54	1	U	U	1	7	ug/L
HAA 11A	5/20/2020	1,2,4-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/6/2014	1,2,3-TRICHLOROETHANE	0.3	1	U	U	1	7	ug/L
HAA 11A	4/22/2015	1,2,3-TRICHLOROETHANE	0.09	1	U	U	1	7	ug/L
HAA 11A	5/15/2018	1,2,3-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/13/2019	1,2,3-TRICHLOROETHANE	0.48	1	U	U	1	7	ug/L
HAA 11A	5/20/2020	1,2,3-TRICHLOROETHANE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 11A	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HAA 11A	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HAA 11A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 11A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 11A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 11A	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 11A	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 11A	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 11A	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 11A	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 11A	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 11A	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11A	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11A	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 11A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11A	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 11A	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 11A	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 11A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 11A	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 11A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 11A	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 11A	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 11A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 11A	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 11A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 11A	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 11A	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 11A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 11A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 11A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 11A	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11A	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 11A	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 11A	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 11A	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 11A	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 11A	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11A	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11A	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 11A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11D	5/3/2010	TRITIUM	0.459	1.96			14.7	20	pCi/mL
HAA 11D	5/3/2011	TRITIUM	0.463	1.72			9.11	20	pCi/mL
HAA 11D	4/30/2012	TRITIUM	0.476	1.86			11.2	20	pCi/mL
HAA 11D	5/8/2013	TRITIUM	0.523	1.87			9.48	20	pCi/mL
HAA 11D	5/6/2014	TRITIUM	0.384	1.59			9.2	20	pCi/mL
HAA 11D	4/22/2015	TRITIUM	0.529	1.72			8.99	20	pCi/mL
HAA 11D	4/26/2016	TRITIUM	0.534	1.71			8.45	20	pCi/mL
HAA 11D	4/26/2017	TRITIUM	0.523	1.71			7.05	20	pCi/mL
HAA 11D	5/15/2018	TRITIUM	0.401	1.53			8.21	20	pCi/mL
HAA 11D	5/13/2019	TRITIUM	0.411	1.41			6.12	20	pCi/mL
HAA 11D	5/20/2020	TRITIUM	0.308	1.472			8.92	20	pCi/mL
HAA 11D	5/20/2020	TRITIUM	0.341	1.525			8.676	20	pCi/mL
HAA 11D	5/20/2020	TRITIUM	0.296	1.388			8.154	20	pCi/mL
HAA 11D	5/20/2020	TRITIUM	0.347	1.509			8.14	20	pCi/mL
HAA 11D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 11D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 11D	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 11D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 11D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 11D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 11D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 11D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11D	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 11D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 11D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 11D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 11D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 11D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 11D	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 11D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 11D	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 11D	4/22/2015	TOLUENE	0.07	1		U	1	1000	ug/L
HAA 11D	5/15/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 11D	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 11D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 11D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 11D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 11D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 11D	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 11D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 11D	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 11D	4/30/2012	SODIUM	0.04	0.4			3.02		ug/L
HAA 11D	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 11D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 11D	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 11D	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 11D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 11D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 11D	5/3/2010	NONVOLATILE BETA	4.31	10.1	U	U	2.9	50	pCi/L
HAA 11D	5/3/2010	NONVOLATILE BETA	4.37	9.85	U	U	2.05	50	pCi/L
HAA 11D	5/3/2011	NONVOLATILE BETA	4.36	9.66	U	U	1.24	50	pCi/L
HAA 11D	4/30/2012	NONVOLATILE BETA	4.05	8.86	U	U	0.923	50	pCi/L
HAA 11D	5/8/2013	NONVOLATILE BETA	4.57	9.45	U	U	-0.227	50	pCi/L
HAA 11D	5/6/2014	NONVOLATILE BETA	4.02	8.87	U	U	0.856	50	pCi/L
HAA 11D	4/22/2015	NONVOLATILE BETA	4.05	9.58	U	U	3.04	50	pCi/L
HAA 11D	4/22/2015	NONVOLATILE BETA	4.23	8.92	U	U	0.353	50	pCi/L
HAA 11D	4/26/2016	NONVOLATILE BETA	4.08	9.29	U	U	1.86	50	pCi/L
HAA 11D	4/26/2017	NONVOLATILE BETA	4.26	9.28	U	U	0.545	50	pCi/L
HAA 11D	5/15/2018	NONVOLATILE BETA	3.8	8.06	U	U	0.341	50	pCi/L
HAA 11D	5/13/2019	NONVOLATILE BETA	4.17	9.27	U	U	1.09	50	pCi/L
HAA 11D	5/20/2020	NONVOLATILE BETA	0.943	2.259	J	U	1.286	50	pCi/L
HAA 11D	5/20/2020	NONVOLATILE BETA	0.949	2.199	J	U	0.99	50	pCi/L
HAA 11D	5/20/2020	NONVOLATILE BETA	0.893	1.931	U	U	0.225	50	pCi/L
HAA 11D	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.05	0.1			3.29	10	mg/L
HAA 11D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 11D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 11D	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 11D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 11D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 11D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 11D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 11D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 11D	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 11D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 11D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 11D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 11D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 11D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 11D	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 11D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 11D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 11D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 11D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 11D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 11D	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 11D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 11D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 11D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 11D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 11D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 11D	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 11D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 11D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 11D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 11D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 11D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 11D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 11D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 11D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 11D	5/3/2010	LEAD	0.4	4	J	J	1.99	15	ug/L
HAA 11D	5/3/2010	LEAD	0.4	4	J	J	1.93	15	ug/L
HAA 11D	5/3/2011	LEAD	1	10	U	U	10	15	ug/L
HAA 11D	4/30/2012	LEAD	1	10			11.1	15	ug/L
HAA 11D	5/8/2013	LEAD	1	10	J	J	1.26	15	ug/L
HAA 11D	5/6/2014	LEAD	0.5	5			5.73	15	ug/L
HAA 11D	4/22/2015	LEAD	0.5	5			69.8	15	ug/L
HAA 11D	4/26/2016	LEAD	0.5	5	J	J	1.46	15	ug/L
HAA 11D	4/26/2017	LEAD	0.5	5	J	J	2.16	15	ug/L
HAA 11D	5/15/2018	LEAD	0.5	5	J	J	2.41	15	ug/L
HAA 11D	5/13/2019	LEAD	0.5	5	J	J	1.28	15	ug/L
HAA 11D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 11D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 11D	4/30/2012	GROSS ALPHA	2.4	3.04	U	UJ	-0.27	15	pCi/L
HAA 11D	5/8/2013	GROSS ALPHA	2.48	6.89	U	U	2.33	15	pCi/L
HAA 11D	5/6/2014	GROSS ALPHA	2.19	6.78	J	J	3.06	15	pCi/L
HAA 11D	4/22/2015	GROSS ALPHA	2.05	4.79	U	U	0.924	15	pCi/L
HAA 11D	4/22/2015	GROSS ALPHA	2.06	2.57	U	U	-0.243	15	pCi/L
HAA 11D	4/26/2016	GROSS ALPHA	2.23	5.96	U	U	1.87	15	pCi/L
HAA 11D	4/26/2017	GROSS ALPHA	2.3	5.45	U	U	1.18	15	pCi/L
HAA 11D	5/15/2018	GROSS ALPHA	2.34	4.1	U	U	0.0196	15	pCi/L
HAA 11D	5/13/2019	GROSS ALPHA	2.38	4.73	U	U	0.394	15	pCi/L
HAA 11D	5/20/2020	GROSS ALPHA	0.928	2.554	J	J	1.699	15	pCi/L
HAA 11D	5/20/2020	GROSS ALPHA	0.948	2.17	U	U	0.618	15	pCi/L
HAA 11D	5/20/2020	GROSS ALPHA	1.36	2.596	U	U	-0.382	15	pCi/L
HAA 11D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 11D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 11D	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 11D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 11D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 11D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 11D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 11D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 11D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 11D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 11D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 11D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 11D	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 11D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 11D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 11D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 11D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 11D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 11D	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 11D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 11D	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 11D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 11D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 11D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 11D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 11D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 11D	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 11D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 11D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 11D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 11D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 11D	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 11D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 11D	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 11D	4/30/2012	CHROMIUM	20	200	J	J	22.3	100	ug/L
HAA 11D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 11D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 11D	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 11D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 11D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 11D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 11D	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 11D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 11D	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 11D	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 11D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 11D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 11D	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 11D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 11D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 11D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 11D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 11D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 11D	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 11D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 11D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 11D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 11D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 11D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 11D	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 11D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 11D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11D	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 11D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 11D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 11D	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 11D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 11D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 11D	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 11D	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 11D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 11D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11D	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11D	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 11D	5/6/2014	CADMIUM	0.1	1	J	J	0.122	5	ug/L
HAA 11D	4/22/2015	CADMIUM	0.1	1	J	J	0.117	5	ug/L
HAA 11D	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11D	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 11D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 11D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 11D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 11D	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 11D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 11D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 11D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 11D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 11D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 11D	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 11D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 11D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 11D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 11D	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 11D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 11D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 11D	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 11D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 11D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 11D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 11D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 11D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 11D	4/22/2015	ACETONE	0.34	2		J	2.9	14000	ug/L
HAA 11D	5/15/2018	ACETONE	1.74	5	J	U	4.08	14000	ug/L
HAA 11D	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 11D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 11D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 11D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 11D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 11D	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 11D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 11D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 11D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 11D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 11D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 11D	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 11D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 11D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 11D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 11D	5/6/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 11D	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	5/15/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/13/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HAA 11D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/6/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 11D	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 11D	5/15/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/13/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HAA 11D	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 11D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HAA 11D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 11D	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 11D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 11D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HAA 11D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 11D	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 11D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1		5 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 11D	5/6/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1		600 ug/L
HAA 11D	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1		600 ug/L
HAA 11D	5/15/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 11D	5/13/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1		600 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 11D	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 11D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1		0.5 ug/L
HAA 11D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 11D	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 11D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1		0.5 ug/L
HAA 11D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 11D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 11D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1		0.2 ug/L
HAA 11D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 11D	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1		0.2 ug/L
HAA 11D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1		0.2 ug/L
HAA 11D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 11D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 11D	5/6/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 11D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1		7 ug/L
HAA 11D	5/15/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/6/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 11D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1		7 ug/L
HAA 11D	5/15/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1		7 ug/L
HAA 11D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 11D	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 11D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2		2.8 ug/L
HAA 11D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 11D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 11D	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 11D	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 11D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 11D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 11D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11D	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11D	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 11D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 11D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 11D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 11D	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 11D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 11D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 11D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 11D	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 11D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 11D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 11D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 11D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 11D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 11D	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 11D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 11D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 11D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 11D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 11D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 11D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 11D	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 11D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 11D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 11D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 11D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11D	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 11D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 11D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 12A	5/3/2010	TRITIUM	0.454	1.73			10.2	20	pCi/mL
HAA 12A	5/3/2011	TRITIUM	0.466	1.43			4.57	20	pCi/mL
HAA 12A	4/30/2012	TRITIUM	0.47	1.78			10.1	20	pCi/mL
HAA 12A	5/8/2013	TRITIUM	0.534	1.77			7.39	20	pCi/mL
HAA 12A	5/6/2014	TRITIUM	0.381	1.37			5.86	20	pCi/mL
HAA 12A	4/22/2015	TRITIUM	0.532	2.46			28.6	20	pCi/mL
HAA 12A	4/26/2016	TRITIUM	0.535	2.22			20.8	20	pCi/mL
HAA 12A	4/26/2017	TRITIUM	0.524	2.47			23.1	20	pCi/mL
HAA 12A	5/21/2018	TRITIUM	0.504	1.71			8.48	20	pCi/mL
HAA 12A	5/21/2019	TRITIUM	0.394	1.64			10.1	20	pCi/mL
HAA 12A	5/20/2020	TRITIUM	0.278	1.652			14.2	20	pCi/mL
HAA 12A	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 12A	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	R	1	5200	ug/L
HAA 12A	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 12A	5/21/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	R	1	5200	ug/L
HAA 12A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 12A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 12A	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 12A	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 12A	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 12A	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	R	1	5	ug/L
HAA 12A	4/26/2016	TRICHLOROETHYLENE (TCE)	15	50	U	U	50	5	ug/L
HAA 12A	4/26/2017	TRICHLOROETHYLENE (TCE)	16.7	50	U	U	50	5	ug/L
HAA 12A	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	R	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 12A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	R	1	0.47	ug/L
HAA 12A	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	5/21/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	R	1	0.47	ug/L
HAA 12A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 12A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	R	1	100	ug/L
HAA 12A	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 12A	5/21/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	R	1	100	ug/L
HAA 12A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 12A	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 12A	4/22/2015	TOLUENE	0.07	1	J	U	0.97	1000	ug/L
HAA 12A	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 12A	5/21/2019	TOLUENE	0.24	1	U	R	1	1000	ug/L
HAA 12A	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 12A	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 12A	4/22/2015	STYRENE	0.07	1	U	R	1	100	ug/L
HAA 12A	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 12A	5/21/2019	STYRENE	0.35	1	U	R	1	100	ug/L
HAA 12A	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 12A	4/30/2012	SODIUM	0.04	0.4			7.48		ug/L
HAA 12A	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 12A	4/22/2015	O-XYLENE	0.06	1	U	R	1	190	ug/L
HAA 12A	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 12A	5/21/2019	O-XYLENE	0.43	1	U	R	1	190	ug/L
HAA 12A	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 12A	5/3/2010	NONVOLATILE BETA	4.71	12.3	J	J	7.79	50	pCi/L
HAA 12A	5/3/2011	NONVOLATILE BETA	4.57	12.7	J	J	9.79	50	pCi/L
HAA 12A	4/30/2012	NONVOLATILE BETA	4.63	14.4			16.2	50	pCi/L
HAA 12A	5/8/2013	NONVOLATILE BETA	4.77	13.7	J	J	12.7	50	pCi/L
HAA 12A	5/6/2014	NONVOLATILE BETA	4.27	13.9			17.9	50	pCi/L
HAA 12A	4/22/2015	NONVOLATILE BETA	8.73	30.9			50.4	50	pCi/L
HAA 12A	4/26/2016	NONVOLATILE BETA	8.64	29.6			44.5	50	pCi/L
HAA 12A	4/26/2017	NONVOLATILE BETA	19.3	57.7			63.9	50	pCi/L
HAA 12A	5/21/2018	NONVOLATILE BETA	2.71	10.6			26.1	50	pCi/L
HAA 12A	5/21/2019	NONVOLATILE BETA	8.31	28.2			41.5	50	pCi/L
HAA 12A	5/20/2020	NONVOLATILE BETA	9.16	28.28			60.6	50	pCi/L
HAA 12A	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.446	10	mg/L
HAA 12A	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 12A	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	R	4		ug/L
HAA 12A	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 12A	5/21/2019	METHYLCYCLOHEXANE	0.32	4	U	R	4		ug/L
HAA 12A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 12A	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 12A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	R	2	14	ug/L
HAA 12A	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 12A	5/21/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	R	2	14	ug/L
HAA 12A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 12A	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 12A	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	R	5	6300	ug/L
HAA 12A	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 12A	5/21/2019	METHYL ISOBUTYL KETONE	0.51	5	U	R	5	6300	ug/L
HAA 12A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 12A	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 12A	4/22/2015	METHYL ETHYL KETONE	0.52	5	J	J	1.3	5600	ug/L
HAA 12A	5/21/2018	METHYL ETHYL KETONE	1.67	5			5.35	5600	ug/L
HAA 12A	5/21/2019	METHYL ETHYL KETONE	0.72	5	U	R	5	5600	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12A	5/20/2020	METHYL ETHYL KETONE	1.67	5	J	J	2.47	5600	ug/L
HAA 12A	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 12A	4/22/2015	METHYL ACETATE	0.37	25	U	R	25	20000	ug/L
HAA 12A	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 12A	5/21/2019	METHYL ACETATE	2.7	25	U	R	25	20000	ug/L
HAA 12A	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 12A	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 12A	4/22/2015	M,P-XYLENE	0.14	2	U	R	2	190	ug/L
HAA 12A	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 12A	5/21/2019	M,P-XYLENE	0.39	2	U	R	2	190	ug/L
HAA 12A	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 12A	5/3/2010	LEAD	0.4	4	J	J	0.983	15	ug/L
HAA 12A	5/3/2011	LEAD	1	10			15	15	ug/L
HAA 12A	4/30/2012	LEAD	1	10	J	J	3.78	15	ug/L
HAA 12A	5/8/2013	LEAD	1	10	J	J	3.14	15	ug/L
HAA 12A	5/6/2014	LEAD	0.5	5	J	J	1.4	15	ug/L
HAA 12A	4/22/2015	LEAD	0.5	5			6.22	15	ug/L
HAA 12A	4/26/2016	LEAD	0.5	5	J	J	1.58	15	ug/L
HAA 12A	4/26/2017	LEAD	0.5	5			14.8	15	ug/L
HAA 12A	5/21/2018	LEAD	0.5	5	J	J	0.823	15	ug/L
HAA 12A	5/21/2019	LEAD	0.5	5	J	J	1.05	15	ug/L
HAA 12A	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 12A	4/30/2012	GROSS ALPHA	4.07	13.3	J	J	6.39	15	pCi/L
HAA 12A	5/8/2013	GROSS ALPHA	3.93	11.4	J	J	4.38	15	pCi/L
HAA 12A	5/6/2014	GROSS ALPHA	3.51	11.2	J	J	5.48	15	pCi/L
HAA 12A	4/22/2015	GROSS ALPHA	7.15	14.8	U	U	1.71	15	pCi/L
HAA 12A	4/26/2016	GROSS ALPHA	6.98	21.1	J	J	9.29	15	pCi/L
HAA 12A	4/26/2017	GROSS ALPHA	12.7	44.6	J	J	27.6	15	pCi/L
HAA 12A	5/21/2018	GROSS ALPHA	2.6	6.34	U	U	1.44	15	pCi/L
HAA 12A	5/21/2019	GROSS ALPHA	5.78	15.6	U	U	4.73	15	pCi/L
HAA 12A	5/20/2020	GROSS ALPHA	28.7	57.7	U	U	-1.44	15	pCi/L
HAA 12A	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 12A	4/22/2015	ETHYLBENZENE	0.09	1	U	R	1	700	ug/L
HAA 12A	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 12A	5/21/2019	ETHYLBENZENE	0.34	1	U	R	1	700	ug/L
HAA 12A	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 12A	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 12A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 12A	5/21/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 12A	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 12A	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	R	2	200	ug/L
HAA 12A	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 12A	5/21/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	R	2	200	ug/L
HAA 12A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 12A	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 12A	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	R	1	80	ug/L
HAA 12A	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12A	5/21/2019	DIBROMOCHLOROMETHANE	0.14	1	U	R	1	80	ug/L
HAA 12A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12A	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 12A	4/22/2015	CYCLOHEXANE	0.07	1	U	R	1	13000	ug/L
HAA 12A	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 12A	5/21/2019	CYCLOHEXANE	0.35	1	U	R	1	13000	ug/L
HAA 12A	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 12A	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 12A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	R	1	450	ug/L
HAA 12A	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 12A	5/21/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	R	1	450	ug/L
HAA 12A	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 12A	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 12A	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	R	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12A	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	5/21/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	R	1	0.47	ug/L
HAA 12A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 12A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	R	1	0.47	ug/L
HAA 12A	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	5/21/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	R	1	0.47	ug/L
HAA 12A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 12A	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 12A	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 12A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	R	2	190	ug/L
HAA 12A	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 12A	5/21/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	R	2	190	ug/L
HAA 12A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 12A	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 12A	4/22/2015	CHLOROFORM	0.1	1	U	R	1	80	ug/L
HAA 12A	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 12A	5/21/2019	CHLOROFORM	0.24	1	U	R	1	80	ug/L
HAA 12A	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 12A	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 12A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	R	2	2	ug/L
HAA 12A	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 12A	5/21/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	R	2	2	ug/L
HAA 12A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 12A	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 12A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	R	2	21000	ug/L
HAA 12A	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 12A	5/21/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	R	2	21000	ug/L
HAA 12A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 12A	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 12A	4/22/2015	CHLOROBENZENE	0.15	1	U	R	1	100	ug/L
HAA 12A	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 12A	5/21/2019	CHLOROBENZENE	0.28	1	U	R	1	100	ug/L
HAA 12A	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 12A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 12A	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12A	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12A	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12A	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	R	1	5	ug/L
HAA 12A	4/26/2016	CARBON TETRACHLORIDE	15	50	U	U	50	5	ug/L
HAA 12A	4/26/2017	CARBON TETRACHLORIDE	16.7	50	U	U	50	5	ug/L
HAA 12A	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	CARBON TETRACHLORIDE	0.19	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 12A	4/22/2015	CARBON DISULFIDE	0.05	1	U	R	1	810	ug/L
HAA 12A	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 12A	5/21/2019	CARBON DISULFIDE	0.4	1	U	R	1	810	ug/L
HAA 12A	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 12A	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12A	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12A	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12A	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12A	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	5/21/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 12A	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 12A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	R	2	75	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12A	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 12A	5/21/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	R	2	75	ug/L
HAA 12A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 12A	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 12A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	R	1	80	ug/L
HAA 12A	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 12A	5/21/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	R	1	80	ug/L
HAA 12A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 12A	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 12A	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	R	1	80	ug/L
HAA 12A	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12A	5/21/2019	BROMODICHLOROMETHANE	0.17	1	U	R	1	80	ug/L
HAA 12A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12A	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 12A	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	R	1	83	ug/L
HAA 12A	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 12A	5/21/2019	BROMOCHLOROMETHANE	0.21	1	U	R	1	83	ug/L
HAA 12A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 12A	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	BENZENE	0.06	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	BENZENE	0.26	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 12A	4/22/2015	ACETONE	0.34	2		J	8.3	14000	ug/L
HAA 12A	5/21/2018	ACETONE	1.74	5			6.54	14000	ug/L
HAA 12A	5/21/2019	ACETONE	0.94	2		J	8.5	14000	ug/L
HAA 12A	5/20/2020	ACETONE	1.74	5			9.5	14000	ug/L
HAA 12A	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 12A	4/22/2015	2-HEXANONE	0.22	5	U	R	5	38	ug/L
HAA 12A	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 12A	5/21/2019	2-HEXANONE	0.51	5	U	R	5	38	ug/L
HAA 12A	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 12A	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 12A	4/22/2015	1,4-DIOXANE	7.6	80	U	R	80	0.46	ug/L
HAA 12A	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 12A	5/21/2019	1,4-DIOXANE	14	80	U	R	80	0.46	ug/L
HAA 12A	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 12A	5/6/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 12A	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	R	1		ug/L
HAA 12A	5/21/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 12A	5/21/2019	1,4-DICHLOROENZENE	0.45	1	U	R	1		ug/L
HAA 12A	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 12A	5/6/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 12A	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	R	1		ug/L
HAA 12A	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 12A	5/21/2019	1,3-DICHLOROENZENE	0.37	1	U	R	1		ug/L
HAA 12A	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 12A	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	1,2-DICHLOROPROPANE	0.2	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HAA 12A	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	R	1	600	ug/L
HAA 12A	5/21/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HAA 12A	5/21/2019	1,2-DICHLOROENZENE	0.42	1	U	R	1	600	ug/L
HAA 12A	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12A	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 12A	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	R	1	0.5	ug/L
HAA 12A	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 12A	5/21/2019	1,2-DIBROMOETHANE	0.26	1	U	R	1	0.5	ug/L
HAA 12A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 12A	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 12A	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	R	1	0.2	ug/L
HAA 12A	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 12A	5/21/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	R	1	0.2	ug/L
HAA 12A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 12A	5/6/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 12A	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	R	1	7	ug/L
HAA 12A	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/21/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	R	1	7	ug/L
HAA 12A	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/6/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 12A	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	R	1	7	ug/L
HAA 12A	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/21/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	R	1	7	ug/L
HAA 12A	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 12A	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	R	1	7	ug/L
HAA 12A	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/21/2019	1,1-DICHLOROETHYLENE	0.27	1	U	R	1	7	ug/L
HAA 12A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 12A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 12A	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12A	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12A	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12A	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 12A	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	R	1	2.8	ug/L
HAA 12A	4/26/2016	1,1-DICHLOROETHANE	15	50	U	U	50	2.8	ug/L
HAA 12A	4/26/2017	1,1-DICHLOROETHANE	16.7	50	U	U	50	2.8	ug/L
HAA 12A	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 12A	5/21/2019	1,1-DICHLOROETHANE	0.25	1	U	R	1	2.8	ug/L
HAA 12A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 12A	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 12A	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	R	1	5	ug/L
HAA 12A	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/21/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	R	1	5	ug/L
HAA 12A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 12A	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5	ug/L	
HAA 12A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	R	1	ug/L	
HAA 12A	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5	ug/L	
HAA 12A	5/21/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	R	1	ug/L	
HAA 12A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5	ug/L	
HAA 12A	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 12A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	R	1	0.076	ug/L
HAA 12A	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 12A	5/21/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	R	1	0.076	ug/L
HAA 12A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 12A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 12A	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12A	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12A	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12A	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 12A	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	R	1	200	ug/L
HAA 12A	4/26/2016	1,1,1-TRICHLOROETHANE	15	50	U	U	50	200	ug/L
HAA 12A	4/26/2017	1,1,1-TRICHLOROETHANE	16.7	50	U	U	50	200	ug/L
HAA 12A	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 12A	5/21/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	R	1	200	ug/L
HAA 12A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 12D	5/3/2010	TRITIUM	0.456	2.21			21	20	pCi/mL

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/3/2011	TRITIUM	0.464	3.03			44.5	20	pCi/mL
HAA 12D	5/3/2011	TRITIUM	0.467	3.02			44	20	pCi/mL
HAA 12D	5/3/2011	TRITIUM	0.462	2.98			43.1	20	pCi/mL
HAA 12D	4/30/2012	TRITIUM	0.483	4.13			89.2	20	pCi/mL
HAA 12D	4/30/2012	TRITIUM	0.476	4.09			88.9	20	pCi/mL
HAA 12D	5/8/2013	TRITIUM	0.53	2.11			13.6	20	pCi/mL
HAA 12D	5/6/2014	TRITIUM	0.391	1.74			11.7	20	pCi/mL
HAA 12D	4/22/2015	TRITIUM	0.525	1.87			12.3	20	pCi/mL
HAA 12D	4/26/2016	TRITIUM	0.454	1.78			10.2	20	pCi/mL
HAA 12D	4/26/2016	TRITIUM	0.455	1.75			9.75	20	pCi/mL
HAA 12D	4/26/2017	TRITIUM	0.517	2.24			17.9	20	pCi/mL
HAA 12D	5/15/2018	TRITIUM	0.4	2.08			20.2	20	pCi/mL
HAA 12D	5/13/2019	TRITIUM	0.411	1.44			6.58	20	pCi/mL
HAA 12D	5/20/2020	TRITIUM	0.341	1.413			6.92	20	pCi/mL
HAA 12D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3		1	U	1	5200	ug/L
HAA 12D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11		1	U	1	5200	ug/L
HAA 12D	5/15/2018	TRICHLOROFLUOROMETHANE	0.333		1	U	1	5200	ug/L
HAA 12D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26		1	U	1	5200	ug/L
HAA 12D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333		1	U	1	5200	ug/L
HAA 12D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97		2	U	2	5	ug/L
HAA 12D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1		2	U	2	5	ug/L
HAA 12D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1		2	U	2	5	ug/L
HAA 12D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1		2	U	2	5	ug/L
HAA 12D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1		2	U	2	5	ug/L
HAA 12D	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1		2	U	2	5	ug/L
HAA 12D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3		1	U	1	5	ug/L
HAA 12D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25		1	U	1	5	ug/L
HAA 12D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3		1	U	1	5	ug/L
HAA 12D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333		1	U	1	5	ug/L
HAA 12D	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333		1	U	1	5	ug/L
HAA 12D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31		1	U	1	5	ug/L
HAA 12D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333		1	U	1	5	ug/L
HAA 12D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3		1	U	1	0.47	ug/L
HAA 12D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08		1	U	1	0.47	ug/L
HAA 12D	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333		1	U	1	0.47	ug/L
HAA 12D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27		1	U	1	0.47	ug/L
HAA 12D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333		1	U	1	0.47	ug/L
HAA 12D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3		1	U	1	100	ug/L
HAA 12D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08		1	U	1	100	ug/L
HAA 12D	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333		1	U	1	100	ug/L
HAA 12D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26		1	U	1	100	ug/L
HAA 12D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333		1	U	1	100	ug/L
HAA 12D	5/6/2014	TOLUENE	0.3		1	U	1	1000	ug/L
HAA 12D	4/22/2015	TOLUENE	0.07		1		1.7	1000	ug/L
HAA 12D	5/15/2018	TOLUENE	0.333		1	U	1	1000	ug/L
HAA 12D	5/13/2019	TOLUENE	0.24		1	U	1	1000	ug/L
HAA 12D	5/20/2020	TOLUENE	0.333		1	U	1	1000	ug/L
HAA 12D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3		1	U	1	5	ug/L
HAA 12D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18		1	U	1	5	ug/L
HAA 12D	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333		1	U	1	5	ug/L
HAA 12D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31		1	U	1	5	ug/L
HAA 12D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333		1	U	1	5	ug/L
HAA 12D	5/6/2014	STYRENE	0.3		1	U	1	100	ug/L
HAA 12D	4/22/2015	STYRENE	0.07		1	U	1	100	ug/L
HAA 12D	5/15/2018	STYRENE	0.333		1	U	1	100	ug/L
HAA 12D	5/13/2019	STYRENE	0.35		1	U	1	100	ug/L
HAA 12D	5/20/2020	STYRENE	0.333		1	U	1	100	ug/L
HAA 12D	4/30/2012	SODIUM	0.04	0.4			7.61		ug/L
HAA 12D	4/30/2012	SODIUM	0.04	0.4			7.36		ug/L
HAA 12D	5/6/2014	O-XYLENE	0.3		1	U	1	190	ug/L
HAA 12D	4/22/2015	O-XYLENE	0.06		1	U	1	190	ug/L
HAA 12D	5/15/2018	O-XYLENE	0.333		1	U	1	190	ug/L
HAA 12D	5/13/2019	O-XYLENE	0.43		1	U	1	190	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 12D	5/3/2010	NONVOLATILE BETA	4.42	10	U	U	2.19	50	pCi/L
HAA 12D	5/3/2011	NONVOLATILE BETA	4.3	10.3	U	U	3.33	50	pCi/L
HAA 12D	5/3/2011	NONVOLATILE BETA	4.3	10.1	U	U	2.83	50	pCi/L
HAA 12D	4/30/2012	NONVOLATILE BETA	4.41	13.1	J	J	12.7	50	pCi/L
HAA 12D	4/30/2012	NONVOLATILE BETA	4.16	11.9	J	J	9.56	50	pCi/L
HAA 12D	5/8/2013	NONVOLATILE BETA	4.47	11	J	J	4.93	50	pCi/L
HAA 12D	5/6/2014	NONVOLATILE BETA	4	9.11	U	U	1.62	50	pCi/L
HAA 12D	4/22/2015	NONVOLATILE BETA	4.33	10.3	U	U	3.46	50	pCi/L
HAA 12D	4/26/2016	NONVOLATILE BETA	4.06	8.55	U	U	0.0335	50	pCi/L
HAA 12D	4/26/2017	NONVOLATILE BETA	4.37	10.9	J	J	4.84	50	pCi/L
HAA 12D	5/15/2018	NONVOLATILE BETA	3.81	10.1	J	J	6.02	50	pCi/L
HAA 12D	5/13/2019	NONVOLATILE BETA	4.16	9.26	U	U	1.11	50	pCi/L
HAA 12D	5/20/2020	NONVOLATILE BETA	0.838	2.07	J	U	1.42	50	pCi/L
HAA 12D	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.02	0.04			2.27	10	mg/L
HAA 12D	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.02	0.04			2.25	10	mg/L
HAA 12D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 12D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 12D	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 12D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 12D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 12D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 12D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 12D	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 12D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 12D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 12D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 12D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 12D	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 12D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 12D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 12D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 12D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 12D	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 12D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 12D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 12D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 12D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 12D	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 12D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 12D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 12D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 12D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 12D	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 12D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 12D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 12D	5/3/2010	LEAD	0.4	4	J	J	1.91	15	ug/L
HAA 12D	5/3/2011	LEAD	1	10			22.1	15	ug/L
HAA 12D	5/3/2011	LEAD	1	10			14.2	15	ug/L
HAA 12D	4/30/2012	LEAD	1	10	J	J	4.32	15	ug/L
HAA 12D	4/30/2012	LEAD	1	10	J	J	4.13	15	ug/L
HAA 12D	5/8/2013	LEAD	1	10	J	J	1.17	15	ug/L
HAA 12D	5/8/2013	LEAD	1	10	J	J	1.12	15	ug/L
HAA 12D	5/6/2014	LEAD	0.5	5	J	J	0.717	15	ug/L
HAA 12D	4/22/2015	LEAD	0.5	5	J	J	0.86	15	ug/L
HAA 12D	4/26/2016	LEAD	0.5	5	J	J	0.846	15	ug/L
HAA 12D	4/26/2017	LEAD	0.5	5	J	J	2.11	15	ug/L
HAA 12D	5/15/2018	LEAD	0.5	5	J	J	1.67	15	ug/L
HAA 12D	5/13/2019	LEAD	0.5	5	J	J	1.28	15	ug/L
HAA 12D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 12D	4/30/2012	GROSS ALPHA	2.46	7.41	J	J	2.95	15	pCi/L
HAA 12D	4/30/2012	GROSS ALPHA	2.46	5.17	U	U	0.642	15	pCi/L
HAA 12D	5/8/2013	GROSS ALPHA	2.48	6.1	U	U	1.44	15	pCi/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/6/2014	GROSS ALPHA	2.2	5.99	U	U	1.93	15	pCi/L
HAA 12D	4/22/2015	GROSS ALPHA	2.06	5.56	U	U	1.69	15	pCi/L
HAA 12D	4/26/2016	GROSS ALPHA	2.25	5.32	U	U	1.13	15	pCi/L
HAA 12D	4/26/2017	GROSS ALPHA	2.32	6.18	U	U	1.96	15	pCi/L
HAA 12D	5/15/2018	GROSS ALPHA	2.38	4.16	U	U	0.0167	15	pCi/L
HAA 12D	5/13/2019	GROSS ALPHA	2.38	4.12	U	U	-0.00176	15	pCi/L
HAA 12D	5/20/2020	GROSS ALPHA	0.927	2.429	J	J	1.4	15	pCi/L
HAA 12D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 12D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 12D	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 12D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 12D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 12D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 12D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 12D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 12D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 12D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 12D	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 12D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 12D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 12D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 12D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 12D	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 12D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 12D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 12D	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 12D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 12D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 12D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 12D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 12D	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 12D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 12D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 12D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 12D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 12D	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 12D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 12D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 12D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 12D	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 12D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 12D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 12D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 12D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 12D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 12D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 12D	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 12D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 12D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 12D	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 12D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 12D	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 12D	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 12D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 12D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 12D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 12D	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 12D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 12D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 12D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 12D	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 12D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 12D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 12D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 12D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 12D	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 12D	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 12D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 12D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 12D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12D	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 12D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 12D	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 12D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 12D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 12D	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 12D	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 12D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 12D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 12D	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 12D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 12D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 12D	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 12D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 12D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 12D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 12D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 12D	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 12D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 12D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 12D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 12D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 12D	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12D	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 12D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 12D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 12D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 12D	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 12D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 12D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 12D	4/22/2015	ACETONE	0.34	2		J	4.5	14000	ug/L
HAA 12D	5/15/2018	ACETONE	1.74	5	J	U	2.51	14000	ug/L
HAA 12D	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 12D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 12D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 12D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 12D	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 12D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 12D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 12D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 12D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 12D	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 12D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 12D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 12D	5/6/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 12D	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HAA 12D	5/15/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 12D	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HAA 12D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 12D	5/6/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 12D	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 12D	5/15/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 12D	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 12D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 12D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 12D	5/6/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HAA 12D	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HAA 12D	5/15/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 12D	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HAA 12D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 12D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 12D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 12D	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 12D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 12D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 12D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 12D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 12D	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L
HAA 12D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 12D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 12D	5/6/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HAA 12D	4/22/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HAA 12D	5/15/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 12D	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HAA 12D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 12D	5/6/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HAA 12D	4/22/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HAA 12D	5/15/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 12D	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HAA 12D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 12D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 12D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HAA 12D	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 12D	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HAA 12D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 12D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 12D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12D	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 12D	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 12D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 12D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 12D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 12D	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 12D	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 12D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 12D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 12D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 12D	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 12D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 12D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 12D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 12D	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 12D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 12D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 12D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 12D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 12D	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 12D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 12D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 12D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 12D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12D	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 12D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 12D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 12D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 12D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 12D	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 12D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 12D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13A	5/4/2010	TRITIUM	0.428	0.922	U	U	-0.00624	20	pCi/mL
HAA 13A	5/3/2011	TRITIUM	0.392	0.877	U	U	0.243	20	pCi/mL
HAA 13A	5/1/2012	TRITIUM	0.484	1.06	U	U	0.147	20	pCi/mL
HAA 13A	5/8/2013	TRITIUM	0.536	1.22	U	U	0.522	20	pCi/mL
HAA 13A	5/8/2013	TRITIUM	0.523	1.17	U	U	0.376	20	pCi/mL
HAA 13A	5/8/2014	TRITIUM	0.417	0.889	U	U	-0.056	20	pCi/mL
HAA 13A	5/8/2014	TRITIUM	0.416	0.872	U	U	-0.161	20	pCi/mL
HAA 13A	4/27/2015	TRITIUM	0.417	0.894	U	U	-0.00356	20	pCi/mL
HAA 13A	4/26/2016	TRITIUM	0.44	0.963	U	U	0.126	20	pCi/mL
HAA 13A	4/26/2017	TRITIUM	0.527	1.08	U	U	-0.447	20	pCi/mL
HAA 13A	5/15/2018	TRITIUM	0.389	0.839	U	U	0.0205	20	pCi/mL
HAA 13A	5/15/2019	TRITIUM	0.393	0.858	U	U	0.1	20	pCi/mL
HAA 13A	5/20/2020	TRITIUM	0.284	0.594	U	U	-0.0423	20	pCi/mL
HAA 13A	5/8/2014	TRICHLOROFLUOROMETHANE	1.5	5	U	U	5	5200	ug/L
HAA 13A	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	R	1	5200	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 13A	5/15/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	R	1	5200	ug/L
HAA 13A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 13A	5/4/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 13A	5/4/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 13A	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13A	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13A	5/8/2014	TRICHLOROETHYLENE (TCE)	1.5	5	U	U	5	5	ug/L
HAA 13A	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	R	1	5	ug/L
HAA 13A	4/26/2016	TRICHLOROETHYLENE (TCE)	15	50	U	U	50	5	ug/L
HAA 13A	4/26/2017	TRICHLOROETHYLENE (TCE)	16.7	50	U	U	50	5	ug/L
HAA 13A	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13A	5/15/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	R	1	5	ug/L
HAA 13A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13A	5/8/2014	TRANS-1,3-DICHLOROPROPENE	1.5	5	U	U	5	0.47	ug/L
HAA 13A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	R	1	0.47	ug/L
HAA 13A	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/15/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	R	1	0.47	ug/L
HAA 13A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	1.5	5	U	U	5	100	ug/L
HAA 13A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	R	1	100	ug/L
HAA 13A	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/15/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	R	1	100	ug/L
HAA 13A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/8/2014	TOLUENE	1.5	5	U	U	5	1000	ug/L
HAA 13A	4/27/2015	TOLUENE	0.07	1		UJ	5.8	1000	ug/L
HAA 13A	5/15/2018	TOLUENE	0.333	1			1.26	1000	ug/L
HAA 13A	5/15/2019	TOLUENE	0.24	1		J	1.8	1000	ug/L
HAA 13A	5/20/2020	TOLUENE	0.333	1			2.04	1000	ug/L
HAA 13A	5/8/2014	TETRACHLOROETHYLENE (PCE)	1.5	5	U	U	5	5	ug/L
HAA 13A	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	R	1	5	ug/L
HAA 13A	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 13A	5/15/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	R	1	5	ug/L
HAA 13A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 13A	5/8/2014	STYRENE	1.5	5	U	U	5	100	ug/L
HAA 13A	4/27/2015	STYRENE	0.07	1	U	R	1	100	ug/L
HAA 13A	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/15/2019	STYRENE	0.35	1	U	R	1	100	ug/L
HAA 13A	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/1/2012	SODIUM	0.04	0.4			36		ug/L
HAA 13A	5/8/2014	O-XYLENE	1.5	5	U	U	5	190	ug/L
HAA 13A	4/27/2015	O-XYLENE	0.06	1	U	R	1	190	ug/L
HAA 13A	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 13A	5/15/2019	O-XYLENE	0.43	1	U	R	1	190	ug/L
HAA 13A	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 13A	5/4/2010	NONVOLATILE BETA	4.53	12.8	J	J	10.4	50	pCi/L
HAA 13A	5/3/2011	NONVOLATILE BETA	19	52.3	J	J	40.8	50	pCi/L
HAA 13A	5/1/2012	NONVOLATILE BETA	9.67	29			31.4	50	pCi/L
HAA 13A	5/8/2013	NONVOLATILE BETA	9.79	28	J	J	26.4	50	pCi/L
HAA 13A	5/8/2013	NONVOLATILE BETA	9.79	27.9	J	J	25.9	50	pCi/L
HAA 13A	5/8/2014	NONVOLATILE BETA	8.55	26.9			31.2	50	pCi/L
HAA 13A	4/27/2015	NONVOLATILE BETA	8.73	26.7			30.2	50	pCi/L
HAA 13A	4/26/2016	NONVOLATILE BETA	4.4	16.8			33.3	50	pCi/L
HAA 13A	4/26/2017	NONVOLATILE BETA	9.24	32			51.9	50	pCi/L
HAA 13A	5/15/2018	NONVOLATILE BETA	8.02	32.3			65.5	50	pCi/L
HAA 13A	5/15/2019	NONVOLATILE BETA	17.4	60.3			93.5	50	pCi/L
HAA 13A	5/20/2020	NONVOLATILE BETA	9.59	31.39			85	50	pCi/L
HAA 13A	5/1/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.0235	10	mg/L
HAA 13A	5/8/2014	METHYLCYCLOHEXANE	1.5	5	U	U	5		ug/L
HAA 13A	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	R	4		ug/L
HAA 13A	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/15/2019	METHYLCYCLOHEXANE	0.32	4	U	R	4		ug/L
HAA 13A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 13A	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	1.5	5	U	U	5		14 ug/L
HAA 13A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	R	2		14 ug/L
HAA 13A	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1		14 ug/L
HAA 13A	5/15/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	R	2		14 ug/L
HAA 13A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1		14 ug/L
HAA 13A	5/8/2014	METHYL ISOBUTYL KETONE	7.5	25	U	U	25		6300 ug/L
HAA 13A	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	R	5		6300 ug/L
HAA 13A	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5		6300 ug/L
HAA 13A	5/15/2019	METHYL ISOBUTYL KETONE	0.51	5	U	R	5		6300 ug/L
HAA 13A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5		6300 ug/L
HAA 13A	5/8/2014	METHYL ETHYL KETONE	7.5	25	U	U	25		5600 ug/L
HAA 13A	4/27/2015	METHYL ETHYL KETONE	0.52	5	J	J	0.93		5600 ug/L
HAA 13A	5/15/2018	METHYL ETHYL KETONE	1.67	5	J	J	4.39		5600 ug/L
HAA 13A	5/15/2019	METHYL ETHYL KETONE	3.6	25	J	J	8.7		5600 ug/L
HAA 13A	5/20/2020	METHYL ETHYL KETONE	1.67	5			24.1		5600 ug/L
HAA 13A	5/8/2014	METHYL ACETATE	7.5	25	U	U	25		20000 ug/L
HAA 13A	4/27/2015	METHYL ACETATE	0.37	25	U	R	25		20000 ug/L
HAA 13A	5/15/2018	METHYL ACETATE	1.67	5	U	R	5		20000 ug/L
HAA 13A	5/15/2019	METHYL ACETATE	2.7	25	U	R	25		20000 ug/L
HAA 13A	5/20/2020	METHYL ACETATE	1.67	5	U	U	5		20000 ug/L
HAA 13A	5/8/2014	M,P-XYLENE	1.5	10	U	U	10		190 ug/L
HAA 13A	4/27/2015	M,P-XYLENE	0.14	2	U	R	2		190 ug/L
HAA 13A	5/15/2018	M,P-XYLENE	0.667	2	U	U	2		190 ug/L
HAA 13A	5/15/2019	M,P-XYLENE	0.39	2	U	R	2		190 ug/L
HAA 13A	5/20/2020	M,P-XYLENE	0.667	2	U	U	2		190 ug/L
HAA 13A	5/4/2010	LEAD	0.4	4			4.61		15 ug/L
HAA 13A	5/3/2011	LEAD	1	10	J	J	2.52		15 ug/L
HAA 13A	5/1/2012	LEAD	1	10	U	U	10		15 ug/L
HAA 13A	5/8/2013	LEAD	1	10	U	U	10		15 ug/L
HAA 13A	5/8/2013	LEAD	1	10	U	U	10		15 ug/L
HAA 13A	5/8/2014	LEAD	0.5	5	J	J	1.35		15 ug/L
HAA 13A	4/27/2015	LEAD	0.5	5	J	J	1.05		15 ug/L
HAA 13A	4/26/2016	LEAD	0.5	5	U	U	5		15 ug/L
HAA 13A	4/26/2017	LEAD	0.5	5	J	J	1.11		15 ug/L
HAA 13A	5/15/2018	LEAD	0.5	5	J	J	1.14		15 ug/L
HAA 13A	5/15/2019	LEAD	0.5	5	J	J	0.907		15 ug/L
HAA 13A	5/20/2020	LEAD	3	10	U	U	10		15 ug/L
HAA 13A	5/1/2012	GROSS ALPHA	9.04	23.3	U	U	6.44		15 pCi/L
HAA 13A	5/8/2013	GROSS ALPHA	7.9	25.9	J	J	13		15 pCi/L
HAA 13A	5/8/2013	GROSS ALPHA	7.87	25.8	J	J	13		15 pCi/L
HAA 13A	5/8/2014	GROSS ALPHA	6.76	23	J	J	12.9		15 pCi/L
HAA 13A	4/27/2015	GROSS ALPHA	5.45	13.6	U	U	3.36		15 pCi/L
HAA 13A	4/26/2016	GROSS ALPHA	3.91	12.2	J	J	5.84		15 pCi/L
HAA 13A	4/26/2017	GROSS ALPHA	6.9	20.6	J	J	9.06		15 pCi/L
HAA 13A	5/15/2018	GROSS ALPHA	7.2	19.2	U	U	6.02		15 pCi/L
HAA 13A	5/15/2019	GROSS ALPHA	11.9	39	J	J	21.1		15 pCi/L
HAA 13A	5/20/2020	GROSS ALPHA	15.7	34.2	U	U	6.54		15 pCi/L
HAA 13A	5/8/2014	ETHYLBENZENE	1.5	5	U	U	5		700 ug/L
HAA 13A	4/27/2015	ETHYLBENZENE	0.09	1	U	R	1		700 ug/L
HAA 13A	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1		700 ug/L
HAA 13A	5/15/2019	ETHYLBENZENE	0.34	1	U	R	1		700 ug/L
HAA 13A	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1		700 ug/L
HAA 13A	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	5	25	U	U	25		5 ug/L
HAA 13A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1		5 ug/L
HAA 13A	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5		5 ug/L
HAA 13A	5/15/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1		5 ug/L
HAA 13A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5		5 ug/L
HAA 13A	5/8/2014	DICHLORODIFLUOROMETHANE	1.5	5	U	U	5		200 ug/L
HAA 13A	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	R	2		200 ug/L
HAA 13A	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1		200 ug/L
HAA 13A	5/15/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	R	2		200 ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 13A	5/8/2014	DIBROMOCHLOROMETHANE	1.5	5	U	U	5	80	ug/L
HAA 13A	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	R	1	80	ug/L
HAA 13A	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13A	5/15/2019	DIBROMOCHLOROMETHANE	0.14	1	U	R	1	80	ug/L
HAA 13A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13A	5/8/2014	CYCLOHEXANE	1.5	5	U	U	5	13000	ug/L
HAA 13A	4/27/2015	CYCLOHEXANE	0.07	1	U	R	1	13000	ug/L
HAA 13A	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 13A	5/15/2019	CYCLOHEXANE	0.35	1	U	R	1	13000	ug/L
HAA 13A	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 13A	5/8/2014	CUMENE (ISOPROPYLBENZENE)	1.5	5	U	U	5	450	ug/L
HAA 13A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	R	1	450	ug/L
HAA 13A	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 13A	5/15/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	R	1	450	ug/L
HAA 13A	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 13A	5/8/2014	CIS-1,3-DICHLOROPROPENE	1.5	5	U	U	5	0.47	ug/L
HAA 13A	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	R	1	0.47	ug/L
HAA 13A	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/15/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	R	1	0.47	ug/L
HAA 13A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/8/2014	CIS-1,2-DICHLOROETHYLENE	1.5	5	U	U	5	0.47	ug/L
HAA 13A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	R	1	0.47	ug/L
HAA 13A	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/15/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	R	1	0.47	ug/L
HAA 13A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 13A	5/1/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 13A	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	1.5	5	U	U	2.8	190	ug/L
HAA 13A	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	R	2	190	ug/L
HAA 13A	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1			7.09	190	ug/L
HAA 13A	5/15/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	J	J	1.9	190	ug/L
HAA 13A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 13A	5/8/2014	CHLOROFORM	1.5	5	U	U	5	80	ug/L
HAA 13A	4/27/2015	CHLOROFORM	0.1	1	U	R	1	80	ug/L
HAA 13A	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 13A	5/15/2019	CHLOROFORM	0.24	1	U	R	1	80	ug/L
HAA 13A	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 13A	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	1.5	5	U	U	5	2	ug/L
HAA 13A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	R	2	2	ug/L
HAA 13A	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 13A	5/15/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	R	2	2	ug/L
HAA 13A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 13A	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	1.5	5	U	U	5	21000	ug/L
HAA 13A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	R	2	21000	ug/L
HAA 13A	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 13A	5/15/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	R	2	21000	ug/L
HAA 13A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 13A	5/8/2014	CHLOROBENZENE	1.5	5	U	U	5	100	ug/L
HAA 13A	4/27/2015	CHLOROBENZENE	0.15	1	U	R	1	100	ug/L
HAA 13A	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/15/2019	CHLOROBENZENE	0.28	1	U	R	1	100	ug/L
HAA 13A	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 13A	5/4/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 13A	5/4/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 13A	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13A	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13A	5/8/2014	CARBON TETRACHLORIDE	1.5	5	U	U	5	5	ug/L
HAA 13A	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	R	1	5	ug/L
HAA 13A	4/26/2016	CARBON TETRACHLORIDE	15	50	U	U	50	5	ug/L
HAA 13A	4/26/2017	CARBON TETRACHLORIDE	16.7	50	U	U	50	5	ug/L
HAA 13A	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/15/2019	CARBON TETRACHLORIDE	0.19	1	U	R	1	5	ug/L
HAA 13A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13A	5/8/2014	CARBON DISULFIDE	7.5	25	U	U	25	810	ug/L
HAA 13A	4/27/2015	CARBON DISULFIDE	0.05	1	U	R	1	810	ug/L
HAA 13A	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 13A	5/15/2019	CARBON DISULFIDE	0.4	1	U	R	1	810	ug/L
HAA 13A	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 13A	5/4/2010	CADMIUM	0.2	2	U	U	0.397	5	ug/L
HAA 13A	5/3/2011	CADMIUM	0.2	2	J	J	0.419	5	ug/L
HAA 13A	5/1/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13A	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13A	5/8/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13A	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13A	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13A	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13A	5/15/2018	CADMIUM	0.1	1	J	J	0.111	5	ug/L
HAA 13A	5/15/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 13A	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	1.5	5	U	U	5	75	ug/L
HAA 13A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	R	2	75	ug/L
HAA 13A	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 13A	5/15/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	R	2	75	ug/L
HAA 13A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 13A	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	1.5	5	U	U	5	80	ug/L
HAA 13A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	R	1	80	ug/L
HAA 13A	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 13A	5/15/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	R	1	80	ug/L
HAA 13A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 13A	5/8/2014	BROMODICHLOROMETHANE	1.5	5	U	U	5	80	ug/L
HAA 13A	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	R	1	80	ug/L
HAA 13A	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13A	5/15/2019	BROMODICHLOROMETHANE	0.17	1	U	R	1	80	ug/L
HAA 13A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13A	5/8/2014	BROMOCHLOROMETHANE	1.5	5	U	U	5	83	ug/L
HAA 13A	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	R	1	83	ug/L
HAA 13A	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 13A	5/15/2019	BROMOCHLOROMETHANE	0.21	1	U	R	1	83	ug/L
HAA 13A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 13A	5/8/2014	BENZENE	1.5	5	U	U	5	5	ug/L
HAA 13A	4/27/2015	BENZENE	0.06	1	U	R	1	5	ug/L
HAA 13A	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 13A	5/15/2019	BENZENE	0.26	1	U	R	1	5	ug/L
HAA 13A	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 13A	5/8/2014	ACETONE	7.5	25			32.3	14000	ug/L
HAA 13A	4/27/2015	ACETONE	0.34	2		UJ	17	14000	ug/L
HAA 13A	5/15/2018	ACETONE	1.74	5			73	14000	ug/L
HAA 13A	5/15/2019	ACETONE	4.7	10		J	95		ug/L
HAA 13A	5/20/2020	ACETONE	1.74	5			156	14000	ug/L
HAA 13A	5/8/2014	2-HEXANONE	7.5	25	U	U	25	38	ug/L
HAA 13A	4/27/2015	2-HEXANONE	0.22	5	J	J	0.66	38	ug/L
HAA 13A	5/15/2018	2-HEXANONE	1.67	5			12.8	38	ug/L
HAA 13A	5/15/2019	2-HEXANONE	2.6	25	J	J	17	38	ug/L
HAA 13A	5/20/2020	2-HEXANONE	1.67	5			16.2	38	ug/L
HAA 13A	5/8/2014	1,4-DIOXANE	75	250	U	U	250	0.46	ug/L
HAA 13A	4/27/2015	1,4-DIOXANE	7.6	80	U	R	80	0.46	ug/L
HAA 13A	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 13A	5/15/2019	1,4-DIOXANE	14	80	U	R	80	0.46	ug/L
HAA 13A	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 13A	5/8/2014	1,4-DICHLOROENZENE	1.5	5	U	U	5		ug/L
HAA 13A	4/27/2015	1,4-DICHLOROENZENE	0.12	1	U	R	1		ug/L
HAA 13A	5/15/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 13A	5/15/2019	1,4-DICHLOROENZENE	0.45	1	U	R	1		ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 13A	5/8/2014	1,3-DICHLOROENZENE	1.5	5	U	U	5		ug/L
HAA 13A	4/27/2015	1,3-DICHLOROENZENE	0.08	1	U	R	1		ug/L
HAA 13A	5/15/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 13A	5/15/2019	1,3-DICHLOROENZENE	0.37	1	U	R	1		ug/L
HAA 13A	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 13A	5/8/2014	1,2-DICHLOROPROPANE	1.5	5	U	U	5		ug/L
HAA 13A	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	R	1		ug/L
HAA 13A	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		ug/L
HAA 13A	5/15/2019	1,2-DICHLOROPROPANE	0.2	1	U	R	1		ug/L
HAA 13A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		ug/L
HAA 13A	5/8/2014	1,2-DICHLOROETHANE (EDC)	1.5	5	U	U	5		ug/L
HAA 13A	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	R	1		ug/L
HAA 13A	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		ug/L
HAA 13A	5/15/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	R	1		ug/L
HAA 13A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		ug/L
HAA 13A	5/8/2014	1,2-DICHLOROENZENE	1.5	5	U	U	5	600	ug/L
HAA 13A	4/27/2015	1,2-DICHLOROENZENE	0.06	1	U	R	1	600	ug/L
HAA 13A	5/15/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HAA 13A	5/15/2019	1,2-DICHLOROENZENE	0.42	1	U	R	1	600	ug/L
HAA 13A	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HAA 13A	5/8/2014	1,2-DIBROMOETHANE	1.5	5	U	U	5	0.5	ug/L
HAA 13A	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	R	1	0.5	ug/L
HAA 13A	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 13A	5/15/2019	1,2-DIBROMOETHANE	0.26	1	U	R	1	0.5	ug/L
HAA 13A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 13A	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	2.5	5	U	U	5	0.2	ug/L
HAA 13A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	R	1	0.2	ug/L
HAA 13A	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L
HAA 13A	5/15/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	R	1	0.2	ug/L
HAA 13A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 13A	5/8/2014	1,2,4-TRICHLOROENZENE	1.5	5	U	U	5	7	ug/L
HAA 13A	4/27/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	R	1	7	ug/L
HAA 13A	5/15/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/15/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	R	1	7	ug/L
HAA 13A	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/8/2014	1,2,3-TRICHLOROENZENE	1.5	5	U	U	5	7	ug/L
HAA 13A	4/27/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	R	1	7	ug/L
HAA 13A	5/15/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/15/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	R	1	7	ug/L
HAA 13A	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/8/2014	1,1-DICHLOROETHYLENE	1.5	5	U	U	5	7	ug/L
HAA 13A	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	R	1	7	ug/L
HAA 13A	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/15/2019	1,1-DICHLOROETHYLENE	0.27	1	U	R	1	7	ug/L
HAA 13A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 13A	5/4/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 13A	5/4/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 13A	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13A	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13A	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13A	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13A	5/8/2014	1,1-DICHLOROETHANE	1.5	5	U	U	5	2.8	ug/L
HAA 13A	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	R	1	2.8	ug/L
HAA 13A	4/26/2016	1,1-DICHLOROETHANE	15	50	U	U	50	2.8	ug/L
HAA 13A	4/26/2017	1,1-DICHLOROETHANE	16.7	50	U	U	50	2.8	ug/L
HAA 13A	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13A	5/15/2019	1,1-DICHLOROETHANE	0.25	1	U	R	1	2.8	ug/L
HAA 13A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13A	5/8/2014	1,1,2-TRICHLOROETHANE	1.5	5	U	U	5	5	ug/L
HAA 13A	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	R	1	5	ug/L
HAA 13A	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 13A	5/15/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	R	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 13A	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	10	25	U	U	25		ug/L
HAA 13A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	R	1		ug/L
HAA 13A	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 13A	5/15/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	R	1		ug/L
HAA 13A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 13A	5/8/2014	1,1,2,2-TETRACHLOROETHANE	1.5	5	U	U	5	0.076	ug/L
HAA 13A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	R	1	0.076	ug/L
HAA 13A	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 13A	5/15/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	R	1	0.076	ug/L
HAA 13A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 13A	5/4/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 13A	5/4/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 13A	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13A	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13A	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13A	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13A	5/8/2014	1,1,1-TRICHLOROETHANE	1.5	5	U	U	5	200	ug/L
HAA 13A	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	R	1	200	ug/L
HAA 13A	4/26/2016	1,1,1-TRICHLOROETHANE	15	50	U	U	50	200	ug/L
HAA 13A	4/26/2017	1,1,1-TRICHLOROETHANE	16.7	50	U	U	50	200	ug/L
HAA 13A	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13A	5/15/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	R	1	200	ug/L
HAA 13A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13D	5/3/2010	TRITIUM	0.456	1.91			13.9	20	pCi/mL
HAA 13D	5/4/2011	TRITIUM	0.593	2.12			12.1	20	pCi/mL
HAA 13D	4/30/2012	TRITIUM	0.48	1.83			10.5	20	pCi/mL
HAA 13D	5/8/2013	TRITIUM	0.539	1.99			11	20	pCi/mL
HAA 13D	5/8/2014	TRITIUM	0.418	1.74			11.1	20	pCi/mL
HAA 13D	4/22/2015	TRITIUM	0.543	1.85			11	20	pCi/mL
HAA 13D	5/2/2016	TRITIUM	0.479	1.84			10.7	20	pCi/mL
HAA 13D	5/2/2016	TRITIUM	0.481	1.79			9.63	20	pCi/mL
HAA 13D	4/26/2017	TRITIUM	0.521	1.74			7.68	20	pCi/mL
HAA 13D	4/26/2017	TRITIUM	0.53	1.76			7.66	20	pCi/mL
HAA 13D	5/17/2018	TRITIUM	0.493	1.6			6.99	20	pCi/mL
HAA 13D	5/17/2018	TRITIUM	0.493	1.65			7.79	20	pCi/mL
HAA 13D	5/15/2019	TRITIUM	0.392	1.54			8.42		pCi/mL
HAA 13D	5/20/2020	TRITIUM	0.296	1.354			7.61	20	pCi/mL
HAA 13D	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 13D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 13D	5/17/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 13D	5/17/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 13D	5/15/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 13D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 13D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 13D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 13D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13D	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 13D	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 13D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 13D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 13D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	5/15/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 13D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 13D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 13D	5/17/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/17/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/15/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 13D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 13D	4/22/2015	TOLUENE	0.07	1		U	2.4	1000	ug/L
HAA 13D	5/17/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 13D	5/17/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 13D	5/15/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 13D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 13D	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 13D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 13D	5/17/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/17/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/15/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 13D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 13D	4/30/2012	SODIUM	0.04	0.4			3.59		ug/L
HAA 13D	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 13D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 13D	5/17/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 13D	5/17/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 13D	5/15/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 13D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 13D	5/3/2010	NONVOLATILE BETA	4.63	10	U	U	1.03	50	pCi/L
HAA 13D	5/4/2011	NONVOLATILE BETA	4.41	10.7	U	U	3.86	50	pCi/L
HAA 13D	4/30/2012	NONVOLATILE BETA	4.21	9.78	U	U	2.45	50	pCi/L
HAA 13D	5/8/2013	NONVOLATILE BETA	4.31	9.1	U	U	0.291	50	pCi/L
HAA 13D	5/8/2014	NONVOLATILE BETA	3.96	9.24	U	U	2.18	50	pCi/L
HAA 13D	5/8/2014	NONVOLATILE BETA	3.99	8.45	U	U	0.00751	50	pCi/L
HAA 13D	4/22/2015	NONVOLATILE BETA	4.56	9.84	U	U	0.922	50	pCi/L
HAA 13D	5/2/2016	NONVOLATILE BETA	4.08	9.63	U	U	2.82	50	pCi/L
HAA 13D	5/2/2016	NONVOLATILE BETA	4.09	8.68	U	U	0.201	50	pCi/L
HAA 13D	4/26/2017	NONVOLATILE BETA	4.07	10	J	J	4.12	50	pCi/L
HAA 13D	4/26/2017	NONVOLATILE BETA	3.99	9.47	U	U	2.92	50	pCi/L
HAA 13D	5/17/2018	NONVOLATILE BETA	3.79	7.72	U	U	-0.345	50	pCi/L
HAA 13D	5/17/2018	NONVOLATILE BETA	3.81	8.93	U	U	2.45	50	pCi/L
HAA 13D	5/15/2019	NONVOLATILE BETA	4.16	9.77	U	U	2.54	50	pCi/L
HAA 13D	5/20/2020	NONVOLATILE BETA	0.831	1.969	J	J	0.964	50	pCi/L
HAA 13D	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			1.68	10	mg/L
HAA 13D	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 13D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 13D	5/17/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 13D	5/17/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 13D	5/15/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 13D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 13D	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 13D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 13D	5/17/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 13D	5/17/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 13D	5/15/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 13D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 13D	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 13D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	5/17/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 13D	5/17/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 13D	5/15/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 13D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 13D	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 13D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 13D	5/17/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 13D	5/17/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 13D	5/15/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 13D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 13D	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 13D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 13D	5/17/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 13D	5/17/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 13D	5/15/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 13D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 13D	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 13D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 13D	5/17/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 13D	5/17/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 13D	5/15/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 13D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 13D	5/3/2010	LEAD	0.4	4			10.8	15	ug/L
HAA 13D	5/4/2011	LEAD	1	10			35	15	ug/L
HAA 13D	4/30/2012	LEAD	1	10			26.8	15	ug/L
HAA 13D	5/8/2013	LEAD	1	10	J	J	1.71	15	ug/L
HAA 13D	5/8/2014	LEAD	0.5	5	J	J	0.965	15	ug/L
HAA 13D	4/22/2015	LEAD	0.5	5			7.88	15	ug/L
HAA 13D	5/2/2016	LEAD	0.5	5			33.9	15	ug/L
HAA 13D	5/2/2016	LEAD	0.5	5			20.4	15	ug/L
HAA 13D	4/26/2017	LEAD	0.5	5			5.89	15	ug/L
HAA 13D	4/26/2017	LEAD	0.5	5	J	J	4.71	15	ug/L
HAA 13D	5/17/2018	LEAD	0.5	5	J	J	4.3	15	ug/L
HAA 13D	5/17/2018	LEAD	0.5	5	J	J	4.05	15	ug/L
HAA 13D	5/17/2018	LEAD	0.5	5	J	J	3.86	15	ug/L
HAA 13D	5/15/2019	LEAD	0.5	5	J	J	2.08	15	ug/L
HAA 13D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 13D	4/30/2012	GROSS ALPHA	2.39	5.62	U	UJ	1.1	15	pCi/L
HAA 13D	5/8/2013	GROSS ALPHA	2.49	4.4	U	U	0.106	15	pCi/L
HAA 13D	5/8/2014	GROSS ALPHA	2.19	5.66	U	U	1.55	15	pCi/L
HAA 13D	5/8/2014	GROSS ALPHA	2.2	4.49	U	U	0.421	15	pCi/L
HAA 13D	4/22/2015	GROSS ALPHA	2.19	7.19	J	J	3.47	15	pCi/L
HAA 13D	5/2/2016	GROSS ALPHA	2.27	6.34	J	J	2.28	15	pCi/L
HAA 13D	5/2/2016	GROSS ALPHA	2.32	5.85	U	U	1.55	15	pCi/L
HAA 13D	4/26/2017	GROSS ALPHA	2.32	7.77	J	J	4.18	15	pCi/L
HAA 13D	4/26/2017	GROSS ALPHA	2.34	4.71	U	U	0.495	15	pCi/L
HAA 13D	5/17/2018	GROSS ALPHA	2.34	3.09	U	U	-0.376	15	pCi/L
HAA 13D	5/17/2018	GROSS ALPHA	2.36	4.75	U	U	0.418	15	pCi/L
HAA 13D	5/15/2019	GROSS ALPHA	2.39	4.13	U	U	-0.00401	15	pCi/L
HAA 13D	5/20/2020	GROSS ALPHA	0.942	2.348	J	J	1.09	15	pCi/L
HAA 13D	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 13D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 13D	5/17/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 13D	5/17/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 13D	5/15/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 13D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 13D	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 13D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 13D	5/17/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 13D	5/15/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 13D	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 13D	5/17/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 13D	5/17/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 13D	5/15/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 13D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 13D	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 13D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/15/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 13D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 13D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 13D	5/17/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 13D	5/17/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 13D	5/15/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 13D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 13D	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 13D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 13D	5/17/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 13D	5/17/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 13D	5/15/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 13D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 13D	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 13D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/15/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 13D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 13D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/17/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	5/15/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 13D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 13D	4/30/2012	CHROMIUM	20	200	J	J	92.7	100	ug/L
HAA 13D	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.37	190	ug/L
HAA 13D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 13D	5/17/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 13D	5/17/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 13D	5/15/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 13D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 13D	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 13D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 13D	5/15/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 13D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 13D	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 13D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 13D	5/17/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 13D	5/17/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 13D	5/15/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 13D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 13D	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 13D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 13D	5/17/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 13D	5/17/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 13D	5/15/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 13D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 13D	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 13D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 13D	5/17/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	5/17/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/15/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 13D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 13D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 13D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 13D	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13D	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 13D	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 13D	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 13D	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 13D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 13D	5/17/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 13D	5/17/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 13D	5/15/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 13D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 13D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13D	4/30/2012	CADMIUM	0.2	2	J	J	0.228	5	ug/L
HAA 13D	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 13D	5/8/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	CADMIUM	0.1	1	J	J	0.116	5	ug/L
HAA 13D	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	CADMIUM	0.1	1	J	J	0.109	5	ug/L
HAA 13D	5/17/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 13D	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 13D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 13D	5/17/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 13D	5/17/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 13D	5/15/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 13D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 13D	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 13D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 13D	5/15/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 13D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 13D	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 13D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/17/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/15/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 13D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 13D	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 13D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 13D	5/17/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 13D	5/17/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 13D	5/15/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 13D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 13D	4/22/2015	ACETONE	0.34	2		J	4.9	14000	ug/L
HAA 13D	5/17/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 13D	5/17/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 13D	5/15/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HAA 13D	5/20/2020	ACETONE	1.74	5	J	J	1.94	14000	ug/L
HAA 13D	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 13D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 13D	5/17/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 13D	5/17/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 13D	5/15/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 13D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 13D	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 13D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 13D	5/17/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 13D	5/17/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 13D	5/15/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 13D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 13D	5/8/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 13D	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HAA 13D	5/17/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/17/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/15/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HAA 13D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/8/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 13D	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 13D	5/17/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/17/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/15/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 13D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 13D	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HAA 13D	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 13D	5/17/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 13D	5/15/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HAA 13D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 13D	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 13D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 13D	5/17/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 13D	5/17/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 13D	5/15/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 13D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 13D	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 13D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 13D	5/17/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	5/17/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 13D	5/15/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 13D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 13D	5/8/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 13D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/15/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HAA 13D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/8/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HAA 13D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/15/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HAA 13D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 13D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/17/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/15/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HAA 13D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 13D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 13D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 13D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13D	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 13D	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 13D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 13D	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 13D	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 13D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13D	5/17/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13D	5/17/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13D	5/15/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 13D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 13D	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 13D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/17/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/15/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 13D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 13D	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 13D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 13D	5/17/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 13D	5/17/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 13D	5/15/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 13D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 13D	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 13D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 13D	5/17/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 13D	5/17/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 13D	5/15/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 13D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 13D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 13D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 13D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13D	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 13D	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 13D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 13D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 13D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 13D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13D	5/17/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13D	5/17/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 13D	5/15/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 13D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14A	5/3/2010	TRITIUM	0.458	0.977	U	U	-0.0887	20	pCi/mL
HAA 14A	5/3/2011	TRITIUM	0.463	1.02	U	U	0.171	20	pCi/mL
HAA 14A	6/12/2012	TRITIUM	0.478	1.02	U	U	-0.0603	20	pCi/mL
HAA 14A	5/7/2013	TRITIUM	0.398	0.941	J	U	0.606	20	pCi/mL
HAA 14A	5/7/2013	TRITIUM	0.397	0.926	J	U	0.519	20	pCi/mL
HAA 14A	5/7/2014	TRITIUM	0.377	0.839	U	U	0.207	20	pCi/mL
HAA 14A	4/27/2015	TRITIUM	0.418	0.912	U	U	0.0965	20	pCi/mL
HAA 14A	4/27/2015	TRITIUM	0.416	0.905	U	U	0.0817	20	pCi/mL
HAA 14A	4/27/2015	TRITIUM	0.417	0.9	U	U	0.0339	20	pCi/mL
HAA 14A	5/2/2016	TRITIUM	0.477	1	U	U	-0.19	20	pCi/mL
HAA 14A	5/8/2017	TRITIUM	0.449	0.985	U	U	0.147	20	pCi/mL
HAA 14A	5/21/2018	TRITIUM	0.499	1.08	U	U	0.0131	20	pCi/mL
HAA 14A	5/20/2019	TRITIUM	0.403	0.876	U	U	0.0805	20	pCi/mL
HAA 14A	5/20/2020	TRITIUM	0.337	0.695	U	U	-0.113	20	pCi/mL
HAA 14A	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 14A	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 14A	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 14A	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 14A	5/20/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 14A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 14A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 14A	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14A	6/12/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14A	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14A	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 14A	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 14A	5/8/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14A	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 14A	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 14A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 14A	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 14A	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 14A	5/20/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 14A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 14A	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 14A	4/27/2015	TOLUENE	0.07	1		J	3.8	1000	ug/L
HAA 14A	4/27/2015	TOLUENE	0.07	1		UJ	1.4	1000	ug/L
HAA 14A	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 14A	5/20/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 14A	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 14A	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 14A	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 14A	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 14A	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 14A	5/20/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 14A	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 14A	6/12/2012	SODIUM	0.1	1			3.54		ug/L
HAA 14A	6/12/2012	SILVER	2.5	25	U	U	25	94	ug/L
HAA 14A	6/12/2012	SELENIUM	10	100	U	U	100	50	ug/L
HAA 14A	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 14A	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 14A	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 14A	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 14A	5/20/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 14A	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 14A	5/3/2010	NONVOLATILE BETA	4.27	8.83	U	U	0.0133	50	pCi/L
HAA 14A	5/3/2011	NONVOLATILE BETA	4.2	9.54	U	U	1.8	50	pCi/L
HAA 14A	6/12/2012	NONVOLATILE BETA	4.11	9.75	U	U	2.9	50	pCi/L
HAA 14A	5/7/2013	NONVOLATILE BETA	4.47	9.22	U	U	-0.266	50	pCi/L
HAA 14A	5/7/2014	NONVOLATILE BETA	4.59	9.92	U	U	0.796	50	pCi/L
HAA 14A	4/27/2015	NONVOLATILE BETA	4.18	9.23	U	U	1.41	50	pCi/L
HAA 14A	4/27/2015	NONVOLATILE BETA	4.17	8.45	U	U	-0.489	50	pCi/L
HAA 14A	5/2/2016	NONVOLATILE BETA	4.07	9.19	U	U	1.67	50	pCi/L
HAA 14A	5/8/2017	NONVOLATILE BETA	2.86	6.87	U	U	1.43	50	pCi/L
HAA 14A	5/21/2018	NONVOLATILE BETA	2.56	5.84	U	U	0.708	50	pCi/L
HAA 14A	5/20/2019	NONVOLATILE BETA	4.2	9.4	U	U	1.26	50	pCi/L
HAA 14A	5/20/2019	NONVOLATILE BETA	4.18	9.02	U	U	0.359	50	pCi/L
HAA 14A	5/20/2020	NONVOLATILE BETA	0.852	2.268		J	2.68	50	pCi/L
HAA 14A	6/12/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.0837	10	mg/L
HAA 14A	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 14A	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 14A	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 14A	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 14A	5/20/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 14A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 14A	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 14A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 14A	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 14A	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 14A	5/20/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 14A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 14A	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 14A	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 14A	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 14A	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 14A	5/20/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 14A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 14A	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 14A	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 14A	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 14A	5/21/2018	METHYL ETHYL KETONE	1.67	5			5.18	5600	ug/L
HAA 14A	5/20/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 14A	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 14A	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 14A	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 14A	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 14A	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 14A	5/20/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 14A	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 14A	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 14A	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 14A	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 14A	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 14A	5/20/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 14A	5/3/2010	LEAD	0.4	4	U	U	4	15	ug/L
HAA 14A	5/3/2011	LEAD	1	10	U	U	10	15	ug/L
HAA 14A	6/12/2012	LEAD	2.5	25	U	U	25	15	ug/L
HAA 14A	5/7/2013	LEAD	1	10	U	U	10	15	ug/L
HAA 14A	5/7/2014	LEAD	0.5	5	J	J	0.674	15	ug/L
HAA 14A	4/27/2015	LEAD	0.5	5	J	J	4	15	ug/L
HAA 14A	4/27/2015	LEAD	0.5	5	J	J	3.1	15	ug/L
HAA 14A	5/2/2016	LEAD	0.5	5	U	U	5	15	ug/L
HAA 14A	5/8/2017	LEAD	0.5	5	U	U	5	15	ug/L
HAA 14A	5/21/2018	LEAD	0.5	5	U	U	5	15	ug/L
HAA 14A	5/20/2019	LEAD	0.5	5	U	U	5	15	ug/L
HAA 14A	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 14A	6/12/2012	GROSS ALPHA	2.42	4.38	U	U	0.187	15	pCi/L
HAA 14A	5/7/2013	GROSS ALPHA	2.52	6.21	U	U	1.46	15	pCi/L
HAA 14A	5/7/2014	GROSS ALPHA	2.18	7.15	J	J	3.6	15	pCi/L
HAA 14A	4/27/2015	GROSS ALPHA	2.08	4.37	U	U	0.546	15	pCi/L
HAA 14A	4/27/2015	GROSS ALPHA	2.09	4.39	U	U	0.545	15	pCi/L
HAA 14A	5/2/2016	GROSS ALPHA	2.27	5.37	U	U	1.14	15	pCi/L
HAA 14A	5/8/2017	GROSS ALPHA	1.43	3.59	U	U	1	15	pCi/L
HAA 14A	5/21/2018	GROSS ALPHA	1.46	2.58	U	U	-0.182	15	pCi/L
HAA 14A	5/20/2019	GROSS ALPHA	2.41	6.08	U	U	1.61	15	pCi/L
HAA 14A	5/20/2019	GROSS ALPHA	2.41	5.29	U	U	0.803	15	pCi/L
HAA 14A	5/20/2020	GROSS ALPHA	1.13	2.426	U	U	0.386	15	pCi/L
HAA 14A	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 14A	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 14A	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 14A	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 14A	5/20/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 14A	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 14A	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 14A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 14A	5/20/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 14A	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 14A	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 14A	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 14A	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 14A	5/20/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 14A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 14A	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 14A	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14A	5/20/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 14A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14A	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 14A	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 14A	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 14A	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 14A	5/20/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 14A	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 14A	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 14A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 14A	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 14A	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 14A	5/20/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 14A	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 14A	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 14A	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 14A	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 14A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 14A	6/12/2012	CHROMIUM	50	500	U	U	500	100	ug/L
HAA 14A	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 14A	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 14A	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 14A	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 14A	5/20/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 14A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 14A	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 14A	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 14A	5/20/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 14A	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 14A	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 14A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 14A	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 14A	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 14A	5/20/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 14A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 14A	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 14A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 14A	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 14A	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 14A	5/20/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 14A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 14A	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 14A	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 14A	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 14A	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 14A	5/20/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 14A	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 14A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 14A	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14A	6/12/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14A	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14A	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 14A	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 14A	5/8/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 14A	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 14A	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 14A	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 14A	5/20/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 14A	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 14A	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14A	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14A	6/12/2012	CADMIUM	0.5	5	U	U	5	5	ug/L
HAA 14A	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14A	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	5/8/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 14A	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 14A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 14A	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 14A	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 14A	5/20/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 14A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 14A	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 14A	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 14A	5/20/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 14A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 14A	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 14A	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 14A	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14A	5/20/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 14A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14A	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 14A	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 14A	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 14A	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 14A	5/20/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 14A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 14A	6/12/2012	BERYLLIUM	0.5	5	U	U	5	4	ug/L
HAA 14A	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 14A	6/12/2012	BARIUM	10	100	J	J	23.9	2000	ug/L
HAA 14A	6/12/2012	ARSENIC	25	250	U	U	250	10	ug/L
HAA 14A	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 14A	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HAA 14A	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HAA 14A	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 14A	5/20/2019	ACETONE	0.94	2	U	U	2	14000	ug/L
HAA 14A	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 14A	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 14A	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 14A	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 14A	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 14A	5/20/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 14A	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 14A	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 14A	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 14A	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 14A	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 14A	5/20/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 14A	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 14A	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 14A	4/27/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 14A	4/27/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 14A	5/21/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 14A	5/20/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 14A	5/7/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 14A	4/27/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 14A	4/27/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HAA 14A	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 14A	5/20/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HAA 14A	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 14A	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 14A	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 14A	5/20/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HAA 14A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 14A	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 14A	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 14A	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1		5 ug/L
HAA 14A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 14A	5/7/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1		600 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1		600 ug/L
HAA 14A	4/27/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1		600 ug/L
HAA 14A	5/21/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 14A	5/20/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1		600 ug/L
HAA 14A	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 14A	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1		0.5 ug/L
HAA 14A	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 14A	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 14A	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 14A	5/20/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1		0.5 ug/L
HAA 14A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 14A	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1		0.2 ug/L
HAA 14A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 14A	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 14A	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 14A	5/20/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1		0.2 ug/L
HAA 14A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 14A	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1		7 ug/L
HAA 14A	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/20/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1		7 ug/L
HAA 14A	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1		7 ug/L
HAA 14A	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/20/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1		7 ug/L
HAA 14A	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 14A	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 14A	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/20/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1		7 ug/L
HAA 14A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 14A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2		2.8 ug/L
HAA 14A	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 14A	6/12/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 14A	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 14A	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 14A	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1		2.8 ug/L
HAA 14A	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1		2.8 ug/L
HAA 14A	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14A	5/8/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14A	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14A	5/20/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 14A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14A	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 14A	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 14A	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/20/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 14A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 14A	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 14A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 14A	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 14A	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 14A	5/20/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 14A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 14A	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 14A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 14A	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 14A	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 14A	5/20/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 14A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 14A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 14A	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14A	6/12/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14A	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14A	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 14A	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 14A	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 14A	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 14A	5/8/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14A	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14A	5/20/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 14A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14D	5/3/2010	TRITIUM	0.459	1.69			9.21	20	pCi/mL
HAA 14D	5/3/2011	TRITIUM	0.463	1.72			9.21	20	pCi/mL
HAA 14D	6/12/2012	TRITIUM	0.483	1.77			9.35	20	pCi/mL
HAA 14D	5/7/2013	TRITIUM	0.396	1.58			8.26	20	pCi/mL
HAA 14D	5/7/2014	TRITIUM	0.379	1.42			6.5	20	pCi/mL
HAA 14D	4/27/2015	TRITIUM	0.415	1.42			5.57	20	pCi/mL
HAA 14D	5/2/2016	TRITIUM	0.476	1.58			6.31	20	pCi/mL
HAA 14D	5/8/2017	TRITIUM	0.445	1.51			5.92	20	pCi/mL
HAA 14D	5/21/2018	TRITIUM	0.496	1.42			3.96	20	pCi/mL
HAA 14D	5/20/2019	TRITIUM	0.393	1.41			6.2	20	pCi/mL
HAA 14D	5/20/2020	TRITIUM	0.334	1.46			7.95	20	pCi/mL
HAA 14D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 14D	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 14D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 14D	5/20/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 14D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 14D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 14D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14D	6/12/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 14D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 14D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 14D	5/8/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 14D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 14D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 14D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 14D	5/20/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 14D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 14D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 14D	4/27/2015	TOLUENE	0.07	1	U	U	1.8	1000	ug/L
HAA 14D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 14D	5/20/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HAA 14D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 14D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 14D	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 14D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 14D	5/20/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 14D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 14D	6/12/2012	SODIUM	0.1	1			5.46		ug/L
HAA 14D	6/12/2012	SODIUM	0.1	1			5.34		ug/L
HAA 14D	6/12/2012	SILVER	2.5	25	U	U	25	94	ug/L
HAA 14D	6/12/2012	SILVER	2.5	25	U	U	25	94	ug/L
HAA 14D	6/12/2012	SELENIUM	10	100	U	U	100	50	ug/L
HAA 14D	6/12/2012	SELENIUM	10	100	U	U	100	50	ug/L
HAA 14D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 14D	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 14D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 14D	5/20/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 14D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 14D	5/3/2010	NONVOLATILE BETA	4.37	10.1	U	U	2.8	50	pCi/L
HAA 14D	5/3/2011	NONVOLATILE BETA	4.76	10.2	U	U	0.413	50	pCi/L
HAA 14D	6/12/2012	NONVOLATILE BETA	4.31	8.72	U	U	-0.587	50	pCi/L
HAA 14D	5/7/2013	NONVOLATILE BETA	4.42	9.54	U	U	0.826	50	pCi/L
HAA 14D	5/7/2014	NONVOLATILE BETA	4.54	9.22	U	U	-0.761	50	pCi/L
HAA 14D	4/27/2015	NONVOLATILE BETA	4.23	9.11	U	U	0.827	50	pCi/L
HAA 14D	5/2/2016	NONVOLATILE BETA	4.08	9.29	U	U	1.86	50	pCi/L
HAA 14D	5/8/2017	NONVOLATILE BETA	2.88	6.75	U	U	0.783	50	pCi/L
HAA 14D	5/21/2018	NONVOLATILE BETA	2.56	6.01	U	U	1.28	50	pCi/L
HAA 14D	5/20/2019	NONVOLATILE BETA	4	9.09	U	U	2.32	50	pCi/L
HAA 14D	5/20/2019	NONVOLATILE BETA	4	8.92	U	U	1.83	50	pCi/L
HAA 14D	5/20/2020	NONVOLATILE BETA	0.965	2.369	J	U	1.68	50	pCi/L
HAA 14D	6/12/2012	NITRATE-NITRITE AS NITROGEN	0.02	0.04			2.11	10	mg/L
HAA 14D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 14D	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 14D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 14D	5/20/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 14D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 14D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 14D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 14D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 14D	5/20/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 14D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 14D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 14D	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 14D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 14D	5/20/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 14D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 14D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 14D	5/21/2018	METHYL ETHYL KETONE	1.67	5	J	J	2.41	5600	ug/L
HAA 14D	5/20/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 14D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 14D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 14D	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 14D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 14D	5/20/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 14D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HAA 14D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 14D	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 14D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 14D	5/20/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 14D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 14D	5/3/2010	LEAD	0.4	4			4.01	15	ug/L
HAA 14D	5/3/2011	LEAD	1	10			30.8	15	ug/L
HAA 14D	6/12/2012	LEAD	2.5	25	J	J	12.6	15	ug/L
HAA 14D	6/12/2012	LEAD	2.5	25	J	J	12	15	ug/L
HAA 14D	5/7/2013	LEAD	1	10	J	J	2.1	15	ug/L
HAA 14D	5/7/2014	LEAD	0.5	5			6.9	15	ug/L
HAA 14D	4/27/2015	LEAD	0.5	5			13	15	ug/L
HAA 14D	5/2/2016	LEAD	0.5	5	J	J	1.15	15	ug/L
HAA 14D	5/8/2017	LEAD	0.5	5	J	J	0.98	15	ug/L
HAA 14D	5/21/2018	LEAD	0.5	5	J	J	3.98	15	ug/L
HAA 14D	5/20/2019	LEAD	0.5	5	J	J	2.13	15	ug/L
HAA 14D	5/20/2020	LEAD	3	10	J	J	9.6	15	ug/L
HAA 14D	6/12/2012	GROSS ALPHA	2.38	6.5	U	U	2.01	15	pCi/L
HAA 14D	5/7/2013	GROSS ALPHA	2.47	5.62	U	U	0.991	15	pCi/L
HAA 14D	5/7/2014	GROSS ALPHA	2.15	6.83	J	J	3.18	15	pCi/L
HAA 14D	4/27/2015	GROSS ALPHA	2.05	4.79	U	U	0.924	15	pCi/L
HAA 14D	5/2/2016	GROSS ALPHA	2.25	5.98	U	U	1.88	15	pCi/L
HAA 14D	5/8/2017	GROSS ALPHA	1.41	3.68	U	U	1.18	15	pCi/L
HAA 14D	5/21/2018	GROSS ALPHA	1.45	3.02	U	U	0.219	15	pCi/L
HAA 14D	5/20/2019	GROSS ALPHA	2	5.72	J	J	2.02	15	pCi/L
HAA 14D	5/20/2019	GROSS ALPHA	2	5.4	U	U	1.65	15	pCi/L
HAA 14D	5/20/2020	GROSS ALPHA	1.06	2.826	J	J	1.92	15	pCi/L
HAA 14D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 14D	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 14D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 14D	5/20/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 14D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 14D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 14D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 14D	5/20/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 14D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 14D	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 14D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 14D	5/20/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 14D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 14D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 14D	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 14D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14D	5/20/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 14D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 14D	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 14D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 14D	5/20/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 14D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 14D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 14D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 14D	5/20/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HAA 14D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 14D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 14D	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 14D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 14D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 14D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 14D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 14D	6/12/2012	CHROMIUM	50	500	U	U	500	100	ug/L
HAA 14D	6/12/2012	CHROMIUM	50	500	U	U	500	100	ug/L
HAA 14D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 14D	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 14D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 14D	5/20/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 14D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 14D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 14D	4/27/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 14D	5/21/2018	CHLOROFORM	0.333	1	J	U	0.67	80	ug/L
HAA 14D	5/20/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 14D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 14D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 14D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 14D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 14D	5/20/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 14D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 14D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 14D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 14D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 14D	5/20/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 14D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 14D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 14D	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 14D	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 14D	5/20/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 14D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 14D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 14D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14D	6/12/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14D	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 14D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 14D	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 14D	5/8/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 14D	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 14D	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 14D	5/20/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 14D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HAA 14D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14D	6/12/2012	CADMIUM	0.5	5	U	U	5	5	ug/L
HAA 14D	6/12/2012	CADMIUM	0.5	5	U	U	5	5	ug/L
HAA 14D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 14D	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14D	5/8/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 14D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 14D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 14D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 14D	5/20/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 14D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 14D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 14D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 14D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 14D	5/20/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 14D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 14D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 14D	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 14D	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14D	5/20/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 14D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 14D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 14D	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 14D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 14D	5/20/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 14D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 14D	6/12/2012	BERYLLIUM	0.5	5	U	U	5	4	ug/L
HAA 14D	6/12/2012	BERYLLIUM	0.5	5	U	U	5	4	ug/L
HAA 14D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 14D	6/12/2012	BARIUM	10	100	J	J	41.6	2000	ug/L
HAA 14D	6/12/2012	BARIUM	10	100	J	J	39.8	2000	ug/L
HAA 14D	6/12/2012	ARSENIC	25	250	U	U	250	10	ug/L
HAA 14D	6/12/2012	ARSENIC	25	250	U	U	250	10	ug/L
HAA 14D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 14D	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HAA 14D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 14D	5/20/2019	ACETONE	0.94	2	U	U	2	14000	ug/L
HAA 14D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 14D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 14D	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 14D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 14D	5/20/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 14D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 14D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 14D	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 14D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 14D	5/20/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 14D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 14D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 14D	4/27/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HAA 14D	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 14D	5/20/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HAA 14D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 14D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 14D	4/27/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 14D	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 14D	5/20/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 14D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 14D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HAA 14D	4/27/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HAA 14D	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 14D	5/20/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HAA 14D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HAA 14D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HAA 14D	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HAA 14D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 14D	5/20/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HAA 14D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HAA 14D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HAA 14D	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HAA 14D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 14D	5/20/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HAA 14D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HAA 14D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HAA 14D	4/27/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HAA 14D	5/21/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/20/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HAA 14D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HAA 14D	4/27/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HAA 14D	5/21/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/20/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HAA 14D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HAA 14D	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HAA 14D	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/20/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HAA 14D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HAA 14D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HAA 14D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 14D	6/12/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 14D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HAA 14D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 14D	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HAA 14D	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HAA 14D	5/8/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14D	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14D	5/20/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HAA 14D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HAA 14D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 14D	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 14D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/20/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 14D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 14D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 14D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HAA 14D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 14D	5/20/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 14D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 14D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 14D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 14D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 14D	5/20/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 14D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 14D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 14D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14D	6/12/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 14D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 14D	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 14D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 14D	5/8/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 14D	5/20/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 14D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 15A	5/3/2010	TRITIUM	0.456	1	U	U	0.172	20	pCi/mL
HAA 15A	5/4/2011	TRITIUM	0.546	1.24	U	U	0.515	20	pCi/mL
HAA 15A	4/30/2012	TRITIUM	0.48	1.11	J	J	0.665	20	pCi/mL
HAA 15A	5/7/2013	TRITIUM	0.402	1.01	J	J	1.07	20	pCi/mL
HAA 15A	5/7/2014	TRITIUM	1.88	4.08	U	U	0.263	20	pCi/mL
HAA 15A	5/7/2014	TRITIUM	1.93	4.11	U	U	-0.787	20	pCi/mL
HAA 15A	4/28/2015	TRITIUM	0.418	1.01	J	J	0.827	20	pCi/mL
HAA 15A	5/3/2016	TRITIUM	0.504	1.17	J	J	0.805	20	pCi/mL
HAA 15A	5/3/2016	TRITIUM	0.497	1.14	J	J	0.689	20	pCi/mL
HAA 15A	5/3/2017	TRITIUM	0.449	1.1	J	J	1.05	20	pCi/mL
HAA 15A	5/23/2018	TRITIUM	0.39	0.964			1.01	20	pCi/mL
HAA 15A	5/21/2019	TRITIUM	0.398	0.951	J	J	0.722	20	pCi/mL
HAA 15A	5/20/2020	TRITIUM	0.283	0.757			0.973	20	pCi/mL
HAA 15A	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 15A	4/28/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	R	1	5200	ug/L
HAA 15A	5/23/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 15A	5/21/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	R	1	5200	ug/L
HAA 15A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HAA 15A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 15A	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 15A	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 15A	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 15A	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 15A	4/28/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	R	1	5	ug/L
HAA 15A	5/3/2016	TRICHLOROETHYLENE (TCE)	15	50	U	U	50	5	ug/L
HAA 15A	5/3/2017	TRICHLOROETHYLENE (TCE)	6.66	20	U	U	20	5	ug/L
HAA 15A	5/23/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 15A	5/21/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	UJ	1	5	ug/L
HAA 15A	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 15A	4/28/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	R	1	0.47	ug/L
HAA 15A	5/23/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 15A	5/21/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	R	1	0.47	ug/L
HAA 15A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15A	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 15A	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	R	1	100	ug/L
HAA 15A	5/23/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 15A	5/21/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	R	1	100	ug/L
HAA 15A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HAA 15A	5/7/2014	TOLUENE	0.3	1	J	J	0.77	1000	ug/L
HAA 15A	4/28/2015	TOLUENE	0.07	1		UJ	4.1	1000	ug/L
HAA 15A	5/23/2018	TOLUENE	0.333	1	J	J	0.84	1000	ug/L
HAA 15A	5/21/2019	TOLUENE	0.24	1	J	J	0.88	1000	ug/L
HAA 15A	5/20/2020	TOLUENE	0.333	1	J	J	0.94	1000	ug/L
HAA 15A	5/7/2014	THALLIUM-208	5.09	11.9	U	U	3.28		pCi/L
HAA 15A	5/7/2014	THALLIUM-208	5.26	11	U	U	0.694		pCi/L
HAA 15A	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 15A	4/28/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	R	1	5	ug/L
HAA 15A	5/23/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 15A	5/21/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/7/2014	TECHNETIUM-99	14.9	32	U	U	1.05	50	pCi/L
HAA 15A	5/7/2014	TECHNETIUM-99	14.6	31.3	U	U	-0.0255	50	pCi/L
HAA 15A	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 15A	4/28/2015	STYRENE	0.07	1	U	R	1	100	ug/L
HAA 15A	5/23/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 15A	5/21/2019	STYRENE	0.35	1	U	R	1	100	ug/L
HAA 15A	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HAA 15A	5/7/2014	STRONTIUM-90	6.51	14.1	U	U	2.73	8	pCi/L
HAA 15A	5/7/2014	STRONTIUM-90	6.82	14	U	U	0.671	8	pCi/L
HAA 15A	5/7/2014	SODIUM-22	4.51	9.63	U	U	-1.56	400	pCi/L
HAA 15A	5/7/2014	SODIUM-22	4.47	9.71	U	U	-1.88	400	pCi/L
HAA 15A	4/30/2012	SODIUM	0.04	0.4			61.9		ug/L
HAA 15A	5/7/2014	RADIUM-228	0.447	1.78		J	5.16	5	pCi/L
HAA 15A	5/7/2014	RADIUM-228	0.517	1.67		J	3.1	5	pCi/L
HAA 15A	5/7/2014	PROMETHIUM-146	5.9	12.3	U	U	-0.0636		pCi/L
HAA 15A	5/7/2014	PROMETHIUM-146	5.16	11.3	U	U	-2.28		pCi/L
HAA 15A	5/7/2014	POTASSIUM-40	55.7	147	J	J	80.3		pCi/L
HAA 15A	5/7/2014	POTASSIUM-40	35	117	R	R	37.6		pCi/L
HAA 15A	5/7/2014	O-XYLENE	0.3	1			1.93	190	ug/L
HAA 15A	4/28/2015	O-XYLENE	0.06	1		J	2.2	190	ug/L
HAA 15A	5/23/2018	O-XYLENE	0.333	1			1.79	190	ug/L
HAA 15A	5/21/2019	O-XYLENE	0.43	1		J	2.1	190	ug/L
HAA 15A	5/20/2020	O-XYLENE	0.333	1		J	2.27	190	ug/L
HAA 15A	5/3/2010	NONVOLATILE BETA	5.46	18.4			31.2	50	pCi/L
HAA 15A	5/4/2011	NONVOLATILE BETA	10.1	35.9			65.5	50	pCi/L
HAA 15A	4/30/2012	NONVOLATILE BETA	10.1	33.3			49	50	pCi/L
HAA 15A	5/7/2013	NONVOLATILE BETA	10.1	38.2			80.2	50	pCi/L
HAA 15A	5/7/2014	NONVOLATILE BETA	6.09	16.4			79.5	50	pCi/L
HAA 15A	5/7/2014	NONVOLATILE BETA	3.5	11.6			70.5	50	pCi/L
HAA 15A	4/28/2015	NONVOLATILE BETA	9.18	30.6			45.6	50	pCi/L
HAA 15A	5/3/2016	NONVOLATILE BETA	4.6	16.3			28.3	50	pCi/L
HAA 15A	5/3/2017	NONVOLATILE BETA	14.6	47.8			99.1	50	pCi/L
HAA 15A	5/23/2018	NONVOLATILE BETA	16.9	55.6			74.7	50	pCi/L
HAA 15A	5/21/2019	NONVOLATILE BETA	17	58.7			92.3	50	pCi/L
HAA 15A	5/20/2020	NONVOLATILE BETA	10.1	32.1			75.1	50	pCi/L
HAA 15A	4/30/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.112	10	mg/L
HAA 15A	5/7/2014	NICKEL-63	40.4	87.4	U	U	9.84	50	pCi/L
HAA 15A	5/7/2014	NICKEL-63	38.1	80.3	U	U	-16.9	50	pCi/L
HAA 15A	5/7/2014	NICKEL-59	7.15	15.4	U	U	-2.79	300	pCi/L
HAA 15A	5/7/2014	NICKEL-59	19	45.4	U	U	-25.5	300	pCi/L
HAA 15A	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 15A	4/28/2015	METHYLCYCLOHEXANE	0.1	4	U	R	4		ug/L
HAA 15A	5/23/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 15A	5/21/2019	METHYLCYCLOHEXANE	0.32	4	U	R	4		ug/L
HAA 15A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HAA 15A	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	J	J	0.83	14	ug/L
HAA 15A	4/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	J	J	0.79	14	ug/L
HAA 15A	5/23/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	J	J	0.82	14	ug/L
HAA 15A	5/21/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	J	J	0.83	14	ug/L
HAA 15A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	J	J	0.75	14	ug/L
HAA 15A	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 15A	4/28/2015	METHYL ISOBUTYL KETONE	0.12	5	J	J	0.7	6300	ug/L
HAA 15A	5/23/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 15A	5/21/2019	METHYL ISOBUTYL KETONE	0.51	5	U	R	5	6300	ug/L
HAA 15A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HAA 15A	5/7/2014	METHYL ETHYL KETONE	1.5	5	J	J	1.85	5600	ug/L
HAA 15A	4/28/2015	METHYL ETHYL KETONE	0.52	5		J	5.4	5600	ug/L
HAA 15A	5/23/2018	METHYL ETHYL KETONE	1.67	5	J	U	1.83	5600	ug/L
HAA 15A	5/21/2019	METHYL ETHYL KETONE	0.72	5	J	J	1.8	5600	ug/L
HAA 15A	5/20/2020	METHYL ETHYL KETONE	1.67	5	J	J	2.01	5600	ug/L
HAA 15A	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 15A	4/28/2015	METHYL ACETATE	0.37	25	U	R	25	20000	ug/L
HAA 15A	5/23/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/21/2019	METHYL ACETATE	2.7	25	U	R	25	20000	ug/L
HAA 15A	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 15A	5/7/2014	M,P-XYLENE	0.3	2			2.73	190	ug/L
HAA 15A	4/28/2015	M,P-XYLENE	0.14	2		J	3.6	190	ug/L
HAA 15A	5/23/2018	M,P-XYLENE	0.667	2			2.62	190	ug/L
HAA 15A	5/21/2019	M,P-XYLENE	0.39	2		J	2.9	190	ug/L
HAA 15A	5/20/2020	M,P-XYLENE	0.667	2		J	3.41	190	ug/L
HAA 15A	5/7/2014	LEAD-214	9.36	31.8	J	J	26.6		pCi/L
HAA 15A	5/7/2014	LEAD-214	9.68	25.9	J	J	22.8		pCi/L
HAA 15A	5/3/2010	LEAD	0.4	4			6.46	15	ug/L
HAA 15A	5/4/2011	LEAD	1	10			67.8	15	ug/L
HAA 15A	4/30/2012	LEAD	1	10			42.1	15	ug/L
HAA 15A	5/7/2013	LEAD	1	10			20.7	15	ug/L
HAA 15A	5/7/2014	LEAD	0.5	2		J	87.2	15	ug/L
HAA 15A	4/28/2015	LEAD	0.5	5			62	15	ug/L
HAA 15A	5/3/2016	LEAD	0.5	5			22.7	15	ug/L
HAA 15A	5/3/2016	LEAD	0.5	5			22.5	15	ug/L
HAA 15A	5/3/2017	LEAD	0.5	5			19.1	15	ug/L
HAA 15A	5/23/2018	LEAD	0.5	5			16.4	15	ug/L
HAA 15A	5/21/2019	LEAD	0.5	5			12.9	15	ug/L
HAA 15A	5/20/2020	LEAD	3	10			54	15	ug/L
HAA 15A	5/7/2014	IODINE-129	0.489	1.2	U	U	0.306	1	pCi/L
HAA 15A	5/7/2014	IODINE-129	0.754	1.47	U	U	0.242	1	pCi/L
HAA 15A	4/30/2012	GROSS ALPHA	6.87	29.7	J	J	24.6	15	pCi/L
HAA 15A	5/7/2013	GROSS ALPHA	8.11	29.8	J	J	19	15	pCi/L
HAA 15A	5/7/2014	GROSS ALPHA	5.03	17.9			49.8	15	pCi/L
HAA 15A	5/7/2014	GROSS ALPHA	5.69	17.2			33.3	15	pCi/L
HAA 15A	4/28/2015	GROSS ALPHA	6.17	19.1	J	J	8.28	15	pCi/L
HAA 15A	5/3/2016	GROSS ALPHA	3.87	16.5	J	J	14.8	15	pCi/L
HAA 15A	5/3/2017	GROSS ALPHA	8.25	40.7			56.5	15	pCi/L
HAA 15A	5/23/2018	GROSS ALPHA	13.7	57.9	J	J	50.5	15	pCi/L
HAA 15A	5/21/2019	GROSS ALPHA	11.2	42.6	J	J	27.9	15	pCi/L
HAA 15A	5/20/2020	GROSS ALPHA	28	75.4	J	J	57.1	15	pCi/L
HAA 15A	5/7/2014	EUROPIUM-155	17.3	35.6	U	U	10.6	600	pCi/L
HAA 15A	5/7/2014	EUROPIUM-155	12	25.6	U	U	3.18	600	pCi/L
HAA 15A	5/7/2014	EUROPIUM-154	12.7	27.2	U	U	-4.66	200	pCi/L
HAA 15A	5/7/2014	EUROPIUM-154	12.7	27.5	U	U	-5.34	200	pCi/L
HAA 15A	5/7/2014	EUROPIUM-152	14.3	40.9	U	U	11.6	60	pCi/L
HAA 15A	5/7/2014	EUROPIUM-152	12	26.2	U	U	0.0464	60	pCi/L
HAA 15A	5/7/2014	ETHYLBENZENE	0.3	1	J	J	0.68	700	ug/L
HAA 15A	4/28/2015	ETHYLBENZENE	0.09	1	J	J	0.84	700	ug/L
HAA 15A	5/23/2018	ETHYLBENZENE	0.333	1	J	J	0.7	700	ug/L
HAA 15A	5/21/2019	ETHYLBENZENE	0.34	1	J	J	0.7	700	ug/L
HAA 15A	5/20/2020	ETHYLBENZENE	0.333	1	J	J	0.89	700	ug/L
HAA 15A	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 15A	4/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1	5	ug/L
HAA 15A	5/23/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 15A	5/21/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HAA 15A	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 15A	4/28/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	R	2	200	ug/L
HAA 15A	5/23/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 15A	5/21/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	R	2	200	ug/L
HAA 15A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HAA 15A	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 15A	4/28/2015	DIBROMOCHLOROMETHANE	0.13	1	U	R	1	80	ug/L
HAA 15A	5/23/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 15A	5/21/2019	DIBROMOCHLOROMETHANE	0.14	1	U	R	1	80	ug/L
HAA 15A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15A	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 15A	4/28/2015	CYCLOHEXANE	0.07	1	U	R	1	13000	ug/L
HAA 15A	5/23/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 15A	5/21/2019	CYCLOHEXANE	0.35	1	U	R	1	13000	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HAA 15A	5/7/2014	CUMENE (ISOPROPYL BENZENE)	0.3	1	U	U	1	450	ug/L
HAA 15A	4/28/2015	CUMENE (ISOPROPYL BENZENE)	0.08	1	U	R	1	450	ug/L
HAA 15A	5/23/2018	CUMENE (ISOPROPYL BENZENE)	0.333	1	U	U	1	450	ug/L
HAA 15A	5/21/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	R	1	450	ug/L
HAA 15A	5/20/2020	CUMENE (ISOPROPYL BENZENE)	0.333	1	U	UJ	1	450	ug/L
HAA 15A	5/7/2014	COBALT-60	6.21	11.9	U	U	2.7	100	pCi/L
HAA 15A	5/7/2014	COBALT-60	5.17	10.7	U	U	-0.319	100	pCi/L
HAA 15A	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 15A	4/28/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	R	1	0.47	ug/L
HAA 15A	5/23/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 15A	5/21/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	R	1	0.47	ug/L
HAA 15A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15A	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 15A	4/28/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	R	1	0.47	ug/L
HAA 15A	5/23/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 15A	5/21/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	R	1	0.47	ug/L
HAA 15A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15A	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HAA 15A	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HAA 15A	4/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	R	2	190	ug/L
HAA 15A	5/23/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 15A	5/21/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	R	2	190	ug/L
HAA 15A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HAA 15A	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 15A	4/28/2015	CHLOROFORM	0.1	1	U	R	1	80	ug/L
HAA 15A	5/23/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 15A	5/21/2019	CHLOROFORM	0.24	1	U	R	1	80	ug/L
HAA 15A	5/20/2020	CHLOROFORM	0.333	1	U	UJ	1	80	ug/L
HAA 15A	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 15A	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	R	2	2	ug/L
HAA 15A	5/23/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 15A	5/21/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	R	2	2	ug/L
HAA 15A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HAA 15A	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 15A	4/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	R	2	21000	ug/L
HAA 15A	5/23/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 15A	5/21/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	R	2	21000	ug/L
HAA 15A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HAA 15A	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 15A	4/28/2015	CHLOROBENZENE	0.15	1	U	R	1	100	ug/L
HAA 15A	5/23/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 15A	5/21/2019	CHLOROBENZENE	0.28	1	U	R	1	100	ug/L
HAA 15A	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HAA 15A	5/7/2014	CESIUM-137	4.47	9.37	U	U	-0.371	200	pCi/L
HAA 15A	5/7/2014	CESIUM-137	4.19	9.15	U	U	-1.47	200	pCi/L
HAA 15A	5/7/2014	CESIUM-134	5.24	10.7	U	U	0.62	80	pCi/L
HAA 15A	5/7/2014	CESIUM-134	4.74	10.5	U	U	0.127	80	pCi/L
HAA 15A	5/7/2014	CARBON-14	35.7	76.9	U	U	4.61	2000	pCi/L
HAA 15A	5/7/2014	CARBON-14	36.6	77.4	U	U	-14.8	2000	pCi/L
HAA 15A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 15A	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 15A	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 15A	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 15A	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 15A	4/28/2015	CARBON TETRACHLORIDE	0.13	1	U	R	1	5	ug/L
HAA 15A	5/3/2016	CARBON TETRACHLORIDE	15	50	U	U	50	5	ug/L
HAA 15A	5/3/2017	CARBON TETRACHLORIDE	6.66	20	U	U	20	5	ug/L
HAA 15A	5/23/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 15A	5/21/2019	CARBON TETRACHLORIDE	0.19	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	UJ	1	5	ug/L
HAA 15A	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 15A	4/28/2015	CARBON DISULFIDE	0.05	1	U	R	1	810	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/23/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 15A	5/21/2019	CARBON DISULFIDE	0.4	1	U	R	1	810	ug/L
HAA 15A	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HAA 15A	5/3/2010	CADMIUM	0.2	2	U	U	0.205	5	ug/L
HAA 15A	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 15A	4/30/2012	CADMIUM	0.2	2	J	J	0.204	5	ug/L
HAA 15A	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 15A	5/7/2014	CADMIUM	0.11	1	J	J	0.13	5	ug/L
HAA 15A	4/28/2015	CADMIUM	0.1	1	J	J	0.14	5	ug/L
HAA 15A	5/3/2016	CADMIUM	0.1	1	J	J	0.205	5	ug/L
HAA 15A	5/3/2016	CADMIUM	0.1	1	J	J	0.123	5	ug/L
HAA 15A	5/3/2017	CADMIUM	0.1	1	J	J	0.224	5	ug/L
HAA 15A	5/23/2018	CADMIUM	0.1	1	J	J	0.249	5	ug/L
HAA 15A	5/21/2019	CADMIUM	0.1	1	J	J	0.106	5	ug/L
HAA 15A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 15A	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 15A	4/28/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	R	2	75	ug/L
HAA 15A	5/23/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 15A	5/21/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	R	2	75	ug/L
HAA 15A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HAA 15A	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 15A	4/28/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	R	1	80	ug/L
HAA 15A	5/23/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 15A	5/21/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	R	1	80	ug/L
HAA 15A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HAA 15A	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 15A	4/28/2015	BROMODICHLOROMETHANE	0.09	1	U	R	1	80	ug/L
HAA 15A	5/23/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 15A	5/21/2019	BROMODICHLOROMETHANE	0.17	1	U	R	1	80	ug/L
HAA 15A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15A	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 15A	4/28/2015	BROMOCHLOROMETHANE	0.13	1	U	R	1	83	ug/L
HAA 15A	5/23/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 15A	5/21/2019	BROMOCHLOROMETHANE	0.21	1	U	R	1	83	ug/L
HAA 15A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HAA 15A	5/7/2014	BISMUTH-214	7.99	31.8			33.3		pCi/L
HAA 15A	5/7/2014	BISMUTH-214	7.72	27			30.8		pCi/L
HAA 15A	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 15A	4/28/2015	BENZENE	0.06	1	U	R	1	5	ug/L
HAA 15A	5/23/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 15A	5/21/2019	BENZENE	0.26	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HAA 15A	5/7/2014	BARIUM-133	5.82	13	U	U	0.0469		pCi/L
HAA 15A	5/7/2014	BARIUM-133	5.27	12.6	U	U	-1.61		pCi/L
HAA 15A	5/7/2014	ANTIMONY-125	12.1	24.8	U	U	3.73	300	pCi/L
HAA 15A	5/7/2014	ANTIMONY-125	13.7	28	U	U	3.22	300	pCi/L
HAA 15A	5/7/2014	ACTINIUM-228	21.4	40.8	U	U	18		pCi/L
HAA 15A	5/7/2014	ACTINIUM-228	19.8	41.2	U	U	-1.89		pCi/L
HAA 15A	5/7/2014	ACETONE	1.5	5			11.7	14000	ug/L
HAA 15A	4/28/2015	ACETONE	0.34	2		J	27	14000	ug/L
HAA 15A	5/23/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 15A	5/21/2019	ACETONE	0.94	2		J	12	14000	ug/L
HAA 15A	5/20/2020	ACETONE	1.74	5		J	8.87	14000	ug/L
HAA 15A	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 15A	4/28/2015	2-HEXANONE	0.22	5	J	J	0.84	38	ug/L
HAA 15A	5/23/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 15A	5/21/2019	2-HEXANONE	0.51	5	U	R	5	38	ug/L
HAA 15A	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HAA 15A	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 15A	4/28/2015	1,4-DIOXANE	7.6	80	U	R	80	0.46	ug/L
HAA 15A	5/23/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 15A	5/21/2019	1,4-DIOXANE	14	80	U	R	80	0.46	ug/L
HAA 15A	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 15A	4/28/2015	1,4-DICHLOROENZENE	0.12	1	U	R	1		ug/L
HAA 15A	5/23/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 15A	5/21/2019	1,4-DICHLOROENZENE	0.45	1	U	R	1		ug/L
HAA 15A	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	UJ	1		ug/L
HAA 15A	5/7/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 15A	4/28/2015	1,3-DICHLOROENZENE	0.08	1	U	R	1		ug/L
HAA 15A	5/23/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 15A	5/21/2019	1,3-DICHLOROENZENE	0.37	1	U	R	1		ug/L
HAA 15A	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	UJ	1		ug/L
HAA 15A	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HAA 15A	4/28/2015	1,2-DICHLOROPROPANE	0.1	1	U	R	1		5 ug/L
HAA 15A	5/23/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 15A	5/21/2019	1,2-DICHLOROPROPANE	0.2	1	U	R	1		5 ug/L
HAA 15A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1		5 ug/L
HAA 15A	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HAA 15A	4/28/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	R	1		5 ug/L
HAA 15A	5/23/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 15A	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	R	1		5 ug/L
HAA 15A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1		5 ug/L
HAA 15A	5/7/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1		600 ug/L
HAA 15A	4/28/2015	1,2-DICHLOROENZENE	0.06	1	U	R	1		600 ug/L
HAA 15A	5/23/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1		600 ug/L
HAA 15A	5/21/2019	1,2-DICHLOROENZENE	0.42	1	U	R	1		600 ug/L
HAA 15A	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	UJ	1		600 ug/L
HAA 15A	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1		0.5 ug/L
HAA 15A	4/28/2015	1,2-DIBROMOETHANE	0.13	1	U	R	1		0.5 ug/L
HAA 15A	5/23/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 15A	5/21/2019	1,2-DIBROMOETHANE	0.26	1	U	R	1		0.5 ug/L
HAA 15A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1		0.5 ug/L
HAA 15A	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1		0.2 ug/L
HAA 15A	4/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	R	1		0.2 ug/L
HAA 15A	5/23/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 15A	5/21/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	R	1		0.2 ug/L
HAA 15A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1		0.2 ug/L
HAA 15A	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 15A	4/28/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	R	1		7 ug/L
HAA 15A	5/23/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 15A	5/21/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	R	1		7 ug/L
HAA 15A	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15A	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1		7 ug/L
HAA 15A	4/28/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	R	1		7 ug/L
HAA 15A	5/23/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1		7 ug/L
HAA 15A	5/21/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	R	1		7 ug/L
HAA 15A	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15A	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1		7 ug/L
HAA 15A	4/28/2015	1,1-DICHLOROETHYLENE	0.08	1	U	R	1		7 ug/L
HAA 15A	5/23/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 15A	5/21/2019	1,1-DICHLOROETHYLENE	0.27	1	U	R	1		7 ug/L
HAA 15A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1		7 ug/L
HAA 15A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2		2.8 ug/L
HAA 15A	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 15A	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 15A	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 15A	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 15A	4/28/2015	1,1-DICHLOROETHANE	0.07	1	U	R	1		2.8 ug/L
HAA 15A	5/3/2016	1,1-DICHLOROETHANE	15	50	U	U	50		2.8 ug/L
HAA 15A	5/3/2017	1,1-DICHLOROETHANE	6.66	20	U	U	20		2.8 ug/L
HAA 15A	5/23/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 15A	5/21/2019	1,1-DICHLOROETHANE	0.25	1	U	R	1		2.8 ug/L
HAA 15A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1		2.8 ug/L
HAA 15A	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1		5 ug/L
HAA 15A	4/28/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	R	1		5 ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15A	5/23/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 15A	5/21/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	R	1	5	ug/L
HAA 15A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 15A	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 15A	4/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	R	1		ug/L
HAA 15A	5/23/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 15A	5/21/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	R	1		ug/L
HAA 15A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	UJ	5		ug/L
HAA 15A	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 15A	4/28/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	R	1	0.076	ug/L
HAA 15A	5/23/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 15A	5/21/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	R	1	0.076	ug/L
HAA 15A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 15A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 15A	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 15A	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 15A	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 15A	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 15A	4/28/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	R	1	200	ug/L
HAA 15A	5/3/2016	1,1,1-TRICHLOROETHANE	15	50	U	U	50	200	ug/L
HAA 15A	5/3/2017	1,1,1-TRICHLOROETHANE	6.66	20	U	U	20	200	ug/L
HAA 15A	5/23/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 15A	5/21/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	R	1	200	ug/L
HAA 15A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HAA 15D	5/3/2010	TRITIUM	0.459	1.58			7.27	20	pCi/mL
HAA 15D	5/3/2011	TRITIUM	0.437	1.57			7.38	20	pCi/mL
HAA 15D	5/7/2013	TRITIUM	0.394	1.46			6.53	20	pCi/mL
HAA 15D	5/7/2014	TRITIUM	0.379	1.41			6.34	20	pCi/mL
HAA 15D	4/28/2015	TRITIUM	0.415	1.43			5.58	20	pCi/mL
HAA 15D	5/3/2016	TRITIUM	0.501	1.49			5.43	20	pCi/mL
HAA 15D	5/3/2017	TRITIUM	0.457	1.49			5.23	20	pCi/mL
HAA 15D	5/23/2018	TRITIUM	0.396	1.25			4.06	20	pCi/mL
HAA 15D	5/21/2019	TRITIUM	0.393	1.28			4.3	20	pCi/mL
HAA 15D	5/20/2020	TRITIUM	0.301	1.127			4.19	20	pCi/mL
HAA 15D	5/20/2020	TRITIUM	0.284	1.076			4.1	20	pCi/mL
HAA 15D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HAA 15D	4/28/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HAA 15D	5/23/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HAA 15D	5/21/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HAA 15D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HAA 15D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HAA 15D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HAA 15D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 15D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HAA 15D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HAA 15D	5/3/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HAA 15D	5/3/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 15D	4/28/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HAA 15D	5/23/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 15D	5/21/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HAA 15D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HAA 15D	4/28/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HAA 15D	5/23/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HAA 15D	5/21/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HAA 15D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HAA 15D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HAA 15D	4/28/2015	TOLUENE	0.07	1		UJ	2.1	1000	ug/L
HAA 15D	5/23/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HAA 15D	5/21/2019	TOLUENE	0.24	1	U		1	1000	ug/L
HAA 15D	5/20/2020	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HAA 15D	5/20/2020	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HAA 15D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HAA 15D	4/28/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HAA 15D	5/23/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HAA 15D	5/21/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HAA 15D	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HAA 15D	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HAA 15D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HAA 15D	4/28/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HAA 15D	5/23/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HAA 15D	5/21/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HAA 15D	5/20/2020	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HAA 15D	5/20/2020	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HAA 15D	5/3/2010	NONVOLATILE BETA	4.32	8.31	U	U	-1.34	50	pCi/L
HAA 15D	5/3/2011	NONVOLATILE BETA	4.25	8.59	U	U	-0.777	50	pCi/L
HAA 15D	5/7/2013	NONVOLATILE BETA	4.31	9.5	U	U	1.28	50	pCi/L
HAA 15D	5/7/2014	NONVOLATILE BETA	4.12	8.64	U	U	0.0962	50	pCi/L
HAA 15D	4/28/2015	NONVOLATILE BETA	4.12	8.37	U	U	-0.382	50	pCi/L
HAA 15D	5/3/2016	NONVOLATILE BETA	4.08	9.03	U	U	1.18	50	pCi/L
HAA 15D	5/3/2017	NONVOLATILE BETA	2.94	7.08	U	U	1.69	50	pCi/L
HAA 15D	5/23/2018	NONVOLATILE BETA	3.8	7.74	U	U	-0.367	50	pCi/L
HAA 15D	5/21/2019	NONVOLATILE BETA	4.02	8.48	U	U	0.638	50	pCi/L
HAA 15D	5/20/2020	NONVOLATILE BETA	0.878	1.946	U	U	0.307	50	pCi/L
HAA 15D	5/20/2020	NONVOLATILE BETA	0.936	1.93	U	U	-0.343	50	pCi/L
HAA 15D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HAA 15D	4/28/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HAA 15D	5/23/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HAA 15D	5/21/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HAA 15D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HAA 15D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HAA 15D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HAA 15D	4/28/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HAA 15D	5/23/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HAA 15D	5/21/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HAA 15D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HAA 15D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HAA 15D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HAA 15D	4/28/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HAA 15D	5/23/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HAA 15D	5/21/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HAA 15D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HAA 15D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HAA 15D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HAA 15D	4/28/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HAA 15D	5/23/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HAA 15D	5/21/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HAA 15D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HAA 15D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HAA 15D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HAA 15D	4/28/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HAA 15D	5/23/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/21/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HAA 15D	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 15D	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HAA 15D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HAA 15D	4/28/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HAA 15D	5/23/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HAA 15D	5/21/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HAA 15D	5/20/2020	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HAA 15D	5/20/2020	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HAA 15D	5/3/2010	LEAD	0.4	4	J	J	3.06	15	ug/L
HAA 15D	5/3/2011	LEAD	1	10	J	J	5.77	15	ug/L
HAA 15D	5/7/2013	LEAD	1	10	J	J	1.42	15	ug/L
HAA 15D	5/7/2014	LEAD	0.5	5	J	J	1.47	15	ug/L
HAA 15D	4/28/2015	LEAD	0.5	5	J	J	1.65	15	ug/L
HAA 15D	5/3/2016	LEAD	0.5	5	J	J	3.63	15	ug/L
HAA 15D	5/3/2017	LEAD	0.5	5	J	J	2.72	15	ug/L
HAA 15D	5/23/2018	LEAD	0.5	5			6.43	15	ug/L
HAA 15D	5/21/2019	LEAD	0.5	5	J	J	4.24	15	ug/L
HAA 15D	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HAA 15D	5/20/2020	LEAD	3	10	J	J	4.5	15	ug/L
HAA 15D	5/7/2013	GROSS ALPHA	2.49	4.4	U	U	0.105	15	pCi/L
HAA 15D	5/7/2014	GROSS ALPHA	2.2	3.89	U	U	0.0934	15	pCi/L
HAA 15D	4/28/2015	GROSS ALPHA	2.06	3.71	U	U	0.151	15	pCi/L
HAA 15D	5/3/2016	GROSS ALPHA	2.28	5.74	U	U	1.52	15	pCi/L
HAA 15D	5/3/2017	GROSS ALPHA	1.42	4.07	J	J	1.78	15	pCi/L
HAA 15D	5/23/2018	GROSS ALPHA	2.36	4.13	U	U	0.0202	15	pCi/L
HAA 15D	5/21/2019	GROSS ALPHA	2.03	6.12	J	J	2.44	15	pCi/L
HAA 15D	5/20/2020	GROSS ALPHA	1.33	3.096	U	U	1.14	15	pCi/L
HAA 15D	5/20/2020	GROSS ALPHA	1.1	2.46	U	U	0.617	15	pCi/L
HAA 15D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HAA 15D	4/28/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HAA 15D	5/23/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HAA 15D	5/21/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HAA 15D	5/20/2020	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HAA 15D	5/20/2020	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HAA 15D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HAA 15D	4/28/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HAA 15D	5/21/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HAA 15D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HAA 15D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HAA 15D	4/28/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HAA 15D	5/23/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HAA 15D	5/21/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HAA 15D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HAA 15D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HAA 15D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 15D	4/28/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HAA 15D	5/23/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 15D	5/21/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HAA 15D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HAA 15D	4/28/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HAA 15D	5/23/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HAA 15D	5/21/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HAA 15D	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HAA 15D	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HAA 15D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HAA 15D	4/28/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HAA 15D	5/23/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HAA 15D	5/21/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HAA 15D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HAA 15D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HAA 15D	4/28/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HAA 15D	5/23/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HAA 15D	5/21/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HAA 15D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HAA 15D	4/28/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HAA 15D	5/23/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HAA 15D	5/21/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HAA 15D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HAA 15D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.35	190	ug/L
HAA 15D	4/28/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HAA 15D	5/23/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HAA 15D	5/21/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HAA 15D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HAA 15D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HAA 15D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HAA 15D	4/28/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HAA 15D	5/23/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HAA 15D	5/21/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HAA 15D	5/20/2020	CHLOROFORM	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/20/2020	CHLOROFORM	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HAA 15D	4/28/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HAA 15D	5/23/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HAA 15D	5/21/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HAA 15D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HAA 15D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HAA 15D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HAA 15D	4/28/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HAA 15D	5/23/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HAA 15D	5/21/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HAA 15D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HAA 15D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HAA 15D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HAA 15D	4/28/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HAA 15D	5/23/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HAA 15D	5/21/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HAA 15D	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HAA 15D	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HAA 15D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HAA 15D	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 15D	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HAA 15D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HAA 15D	5/3/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HAA 15D	5/3/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HAA 15D	4/28/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HAA 15D	5/23/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HAA 15D	5/21/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HAA 15D	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HAA 15D	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HAA 15D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 15D	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HAA 15D	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	5/3/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	5/3/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 15D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HAA 15D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HAA 15D	4/28/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HAA 15D	5/23/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HAA 15D	5/21/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HAA 15D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HAA 15D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HAA 15D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HAA 15D	4/28/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HAA 15D	5/23/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HAA 15D	5/21/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HAA 15D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HAA 15D	4/28/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HAA 15D	5/23/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HAA 15D	5/21/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HAA 15D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HAA 15D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HAA 15D	4/28/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HAA 15D	5/23/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HAA 15D	5/21/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HAA 15D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HAA 15D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HAA 15D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HAA 15D	4/28/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HAA 15D	5/23/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HAA 15D	5/21/2019	ACETONE	0.94	2			2.7	14000	ug/L
HAA 15D	5/20/2020	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HAA 15D	5/20/2020	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HAA 15D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HAA 15D	4/28/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HAA 15D	5/23/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HAA 15D	5/21/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HAA 15D	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HAA 15D	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HAA 15D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HAA 15D	4/28/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HAA 15D	5/23/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HAA 15D	5/21/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HAA 15D	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HAA 15D	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HAA 15D	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HAA 15D	4/28/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HAA 15D	5/23/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HAA 15D	5/21/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HAA 15D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	UJ	1		ug/L
HAA 15D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	UJ	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HAA 15D	4/28/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HAA 15D	5/23/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HAA 15D	5/21/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HAA 15D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HAA 15D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HAA 15D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HAA 15D	4/28/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HAA 15D	5/23/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HAA 15D	5/21/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1		5 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1		5 ug/L
HAA 15D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HAA 15D	4/28/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HAA 15D	5/23/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HAA 15D	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1		5 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1		5 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1		5 ug/L
HAA 15D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		600 ug/L
HAA 15D	4/28/2015	1,2-DICHLOROETHANE (EDC)	0.06	1	U	U	1		600 ug/L
HAA 15D	5/23/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		600 ug/L
HAA 15D	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.42	1	U	U	1		600 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1		600 ug/L
HAA 15D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1		600 ug/L
HAA 15D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1		0.5 ug/L
HAA 15D	4/28/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1		0.5 ug/L
HAA 15D	5/23/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1		0.5 ug/L
HAA 15D	5/21/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1		0.5 ug/L
HAA 15D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1		0.5 ug/L
HAA 15D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1		0.5 ug/L
HAA 15D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1		0.2 ug/L
HAA 15D	4/28/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1		0.2 ug/L
HAA 15D	5/23/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1		0.2 ug/L
HAA 15D	5/21/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1		0.2 ug/L
HAA 15D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1		0.2 ug/L
HAA 15D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1		0.2 ug/L
HAA 15D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1		7 ug/L
HAA 15D	4/28/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1		7 ug/L
HAA 15D	5/23/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1		7 ug/L
HAA 15D	5/21/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1		7 ug/L
HAA 15D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1		7 ug/L
HAA 15D	4/28/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1		7 ug/L
HAA 15D	5/23/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1		7 ug/L
HAA 15D	5/21/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1		7 ug/L
HAA 15D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1		7 ug/L
HAA 15D	4/28/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1		7 ug/L
HAA 15D	5/23/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1		7 ug/L
HAA 15D	5/21/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1		7 ug/L
HAA 15D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1		7 ug/L
HAA 15D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2		2.8 ug/L
HAA 15D	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 15D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2		2.8 ug/L
HAA 15D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 15D	4/28/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1		2.8 ug/L
HAA 15D	5/3/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1		2.8 ug/L
HAA 15D	5/3/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 15D	5/23/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1		2.8 ug/L
HAA 15D	5/21/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1		2.8 ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HAA 15D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HAA 15D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HAA 15D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HAA 15D	4/28/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HAA 15D	5/23/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HAA 15D	5/21/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HAA 15D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HAA 15D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HAA 15D	4/28/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	J	J	0.26		ug/L
HAA 15D	5/23/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HAA 15D	5/21/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HAA 15D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	UJ	5		ug/L
HAA 15D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	UJ	5		ug/L
HAA 15D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HAA 15D	4/28/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HAA 15D	5/23/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HAA 15D	5/21/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HAA 15D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 15D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HAA 15D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HAA 15D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 15D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HAA 15D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 15D	4/28/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HAA 15D	5/3/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HAA 15D	5/3/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 15D	5/23/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HAA 15D	5/21/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HAA 15D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HAA 15D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HAA016D	5/3/2010	TRITIUM	0.461	1.62			7.83	20	pCi/mL
HAA016D	5/3/2010	TRITIUM	0.463	1.62			7.74	20	pCi/mL
HAA016D	5/5/2011	TRITIUM	0.569	1.74			6.38	20	pCi/mL
HAA016D	5/1/2012	TRITIUM	0.486	1.67			7.53	20	pCi/mL
HAA016D	5/9/2013	TRITIUM	0.525	1.73			7.03	20	pCi/mL
HAA016D	5/6/2014	TRITIUM	0.383	1.41			6.41	20	pCi/mL
HAA016D	5/6/2014	TRITIUM	0.388	1.42			6.36	20	pCi/mL
HAA016D	5/21/2018	TRITIUM	0.497	1.67			7.96	20	pCi/mL
HAA016D	5/21/2018	TRITIUM	0.5	1.65			7.48	20	pCi/mL
HAA016D	5/15/2019	TRITIUM	0.393	1.33			5.03	20	pCi/mL
HAA016D	5/20/2020	TRITIUM	0.348	1.234			4.26	20	pCi/mL
HCB 2	5/18/2010	TRITIUM	0.438	1.52			6.87	20	pCi/mL
HCB 2	5/9/2011	TRITIUM	0.501	1.47			4.26	20	pCi/mL
HCB 2	5/7/2012	TRITIUM	0.537	1.42			3.26	20	pCi/mL
HCB 2	5/7/2012	TRITIUM	0.536	1.42			3.23	20	pCi/mL
HCB 2	5/8/2013	TRITIUM	0.538	1.5			3.38	20	pCi/mL
HCB 2	5/8/2013	TRITIUM	0.537	1.46			2.96	20	pCi/mL
HCB 2	5/7/2014	TRITIUM	0.378	2.21			23.1	20	pCi/mL
HCB 2	4/27/2015	TRITIUM	0.426	1.26			3.18	20	pCi/mL
HCB 2	5/2/2016	TRITIUM	0.477	1.33			2.88	20	pCi/mL
HCB 2	4/26/2017	TRITIUM	0.468	1.32			2.77	20	pCi/mL
HCB 2	5/24/2018	TRITIUM	0.425	1.4			5.13	20	pCi/mL
HCB 2	5/21/2019	TRITIUM	0.405	1.18			2.83	20	pCi/mL
HCB 2	5/20/2020	TRITIUM	0.28	0.852			1.8	20	pCi/mL
HCB 2	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HCB 2	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HCB 2	5/24/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HCB 2	5/21/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HCB 2	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HCB 2	5/18/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HCB 2	5/18/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HCB 2	5/9/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/7/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HCB 2	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HCB 2	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HCB 2	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HCB 2	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HCB 2	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HCB 2	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HCB 2	5/24/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HCB 2	5/21/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HCB 2	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HCB 2	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HCB 2	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HCB 2	5/24/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/21/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HCB 2	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HCB 2	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HCB 2	5/24/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/21/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HCB 2	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HCB 2	4/27/2015	TOLUENE	0.07	1	U	U	1.7	1000	ug/L
HCB 2	5/24/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HCB 2	5/21/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HCB 2	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HCB 2	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HCB 2	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HCB 2	5/24/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HCB 2	5/21/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HCB 2	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HCB 2	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HCB 2	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HCB 2	5/24/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/21/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HCB 2	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/7/2012	SODIUM	0.04	0.4			11.7		ug/L
HCB 2	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HCB 2	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HCB 2	5/24/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HCB 2	5/21/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HCB 2	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HCB 2	5/18/2010	NONVOLATILE BETA	5.23	12.7	J	J	5.91	50	pCi/L
HCB 2	5/9/2011	NONVOLATILE BETA	5.63	13.8	J	J	6.9	50	pCi/L
HCB 2	5/7/2012	NONVOLATILE BETA	6.78	16	J	J	6.91	50	pCi/L
HCB 2	5/8/2013	NONVOLATILE BETA	4.83	12.8	J	J	8.97	50	pCi/L
HCB 2	5/8/2013	NONVOLATILE BETA	5.05	12.2	J	J	5.23	50	pCi/L
HCB 2	5/7/2014	NONVOLATILE BETA	5.85	14.3	J	J	7.76	50	pCi/L
HCB 2	4/27/2015	NONVOLATILE BETA	4.19	10.6	J	J	5.47	50	pCi/L
HCB 2	5/2/2016	NONVOLATILE BETA	4.13	10.8	J	J	6.49	50	pCi/L
HCB 2	4/26/2017	NONVOLATILE BETA	6.02	14.3	U	U	5.59	50	pCi/L
HCB 2	5/24/2018	NONVOLATILE BETA	4.01	11.5	J	J	9.62	50	pCi/L
HCB 2	5/21/2019	NONVOLATILE BETA	4.17	11	J	J	7.34	50	pCi/L
HCB 2	5/20/2020	NONVOLATILE BETA	0.829	2.343			3.17	50	pCi/L
HCB 2	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HCB 2	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HCB 2	5/24/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HCB 2	5/21/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HCB 2	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HCB 2	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HCB 2	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HCB 2	5/24/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HCB 2	5/21/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HCB 2	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HCB 2	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HCB 2	5/24/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HCB 2	5/21/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HCB 2	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HCB 2	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HCB 2	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HCB 2	5/24/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HCB 2	5/21/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HCB 2	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HCB 2	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HCB 2	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HCB 2	5/24/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HCB 2	5/21/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HCB 2	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HCB 2	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HCB 2	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HCB 2	5/24/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HCB 2	5/21/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HCB 2	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HCB 2	5/18/2010	LEAD	0.4	4	J	J	2.83	15	ug/L
HCB 2	5/18/2010	LEAD	0.4	4	J	J	2.8	15	ug/L
HCB 2	5/9/2011	LEAD	1	10	J	J	2.5	15	ug/L
HCB 2	5/7/2012	LEAD	1	10	J	J	7.94	15	ug/L
HCB 2	5/8/2013	LEAD	1	10	J	J	2.13	15	ug/L
HCB 2	5/8/2013	LEAD	1	10	J	J	1.57	15	ug/L
HCB 2	5/7/2014	LEAD	0.5	5	J	J	1.06	15	ug/L
HCB 2	4/27/2015	LEAD	0.5	5	J	J	1.37	15	ug/L
HCB 2	5/2/2016	LEAD	0.5	5	J	J	2.06	15	ug/L
HCB 2	4/26/2017	LEAD	0.5	5	J	J	3.31	15	ug/L
HCB 2	4/26/2017	LEAD	0.5	5	J	J	2.61	15	ug/L
HCB 2	5/24/2018	LEAD	0.5	5	J	J	3.16	15	ug/L
HCB 2	5/21/2019	LEAD	0.5	5	J	J	1.14	15	ug/L
HCB 2	5/20/2020	LEAD	3	10	J	J	7.4	15	ug/L
HCB 2	5/8/2013	GROSS ALPHA	2.62	10.2	J	J	7.15	15	pCi/L
HCB 2	5/8/2013	GROSS ALPHA	2.61	8.85	J	J	4.78	15	pCi/L
HCB 2	5/7/2014	GROSS ALPHA	2.3	12.5			15.6	15	pCi/L
HCB 2	4/27/2015	GROSS ALPHA	2.18	4.55	U	U	0.557	15	pCi/L
HCB 2	5/2/2016	GROSS ALPHA	2.37	7.17	J	J	3.17	15	pCi/L
HCB 2	4/26/2017	GROSS ALPHA	2.39	13.1			17.3	15	pCi/L
HCB 2	5/24/2018	GROSS ALPHA	2.49	10.1	J	J	8	15	pCi/L
HCB 2	5/21/2019	GROSS ALPHA	2.08	9.45	J	J	8.37	15	pCi/L
HCB 2	5/20/2020	GROSS ALPHA	1.21	3.31	J	J	2.53	15	pCi/L
HCB 2	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HCB 2	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HCB 2	5/24/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HCB 2	5/21/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HCB 2	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HCB 2	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HCB 2	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HCB 2	5/24/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HCB 2	5/21/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HCB 2	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HCB 2	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HCB 2	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HCB 2	5/24/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HCB 2	5/21/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HCB 2	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HCB 2	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HCB 2	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HCB 2	5/24/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HCB 2	5/21/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HCB 2	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HCB 2	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HCB 2	5/24/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HCB 2	5/21/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HCB 2	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HCB 2	5/7/2014	CUMENE (ISOPROPYL BENZENE)	0.3	1	U	U	1	450	ug/L
HCB 2	4/27/2015	CUMENE (ISOPROPYL BENZENE)	0.08	1	U	U	1	450	ug/L
HCB 2	5/24/2018	CUMENE (ISOPROPYL BENZENE)	0.333	1	U	U	1	450	ug/L
HCB 2	5/21/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	U	1	450	ug/L
HCB 2	5/20/2020	CUMENE (ISOPROPYL BENZENE)	0.333	1	U	U	1	450	ug/L
HCB 2	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HCB 2	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HCB 2	5/24/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/21/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HCB 2	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HCB 2	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HCB 2	5/24/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/21/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HCB 2	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HCB 2	5/7/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HCB 2	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HCB 2	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HCB 2	5/24/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HCB 2	5/21/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HCB 2	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HCB 2	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HCB 2	4/27/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HCB 2	5/24/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HCB 2	5/21/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HCB 2	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HCB 2	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HCB 2	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HCB 2	5/24/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HCB 2	5/21/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HCB 2	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HCB 2	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HCB 2	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HCB 2	5/24/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HCB 2	5/21/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HCB 2	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HCB 2	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HCB 2	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HCB 2	5/24/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/21/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HCB 2	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HCB 2	5/18/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HCB 2	5/18/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HCB 2	5/9/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HCB 2	5/7/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HCB 2	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HCB 2	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HCB 2	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HCB 2	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HCB 2	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HCB 2	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HCB 2	5/24/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HCB 2	5/21/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HCB 2	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HCB 2	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HCB 2	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HCB 2	5/24/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HCB 2	5/21/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HCB 2	5/18/2010	CADMIUM	0.2	2	J	J	0.705	5	ug/L
HCB 2	5/18/2010	CADMIUM	0.2	2	J	J	0.621	5	ug/L
HCB 2	5/9/2011	CADMIUM	0.2	2	J	J	0.455	5	ug/L
HCB 2	5/7/2012	CADMIUM	0.2	2	J	J	0.852	5	ug/L
HCB 2	5/8/2013	CADMIUM	0.2	2	J	J	0.232	5	ug/L
HCB 2	5/8/2013	CADMIUM	0.2	2	J	J	0.227	5	ug/L
HCB 2	5/7/2014	CADMIUM	0.1	1	J	J	0.365	5	ug/L
HCB 2	4/27/2015	CADMIUM	0.1	1	J	J	0.207	5	ug/L
HCB 2	5/2/2016	CADMIUM	0.1	1	J	J	0.311	5	ug/L
HCB 2	4/26/2017	CADMIUM	0.1	1	J	J	0.503	5	ug/L
HCB 2	4/26/2017	CADMIUM	0.1	1	J	J	0.453	5	ug/L
HCB 2	5/24/2018	CADMIUM	0.1	1	J	J	0.824	5	ug/L
HCB 2	5/21/2019	CADMIUM	0.1	1	J	J	0.169	5	ug/L
HCB 2	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HCB 2	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HCB 2	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HCB 2	5/24/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HCB 2	5/21/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HCB 2	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HCB 2	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HCB 2	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HCB 2	5/24/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HCB 2	5/21/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HCB 2	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HCB 2	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HCB 2	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HCB 2	5/24/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HCB 2	5/21/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HCB 2	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HCB 2	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HCB 2	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HCB 2	5/24/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HCB 2	5/21/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HCB 2	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HCB 2	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HCB 2	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HCB 2	5/24/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HCB 2	5/21/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HCB 2	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HCB 2	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HCB 2	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HCB 2	5/24/2018	ACETONE	1.74	5	J	J	2.98	14000	ug/L
HCB 2	5/21/2019	ACETONE	0.94	2			3.6	14000	ug/L
HCB 2	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HCB 2	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HCB 2	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HCB 2	5/24/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HCB 2	5/21/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HCB 2	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HCB 2	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HCB 2	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HCB 2	5/24/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HCB 2	5/21/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HCB 2	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HCB 2	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HCB 2	4/27/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HCB 2	5/24/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HCB 2	5/21/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HCB 2	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HCB 2	5/7/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HCB 2	4/27/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HCB 2	5/24/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/21/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HCB 2	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HCB 2	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HCB 2	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HCB 2	5/24/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HCB 2	5/21/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HCB 2	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HCB 2	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HCB 2	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HCB 2	5/24/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HCB 2	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1		5 ug/L
HCB 2	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HCB 2	5/7/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HCB 2	4/27/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1	600	ug/L
HCB 2	5/24/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HCB 2	5/21/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1	600	ug/L
HCB 2	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HCB 2	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HCB 2	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HCB 2	5/24/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HCB 2	5/21/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HCB 2	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HCB 2	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HCB 2	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HCB 2	5/24/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HCB 2	5/21/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HCB 2	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HCB 2	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HCB 2	4/27/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HCB 2	5/24/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/21/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HCB 2	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HCB 2	4/27/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HCB 2	5/24/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/21/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HCB 2	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HCB 2	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HCB 2	5/24/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/21/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HCB 2	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HCB 2	5/18/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HCB 2	5/18/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HCB 2	5/9/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HCB 2	5/7/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HCB 2	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HCB 2	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HCB 2	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HCB 2	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HCB 2	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HCB 2	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HCB 2	5/24/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HCB 2	5/21/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HCB 2	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HCB 2	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HCB 2	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HCB 2	5/24/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HCB 2	5/21/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HCB 2	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HCB 2	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HCB 2	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HCB 2	5/24/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HCB 2	5/21/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HCB 2	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HCB 2	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HCB 2	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HCB 2	5/24/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HCB 2	5/21/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HCB 2	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HCB 2	5/18/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HCB 2	5/18/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HCB 2	5/9/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HCB 2	5/7/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HCB 2	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HCB 2	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HCB 2	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HCB 2	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HCB 2	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HCB 2	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HCB 2	5/24/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HCB 2	5/21/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HCB 2	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 1D	5/3/2010	TRITIUM	0.459	1.98			15	20	pCi/mL
HGW 1D	5/4/2011	TRITIUM	0.588	2.2			14	20	pCi/mL
HGW 1D	4/30/2012	TRITIUM	0.48	1.93			12.4	20	pCi/mL
HGW 1D	5/7/2013	TRITIUM	0.395	1.77	J		11.8	20	pCi/mL
HGW 1D	5/7/2014	TRITIUM	0.38	1.7			11.4	20	pCi/mL
HGW 1D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HGW 1D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HGW 1D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 1D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 1D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 1D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 1D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HGW 1D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HGW 1D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HGW 1D	4/30/2012	SODIUM	0.04	0.4			6.92		ug/L
HGW 1D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HGW 1D	5/3/2010	NONVOLATILE BETA	4.53	11	U	U	4.48	50	pCi/L
HGW 1D	5/4/2011	NONVOLATILE BETA	4.76	11.3	U	U	3.88	50	pCi/L
HGW 1D	4/30/2012	NONVOLATILE BETA	4.78	10.7	U	U	1.85	50	pCi/L
HGW 1D	5/7/2013	NONVOLATILE BETA	5.27	12.5	U	U	4.66	50	pCi/L
HGW 1D	5/7/2013	NONVOLATILE BETA	5.18	11.9	U	U	3.14	50	pCi/L
HGW 1D	5/7/2014	NONVOLATILE BETA	5.2	12.7	J	J	6.05	50	pCi/L
HGW 1D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HGW 1D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HGW 1D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HGW 1D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HGW 1D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HGW 1D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HGW 1D	5/3/2010	LEAD	0.4	4	J	J	0.941	15	ug/L
HGW 1D	5/4/2011	LEAD	1	10	U	U	10	15	ug/L
HGW 1D	4/30/2012	LEAD	1	10	J	J	5.35	15	ug/L
HGW 1D	5/7/2013	LEAD	1	10	U	U	10	15	ug/L
HGW 1D	5/7/2014	LEAD	0.5	5	J	J	0.75	15	ug/L
HGW 1D	5/7/2013	GROSS ALPHA	2.5	10.7	J	J	9.06	15	pCi/L
HGW 1D	5/7/2013	GROSS ALPHA	2.51	10.4	J	J	8.19	15	pCi/L
HGW 1D	5/7/2014	GROSS ALPHA	2.19	9.69	J	J	8.63	15	pCi/L
HGW 1D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HGW 1D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HGW 1D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HGW 1D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 1D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 1D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HGW 1D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 1D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HGW 1D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HGW 1D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.34	190	ug/L
HGW 1D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HGW 1D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HGW 1D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HGW 1D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HGW 1D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HGW 1D	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 1D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 1D	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 1D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HGW 1D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 1D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 1D	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 1D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 1D	5/7/2014	CADMIUM	0.1	1	J	J	0.177	5	ug/L
HGW 1D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HGW 1D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HGW 1D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 1D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HGW 1D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HGW 1D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HGW 1D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HGW 1D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 1D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 1D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	1,2-DICHLOROETHANE	0.3	1	U	U	1	600	ug/L
HGW 1D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HGW 1D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HGW 1D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 1D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 1D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HGW 1D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 1D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 1D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 1D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 1D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 1D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HGW 1D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HGW 1D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HGW 1D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HGW 1D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 1D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 1D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 1D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 2D	5/3/2010	TRITIUM	0.456	2.49			28.9	20	pCi/mL
HGW 2D	5/4/2011	TRITIUM	0.587	2.72			26.8	20	pCi/mL
HGW 2D	5/4/2011	TRITIUM	0.591	2.73			26.7	20	pCi/mL
HGW 2D	5/4/2011	TRITIUM	0.586	2.71			26.7	20	pCi/mL
HGW 2D	4/30/2012	TRITIUM	0.481	2.46			25	20	pCi/mL
HGW 2D	5/7/2013	TRITIUM	0.524	2.74			29.6	20	pCi/mL
HGW 2D	5/7/2014	TRITIUM	0.386	2.42			28.3	20	pCi/mL
HGW 2D	4/22/2015	TRITIUM	0.528	2.48			29.6	20	pCi/mL
HGW 2D	4/26/2016	TRITIUM	0.452	2.68			32.5	20	pCi/mL
HGW 2D	4/26/2017	TRITIUM	0.523	2.67			28.9	20	pCi/mL
HGW 2D	5/15/2018	TRITIUM	0.397	2.23			24.4	20	pCi/mL
HGW 2D	5/13/2019	TRITIUM	0.405	2.23			25.2	20	pCi/mL

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	5/20/2020	TRITIUM	0.289	2.079			23.7	20	pCi/mL
HGW 2D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	J	J	0.34	5200	ug/L
HGW 2D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	J	J	0.2	5200	ug/L
HGW 2D	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	R	1	5200	ug/L
HGW 2D	6/4/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HGW 2D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HGW 2D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HGW 2D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2			5.25	5	ug/L
HGW 2D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2			5.91	5	ug/L
HGW 2D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2			5.14	5	ug/L
HGW 2D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2			4.65	5	ug/L
HGW 2D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2			6.64	5	ug/L
HGW 2D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1			6.77	5	ug/L
HGW 2D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1			4.2	5	ug/L
HGW 2D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1			6.28	5	ug/L
HGW 2D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1			4.92	5	ug/L
HGW 2D	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1		J	3.79	5	ug/L
HGW 2D	6/4/2018	TRICHLOROETHYLENE (TCE)	0.333	1		J	3.97	5	ug/L
HGW 2D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1			4.1	5	ug/L
HGW 2D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1		J	3.76	5	ug/L
HGW 2D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 2D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HGW 2D	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	R	1	0.47	ug/L
HGW 2D	6/4/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HGW 2D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HGW 2D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HGW 2D	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	R	1	100	ug/L
HGW 2D	6/4/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HGW 2D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HGW 2D	4/22/2015	TOLUENE	0.07	1		U	1.2	1000	ug/L
HGW 2D	5/15/2018	TOLUENE	0.333	1	U	R	1	1000	ug/L
HGW 2D	6/4/2018	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HGW 2D	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HGW 2D	5/20/2020	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HGW 2D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	R	1	5	ug/L
HGW 2D	6/4/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HGW 2D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HGW 2D	5/15/2018	STYRENE	0.333	1	U	R	1	100	ug/L
HGW 2D	6/4/2018	STYRENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HGW 2D	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	4/30/2012	SODIUM	0.04	0.4			5.78		ug/L
HGW 2D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HGW 2D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HGW 2D	5/15/2018	O-XYLENE	0.333	1	U	R	1	190	ug/L
HGW 2D	6/4/2018	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HGW 2D	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HGW 2D	5/20/2020	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HGW 2D	5/3/2010	NONVOLATILE BETA	4.42	10	U	U	2.19	50	pCi/L
HGW 2D	5/4/2011	NONVOLATILE BETA	4.71	10.4	U	U	1.26	50	pCi/L
HGW 2D	5/4/2011	NONVOLATILE BETA	4.76	9.61	U	U	-1.07	50	pCi/L
HGW 2D	4/30/2012	NONVOLATILE BETA	4.21	9.49	U	U	1.68	50	pCi/L
HGW 2D	5/7/2013	NONVOLATILE BETA	4.62	9.91	U	U	0.661	50	pCi/L
HGW 2D	5/7/2014	NONVOLATILE BETA	4.55	8.93	U	U	-1.47	50	pCi/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	4/22/2015	NONVOLATILE BETA	4.39	10.2	U	U	2.88	50	pCi/L
HGW 2D	4/26/2016	NONVOLATILE BETA	4.28	10	U	U	3.34	50	pCi/L
HGW 2D	4/26/2016	NONVOLATILE BETA	4.39	9.31	U	U	0.748	50	pCi/L
HGW 2D	4/26/2017	NONVOLATILE BETA	4	9.2	U	U	2.11	50	pCi/L
HGW 2D	4/26/2017	NONVOLATILE BETA	4	8.67	U	U	0.704	50	pCi/L
HGW 2D	5/15/2018	NONVOLATILE BETA	3.83	8.2	U	U	0.533	50	pCi/L
HGW 2D	5/13/2019	NONVOLATILE BETA	4.22	9.67	U	U	1.91	50	pCi/L
HGW 2D	5/20/2020	NONVOLATILE BETA	1.02	2.472	J	J	1.63	50	pCi/L
HGW 2D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HGW 2D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HGW 2D	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	R	1		ug/L
HGW 2D	6/4/2018	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HGW 2D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HGW 2D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HGW 2D	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	R	1	14	ug/L
HGW 2D	6/4/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HGW 2D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HGW 2D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HGW 2D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HGW 2D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HGW 2D	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	R	5	6300	ug/L
HGW 2D	6/4/2018	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HGW 2D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HGW 2D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HGW 2D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HGW 2D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HGW 2D	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	R	5	5600	ug/L
HGW 2D	6/4/2018	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HGW 2D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HGW 2D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HGW 2D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HGW 2D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HGW 2D	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HGW 2D	6/4/2018	METHYL ACETATE	1.67	5	U	UJ	5	20000	ug/L
HGW 2D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HGW 2D	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HGW 2D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HGW 2D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HGW 2D	5/15/2018	M,P-XYLENE	0.667	2	U	R	2	190	ug/L
HGW 2D	6/4/2018	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HGW 2D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HGW 2D	5/20/2020	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HGW 2D	5/3/2010	LEAD	0.4	4	J	J	0.7	15	ug/L
HGW 2D	5/4/2011	LEAD	1	10	U	U	10	15	ug/L
HGW 2D	5/4/2011	LEAD	1	10	U	U	10	15	ug/L
HGW 2D	4/30/2012	LEAD	1	10			12.8	15	ug/L
HGW 2D	5/7/2013	LEAD	1	10	J	J	2.45	15	ug/L
HGW 2D	5/7/2014	LEAD	0.5	5	J	J	1.4	15	ug/L
HGW 2D	4/22/2015	LEAD	0.5	5	U	U	5	15	ug/L
HGW 2D	4/26/2016	LEAD	0.5	5	J	J	1.13	15	ug/L
HGW 2D	4/26/2017	LEAD	0.5	5	J	J	0.852	15	ug/L
HGW 2D	5/15/2018	LEAD	0.5	5	J	J	0.635	15	ug/L
HGW 2D	5/13/2019	LEAD	0.5	5	U	U	5	15	ug/L
HGW 2D	5/20/2020	LEAD	3	10			14	15	ug/L
HGW 2D	5/7/2013	GROSS ALPHA	2.49	7.27	J	J	2.79	15	pCi/L
HGW 2D	5/7/2014	GROSS ALPHA	2.18	6.92	J	J	3.23	15	pCi/L
HGW 2D	4/22/2015	GROSS ALPHA	2.07	5.93	J	J	2.1	15	pCi/L
HGW 2D	4/26/2016	GROSS ALPHA	2.36	6.23	U	U	1.94	15	pCi/L
HGW 2D	4/26/2016	GROSS ALPHA	2.38	5.58	U	U	1.16	15	pCi/L
HGW 2D	4/26/2017	GROSS ALPHA	2.19	6	U	U	2.01	15	pCi/L
HGW 2D	4/26/2017	GROSS ALPHA	2.18	5.98	U	U	2	15	pCi/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	5/15/2018	GROSS ALPHA	2.41	5.33	U	U	0.834	15	pCi/L
HGW 2D	5/13/2019	GROSS ALPHA	2.39	6.95	J	J	2.78	15	pCi/L
HGW 2D	5/20/2020	GROSS ALPHA	1.49	3.67	J	J	2.19	15	pCi/L
HGW 2D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HGW 2D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HGW 2D	5/15/2018	ETHYLBENZENE	0.333	1	U	R	1	700	ug/L
HGW 2D	6/4/2018	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HGW 2D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HGW 2D	5/20/2020	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HGW 2D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HGW 2D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	R	5	5	ug/L
HGW 2D	6/4/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HGW 2D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HGW 2D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HGW 2D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HGW 2D	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	R	1	200	ug/L
HGW 2D	6/4/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HGW 2D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HGW 2D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HGW 2D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 2D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HGW 2D	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	R	1	80	ug/L
HGW 2D	6/4/2018	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HGW 2D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HGW 2D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HGW 2D	5/15/2018	CYCLOHEXANE	0.333	1	U	R	1	13000	ug/L
HGW 2D	6/4/2018	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HGW 2D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HGW 2D	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HGW 2D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HGW 2D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HGW 2D	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	R	1	450	ug/L
HGW 2D	6/4/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HGW 2D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HGW 2D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HGW 2D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 2D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HGW 2D	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	R	1	0.47	ug/L
HGW 2D	6/4/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HGW 2D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HGW 2D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HGW 2D	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	R	1	0.47	ug/L
HGW 2D	6/4/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HGW 2D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 2D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HGW 2D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.35	190	ug/L
HGW 2D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HGW 2D	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	R	1	190	ug/L
HGW 2D	6/4/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HGW 2D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HGW 2D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HGW 2D	5/7/2014	CHLOROFORM	0.3	1	J	J	0.9	80	ug/L
HGW 2D	4/22/2015	CHLOROFORM	0.1	1	J	J	0.81	80	ug/L
HGW 2D	5/15/2018	CHLOROFORM	0.333	1	J	J	0.78	80	ug/L
HGW 2D	6/4/2018	CHLOROFORM	0.333	1	J	J	0.76	80	ug/L
HGW 2D	5/13/2019	CHLOROFORM	0.24	1	J	J	0.78	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	5/20/2020	CHLOROFORM	0.333	1	J	J	0.75	80	ug/L
HGW 2D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HGW 2D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HGW 2D	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	R	1	2	ug/L
HGW 2D	6/4/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HGW 2D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HGW 2D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HGW 2D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HGW 2D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HGW 2D	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	R	1	21000	ug/L
HGW 2D	6/4/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HGW 2D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HGW 2D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HGW 2D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HGW 2D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HGW 2D	5/15/2018	CHLOROBENZENE	0.333	1	U	R	1	100	ug/L
HGW 2D	6/4/2018	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HGW 2D	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HGW 2D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	J	J	1.22	5	ug/L
HGW 2D	5/4/2011	CARBON TETRACHLORIDE	0.13	2			2.63	5	ug/L
HGW 2D	5/4/2011	CARBON TETRACHLORIDE	0.13	2			2.5	5	ug/L
HGW 2D	4/30/2012	CARBON TETRACHLORIDE	0.13	2			2.2	5	ug/L
HGW 2D	5/7/2013	CARBON TETRACHLORIDE	0.13	2			2.18	5	ug/L
HGW 2D	5/7/2014	CARBON TETRACHLORIDE	0.3	1			2.84	5	ug/L
HGW 2D	4/22/2015	CARBON TETRACHLORIDE	0.13	1			2.5	5	ug/L
HGW 2D	4/26/2016	CARBON TETRACHLORIDE	0.3	1			3.81	5	ug/L
HGW 2D	4/26/2017	CARBON TETRACHLORIDE	0.333	1			2.91	5	ug/L
HGW 2D	5/15/2018	CARBON TETRACHLORIDE	0.333	1		J	2.6	5	ug/L
HGW 2D	6/4/2018	CARBON TETRACHLORIDE	0.333	1		J	2.39	5	ug/L
HGW 2D	5/13/2019	CARBON TETRACHLORIDE	0.19	1			2.4	5	ug/L
HGW 2D	5/20/2020	CARBON TETRACHLORIDE	0.333	1		J	1.84	5	ug/L
HGW 2D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HGW 2D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HGW 2D	5/15/2018	CARBON DISULFIDE	1.67	5	U	R	5	810	ug/L
HGW 2D	6/4/2018	CARBON DISULFIDE	1.67	5	U	UJ	5	810	ug/L
HGW 2D	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HGW 2D	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HGW 2D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 2D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 2D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 2D	4/30/2012	CADMIUM	0.2	2	J	J	0.208	5	ug/L
HGW 2D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 2D	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	CADMIUM	0.1	1	J	J	0.154	5	ug/L
HGW 2D	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 2D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 2D	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HGW 2D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HGW 2D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HGW 2D	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	R	1	75	ug/L
HGW 2D	6/4/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HGW 2D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HGW 2D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HGW 2D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HGW 2D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HGW 2D	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	R	1	80	ug/L
HGW 2D	6/4/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HGW 2D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HGW 2D	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	R	1	80	ug/L
HGW 2D	6/4/2018	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HGW 2D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 2D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HGW 2D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HGW 2D	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	R	1	83	ug/L
HGW 2D	6/4/2018	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HGW 2D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HGW 2D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HGW 2D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	BENZENE	0.333	1	U	R	1	5	ug/L
HGW 2D	6/4/2018	BENZENE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HGW 2D	4/22/2015	ACETONE	0.34	2		J	5.3	14000	ug/L
HGW 2D	5/15/2018	ACETONE	1.74	5	U	R	5	14000	ug/L
HGW 2D	6/4/2018	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HGW 2D	5/13/2019	ACETONE	0.94	2		J	7.3	14000	ug/L
HGW 2D	5/20/2020	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HGW 2D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HGW 2D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HGW 2D	5/15/2018	2-HEXANONE	1.67	5	U	R	5	38	ug/L
HGW 2D	6/4/2018	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HGW 2D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HGW 2D	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HGW 2D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HGW 2D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HGW 2D	5/15/2018	1,4-DIOXANE	16.7	50	U	R	50	0.46	ug/L
HGW 2D	6/4/2018	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HGW 2D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HGW 2D	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HGW 2D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 2D	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HGW 2D	5/15/2018	1,4-DICHLOROBENZENE	0.333	1	U	R	1		ug/L
HGW 2D	6/4/2018	1,4-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HGW 2D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 2D	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HGW 2D	5/15/2018	1,3-DICHLOROBENZENE	0.333	1	U	R	1		ug/L
HGW 2D	6/4/2018	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HGW 2D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 2D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	R	1	5	ug/L
HGW 2D	6/4/2018	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	R	1	5	ug/L
HGW 2D	6/4/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HGW 2D	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HGW 2D	5/15/2018	1,2-DICHLOROBENZENE	0.333	1	U	R	1	600	ug/L
HGW 2D	6/4/2018	1,2-DICHLOROBENZENE	0.333	1	U	UJ	1	600	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	5/13/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1	600	ug/L
HGW 2D	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	UJ	1	600	ug/L
HGW 2D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HGW 2D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HGW 2D	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	R	1	0.5	ug/L
HGW 2D	6/4/2018	1,2-DIBROMOETHANE	0.333	1	U	UJ	1	0.5	ug/L
HGW 2D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HGW 2D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1	0.5	ug/L
HGW 2D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HGW 2D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HGW 2D	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1	0.2	ug/L
HGW 2D	6/4/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L
HGW 2D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HGW 2D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1	0.2	ug/L
HGW 2D	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HGW 2D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HGW 2D	5/15/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	R	1	7	ug/L
HGW 2D	6/4/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HGW 2D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HGW 2D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HGW 2D	5/15/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	R	1	7	ug/L
HGW 2D	6/4/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HGW 2D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HGW 2D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HGW 2D	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	R	1	7	ug/L
HGW 2D	6/4/2018	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HGW 2D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1	7	ug/L
HGW 2D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 2D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 2D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 2D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 2D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 2D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 2D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HGW 2D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 2D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HGW 2D	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	R	1	2.8	ug/L
HGW 2D	6/4/2018	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HGW 2D	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HGW 2D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HGW 2D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HGW 2D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HGW 2D	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	R	1	5	ug/L
HGW 2D	6/4/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HGW 2D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HGW 2D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5			29.4		ug/L
HGW 2D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1			21		ug/L
HGW 2D	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5		J	17.1		ug/L
HGW 2D	6/4/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5		J	15.1		ug/L
HGW 2D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1			12		ug/L
HGW 2D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5		J	13.7		ug/L
HGW 2D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HGW 2D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HGW 2D	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HGW 2D	6/4/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	UJ	1	0.076	ug/L
HGW 2D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HGW 2D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 2D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HGW 2D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 2D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 2D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 2D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 2D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 2D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HGW 2D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 2D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 2D	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	R	1	200	ug/L
HGW 2D	6/4/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HGW 2D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HGW 2D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HGW 3A	5/3/2010	TRITIUM	0.457	0.991	U	U	0.0501	20	pCi/mL
HGW 3A	5/3/2010	TRITIUM	0.459	0.99	U	U	-0.00168	20	pCi/mL
HGW 3A	5/4/2011	TRITIUM	0.59	1.26	U	U	-0.166	20	pCi/mL
HGW 3A	4/30/2012	TRITIUM	0.481	1.06	U	U	0.161	20	pCi/mL
HGW 3A	5/7/2013	TRITIUM	0.53	1.16	U	U	0.149	20	pCi/mL
HGW 3A	5/7/2014	TRITIUM	0.379	0.84	U	U	0.178	20	pCi/mL
HGW 3A	4/22/2015	TRITIUM	0.526	1.13	U	U	-0.113	20	pCi/mL
HGW 3A	4/26/2016	TRITIUM	0.466	1.02	U	U	0.117	20	pCi/mL
HGW 3A	4/26/2017	TRITIUM	0.516	1.08	U	U	-0.285	20	pCi/mL
HGW 3A	5/15/2018	TRITIUM	0.401	0.88	U	U	0.132	20	pCi/mL
HGW 3A	5/13/2019	TRITIUM	0.459	0.964	U	U	-0.197	20	pCi/mL
HGW 3A	5/20/2020	TRITIUM	0.274	0.608	U	U	0.122	20	pCi/mL
HGW 3A	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HGW 3A	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HGW 3A	5/15/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HGW 3A	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HGW 3A	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HGW 3A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HGW 3A	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HGW 3A	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 3A	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 3A	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 3A	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HGW 3A	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HGW 3A	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 3A	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HGW 3A	5/15/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HGW 3A	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HGW 3A	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3A	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HGW 3A	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HGW 3A	5/15/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HGW 3A	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HGW 3A	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HGW 3A	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HGW 3A	4/22/2015	TOLUENE	0.07	1	J	U	0.86	1000	ug/L
HGW 3A	5/15/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HGW 3A	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HGW 3A	5/20/2020	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HGW 3A	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3A	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HGW 3A	5/15/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HGW 3A	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HGW 3A	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HGW 3A	4/30/2012	SODIUM	0.04	0.4			2.75		ug/L
HGW 3A	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HGW 3A	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HGW 3A	5/15/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HGW 3A	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HGW 3A	5/20/2020	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HGW 3A	5/3/2010	NONVOLATILE BETA	4.09	9.34	U	U	2.29	50	pCi/L
HGW 3A	5/3/2010	NONVOLATILE BETA	4.03	8.85	U	U	1.36	50	pCi/L
HGW 3A	5/3/2010	NONVOLATILE BETA	4.2	9.18	U	U	1.32	50	pCi/L
HGW 3A	5/4/2011	NONVOLATILE BETA	4.25	9.89	U	U	2.44	50	pCi/L
HGW 3A	5/4/2011	NONVOLATILE BETA	4.31	9.31	U	U	0.606	50	pCi/L
HGW 3A	4/30/2012	NONVOLATILE BETA	4.16	9.21	U	U	1.25	50	pCi/L
HGW 3A	5/7/2013	NONVOLATILE BETA	4.42	10	U	U	2.07	50	pCi/L
HGW 3A	5/7/2014	NONVOLATILE BETA	4.29	9.93	U	U	2.63	50	pCi/L
HGW 3A	4/22/2015	NONVOLATILE BETA	4.07	8.81	U	U	0.912	50	pCi/L
HGW 3A	4/26/2016	NONVOLATILE BETA	4.12	8.85	U	U	1.05	50	pCi/L
HGW 3A	4/26/2017	NONVOLATILE BETA	3.97	8.99	U	U	1.71	50	pCi/L
HGW 3A	5/15/2018	NONVOLATILE BETA	3.81	8.27	U	U	0.815	50	pCi/L
HGW 3A	5/13/2019	NONVOLATILE BETA	4.2	9.98	U	U	2.93	50	pCi/L
HGW 3A	5/13/2019	NONVOLATILE BETA	4.17	9.11	U	U	0.619	50	pCi/L
HGW 3A	5/20/2020	NONVOLATILE BETA	0.811	1.705	U	U	-0.00251	50	pCi/L
HGW 3A	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HGW 3A	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HGW 3A	5/15/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HGW 3A	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HGW 3A	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HGW 3A	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HGW 3A	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HGW 3A	5/15/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HGW 3A	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HGW 3A	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HGW 3A	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HGW 3A	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HGW 3A	5/15/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HGW 3A	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HGW 3A	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HGW 3A	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HGW 3A	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HGW 3A	5/15/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HGW 3A	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HGW 3A	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HGW 3A	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HGW 3A	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HGW 3A	5/15/2018	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HGW 3A	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HGW 3A	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HGW 3A	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HGW 3A	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HGW 3A	5/15/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HGW 3A	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HGW 3A	5/20/2020	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HGW 3A	5/3/2010	LEAD	0.4	4	U	U	4	15	ug/L
HGW 3A	5/3/2010	LEAD	0.4	4	U	U	4	15	ug/L
HGW 3A	5/4/2011	LEAD	1	10	U	U	10	15	ug/L
HGW 3A	4/30/2012	LEAD	1	10	J	J	1.85	15	ug/L
HGW 3A	5/7/2013	LEAD	1	10	U	U	10	15	ug/L
HGW 3A	5/7/2014	LEAD	0.5	5			31.9	15	ug/L
HGW 3A	5/7/2014	LEAD	0.5	5			31.4	15	ug/L
HGW 3A	4/22/2015	LEAD	0.5	5	J	J	0.868	15	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3A	4/26/2016	LEAD	0.5	5	U	U	5	15	ug/L
HGW 3A	4/26/2017	LEAD	0.5	5	J	J	0.572	15	ug/L
HGW 3A	5/15/2018	LEAD	0.5	5	U	U	5	15	ug/L
HGW 3A	5/13/2019	LEAD	0.5	5	J	J	0.694	15	ug/L
HGW 3A	5/20/2020	LEAD	3	10	U	U	10	15	ug/L
HGW 3A	5/7/2013	GROSS ALPHA	2.53	5.75	U	U	1.01	15	pCi/L
HGW 3A	5/7/2014	GROSS ALPHA	2.22	5.45	U	U	1.28	15	pCi/L
HGW 3A	4/22/2015	GROSS ALPHA	2.11	2.64	U	U	-0.247	15	pCi/L
HGW 3A	4/26/2016	GROSS ALPHA	2.38	4.08	U	U	-0.0104	15	pCi/L
HGW 3A	4/26/2017	GROSS ALPHA	2.17	4.85	U	U	0.842	15	pCi/L
HGW 3A	5/15/2018	GROSS ALPHA	2.38	4.17	U	U	0.0197	15	pCi/L
HGW 3A	5/13/2019	GROSS ALPHA	2.42	6.09	U	U	1.6	15	pCi/L
HGW 3A	5/13/2019	GROSS ALPHA	2.42	4.82	U	U	0.403	15	pCi/L
HGW 3A	5/20/2020	GROSS ALPHA	1.18	2.366	U	U	0.0604	15	pCi/L
HGW 3A	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HGW 3A	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HGW 3A	5/15/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HGW 3A	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HGW 3A	5/20/2020	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HGW 3A	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HGW 3A	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HGW 3A	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HGW 3A	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HGW 3A	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HGW 3A	5/15/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HGW 3A	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HGW 3A	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HGW 3A	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 3A	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HGW 3A	5/15/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HGW 3A	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HGW 3A	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 3A	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HGW 3A	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HGW 3A	5/15/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HGW 3A	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HGW 3A	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HGW 3A	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HGW 3A	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HGW 3A	5/15/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HGW 3A	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HGW 3A	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HGW 3A	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 3A	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HGW 3A	5/15/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HGW 3A	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HGW 3A	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3A	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HGW 3A	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HGW 3A	5/15/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HGW 3A	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HGW 3A	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3A	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HGW 3A	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HGW 3A	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HGW 3A	5/15/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HGW 3A	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HGW 3A	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HGW 3A	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HGW 3A	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HGW 3A	5/15/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3A	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HGW 3A	5/20/2020	CHLOROFORM	0.333	1	U	UJ	1	80	ug/L
HGW 3A	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HGW 3A	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HGW 3A	5/15/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HGW 3A	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HGW 3A	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HGW 3A	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HGW 3A	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HGW 3A	5/15/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HGW 3A	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HGW 3A	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HGW 3A	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HGW 3A	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HGW 3A	5/15/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HGW 3A	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HGW 3A	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HGW 3A	5/3/2010	CARBON TETRACHLORIDE	1.4	2	U	U	2	5	ug/L
HGW 3A	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HGW 3A	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 3A	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 3A	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 3A	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HGW 3A	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 3A	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HGW 3A	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HGW 3A	5/15/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HGW 3A	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HGW 3A	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HGW 3A	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3A	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3A	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3A	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3A	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3A	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	4/26/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HGW 3A	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HGW 3A	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HGW 3A	5/15/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HGW 3A	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HGW 3A	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HGW 3A	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HGW 3A	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HGW 3A	5/15/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HGW 3A	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HGW 3A	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HGW 3A	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 3A	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HGW 3A	5/15/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HGW 3A	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HGW 3A	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 3A	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3A	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HGW 3A	5/15/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HGW 3A	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HGW 3A	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HGW 3A	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HGW 3A	4/22/2015	ACETONE	0.34	2		J	4.8	14000	ug/L
HGW 3A	5/15/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HGW 3A	5/13/2019	ACETONE	0.94	2		J	19	14000	ug/L
HGW 3A	5/20/2020	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HGW 3A	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HGW 3A	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HGW 3A	5/15/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HGW 3A	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HGW 3A	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HGW 3A	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HGW 3A	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HGW 3A	5/15/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HGW 3A	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HGW 3A	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HGW 3A	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 3A	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HGW 3A	5/15/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HGW 3A	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HGW 3A	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 3A	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 3A	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HGW 3A	5/15/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HGW 3A	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HGW 3A	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 3A	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HGW 3A	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HGW 3A	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HGW 3A	5/15/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HGW 3A	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HGW 3A	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	UJ	1	600	ug/L
HGW 3A	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HGW 3A	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HGW 3A	5/15/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HGW 3A	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HGW 3A	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1	0.5	ug/L
HGW 3A	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HGW 3A	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HGW 3A	5/15/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	UJ	1	0.2	ug/L
HGW 3A	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HGW 3A	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1	0.2	ug/L
HGW 3A	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 3A	4/22/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HGW 3A	5/15/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HGW 3A	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3A	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 3A	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 3A	4/22/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HGW 3A	5/15/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HGW 3A	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HGW 3A	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 3A	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HGW 3A	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HGW 3A	5/15/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HGW 3A	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HGW 3A	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1	7	ug/L
HGW 3A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 3A	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 3A	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 3A	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 3A	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 3A	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 3A	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HGW 3A	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 3A	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HGW 3A	5/15/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HGW 3A	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HGW 3A	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HGW 3A	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HGW 3A	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HGW 3A	5/15/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HGW 3A	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HGW 3A	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HGW 3A	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HGW 3A	5/15/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HGW 3A	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HGW 3A	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	UJ	5		ug/L
HGW 3A	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HGW 3A	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HGW 3A	5/15/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HGW 3A	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HGW 3A	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HGW 3A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HGW 3A	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HGW 3A	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 3A	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 3A	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 3A	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 3A	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HGW 3A	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 3A	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 3A	5/15/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 3A	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HGW 3A	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HGW 3D	5/3/2010	TRITIUM	0.463	2.77			37.1	20	pCi/mL
HGW 3D	5/4/2011	TRITIUM	0.6	3.06			35.9	20	pCi/mL
HGW 3D	4/30/2012	TRITIUM	0.546	2.78			31.8	20	pCi/mL
HGW 3D	5/7/2013	TRITIUM	0.395	2.46			28.2	20	pCi/mL
HGW 3D	5/7/2014	TRITIUM	0.376	1.37			5.88	20	pCi/mL
HGW 3D	4/27/2015	TRITIUM	0.417	2.25			22	20	pCi/mL
HGW 3D	5/2/2016	TRITIUM	0.476	2.23			19.3	20	pCi/mL
HGW 3D	4/26/2017	TRITIUM	0.527	2.15			15.2	20	pCi/mL
HGW 3D	5/21/2018	TRITIUM	0.5	2.11			17.3	20	pCi/mL
HGW 3D	5/13/2019	TRITIUM	0.462	2.02			15.8	20	pCi/mL
HGW 3D	5/20/2020	TRITIUM	0.295	1.605			12.1	20	pCi/mL
HGW 3D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HGW 3D	4/27/2015	TRICHLOROFLUOROMETHANE	0.11	1	J	J	0.19	5200	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HGW 3D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HGW 3D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	UJ	1	5200	ug/L
HGW 3D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2			8.82	5	ug/L
HGW 3D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2		J	6.1	5	ug/L
HGW 3D	4/30/2012	TRICHLOROETHYLENE (TCE)	0.1	2			6.5	5	ug/L
HGW 3D	5/7/2013	TRICHLOROETHYLENE (TCE)	0.1	2			5.71	5	ug/L
HGW 3D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1			5.69	5	ug/L
HGW 3D	4/27/2015	TRICHLOROETHYLENE (TCE)	0.25	1			4.3	5	ug/L
HGW 3D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1			4.93	5	ug/L
HGW 3D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1			4.14	5	ug/L
HGW 3D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1			2.53	5	ug/L
HGW 3D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1			3.1	5	ug/L
HGW 3D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1		J	3.35	5	ug/L
HGW 3D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 3D	4/27/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HGW 3D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HGW 3D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HGW 3D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HGW 3D	4/27/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HGW 3D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HGW 3D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HGW 3D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	100	ug/L
HGW 3D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HGW 3D	4/27/2015	TOLUENE	0.07	1	U	U	1.4	1000	ug/L
HGW 3D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HGW 3D	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HGW 3D	5/20/2020	TOLUENE	0.333	1	U	UJ	1	1000	ug/L
HGW 3D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1			1.23	5	ug/L
HGW 3D	4/27/2015	TETRACHLOROETHYLENE (PCE)	0.18	1			1.3	5	ug/L
HGW 3D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1			1.15	5	ug/L
HGW 3D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1			1.3	5	ug/L
HGW 3D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1		J	1.42	5	ug/L
HGW 3D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HGW 3D	4/27/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HGW 3D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HGW 3D	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HGW 3D	5/20/2020	STYRENE	0.333	1	U	UJ	1	100	ug/L
HGW 3D	4/30/2012	SODIUM	0.04	0.4			6.65		ug/L
HGW 3D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HGW 3D	4/27/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HGW 3D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HGW 3D	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HGW 3D	5/20/2020	O-XYLENE	0.333	1	U	UJ	1	190	ug/L
HGW 3D	5/3/2010	NONVOLATILE BETA	4.35	8.7	U	U	-0.51	50	pCi/L
HGW 3D	5/4/2011	NONVOLATILE BETA	4.46	10.1	U	U	1.78	50	pCi/L
HGW 3D	4/30/2012	NONVOLATILE BETA	4.56	9.73	U	U	0.501	50	pCi/L
HGW 3D	5/7/2013	NONVOLATILE BETA	4.62	10.6	U	U	2.64	50	pCi/L
HGW 3D	5/7/2014	NONVOLATILE BETA	4.44	9.97	U	U	1.83	50	pCi/L
HGW 3D	4/27/2015	NONVOLATILE BETA	4.23	9.72	U	U	2.49	50	pCi/L
HGW 3D	5/2/2016	NONVOLATILE BETA	4.08	9.93	U	U	3.73	50	pCi/L
HGW 3D	4/26/2017	NONVOLATILE BETA	3.97	8.81	U	U	1.24	50	pCi/L
HGW 3D	5/21/2018	NONVOLATILE BETA	2.58	5.79	U	U	0.403	50	pCi/L
HGW 3D	5/13/2019	NONVOLATILE BETA	4.19	9.21	U	U	0.79	50	pCi/L
HGW 3D	5/20/2020	NONVOLATILE BETA	0.905	2.011	U	U	0.377	50	pCi/L
HGW 3D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HGW 3D	4/27/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HGW 3D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HGW 3D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HGW 3D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	UJ	1		ug/L
HGW 3D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HGW 3D	4/27/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HGW 3D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HGW 3D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	UJ	1	14	ug/L
HGW 3D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HGW 3D	4/27/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HGW 3D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HGW 3D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HGW 3D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	UJ	5	6300	ug/L
HGW 3D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HGW 3D	4/27/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HGW 3D	5/21/2018	METHYL ETHYL KETONE	1.67	5	J	J	4.82	5600	ug/L
HGW 3D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HGW 3D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	UJ	5	5600	ug/L
HGW 3D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HGW 3D	4/27/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HGW 3D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HGW 3D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HGW 3D	5/20/2020	METHYL ACETATE	1.67	5	U	R	5	20000	ug/L
HGW 3D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HGW 3D	4/27/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HGW 3D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HGW 3D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HGW 3D	5/20/2020	M,P-XYLENE	0.667	2	U	UJ	2	190	ug/L
HGW 3D	5/3/2010	LEAD	0.4	4			14.1	15	ug/L
HGW 3D	5/4/2011	LEAD	1	10			11.3	15	ug/L
HGW 3D	4/30/2012	LEAD	1	10			211	15	ug/L
HGW 3D	5/7/2013	LEAD	1	10			52.6	15	ug/L
HGW 3D	5/7/2014	LEAD	0.5	5			184	15	ug/L
HGW 3D	4/27/2015	LEAD	0.5	5			17	15	ug/L
HGW 3D	5/2/2016	LEAD	0.5	5			8.69	15	ug/L
HGW 3D	4/26/2017	LEAD	0.5	5			30.4	15	ug/L
HGW 3D	5/21/2018	LEAD	0.5	5			15.6	15	ug/L
HGW 3D	5/13/2019	LEAD	0.5	5			15	15	ug/L
HGW 3D	5/20/2020	LEAD	3	10			150	15	ug/L
HGW 3D	5/7/2013	GROSS ALPHA	2.49	7.26	J	J	2.78	15	pCi/L
HGW 3D	5/7/2014	GROSS ALPHA	2.19	6.37	J	J	2.44	15	pCi/L
HGW 3D	4/27/2015	GROSS ALPHA	2.07	4.82	U	U	0.926	15	pCi/L
HGW 3D	5/2/2016	GROSS ALPHA	2.26	6.02	U	U	1.89	15	pCi/L
HGW 3D	4/26/2017	GROSS ALPHA	2.16	4.83	U	U	0.839	15	pCi/L
HGW 3D	5/21/2018	GROSS ALPHA	1.45	3.7	U	U	1.02	15	pCi/L
HGW 3D	5/13/2019	GROSS ALPHA	2.38	6.01	U	U	1.59	15	pCi/L
HGW 3D	5/20/2020	GROSS ALPHA	1.16	2.688	U	U	0.872	15	pCi/L
HGW 3D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HGW 3D	4/27/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HGW 3D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HGW 3D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HGW 3D	5/20/2020	ETHYLBENZENE	0.333	1	U	UJ	1	700	ug/L
HGW 3D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HGW 3D	4/27/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HGW 3D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	UJ	5	5	ug/L
HGW 3D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HGW 3D	4/27/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HGW 3D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HGW 3D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HGW 3D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	UJ	1	200	ug/L
HGW 3D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 3D	4/27/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HGW 3D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HGW 3D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HGW 3D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 3D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	4/27/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HGW 3D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HGW 3D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HGW 3D	5/20/2020	CYCLOHEXANE	0.333	1	U	UJ	1	13000	ug/L
HGW 3D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HGW 3D	4/27/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HGW 3D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HGW 3D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HGW 3D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	UJ	1	450	ug/L
HGW 3D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 3D	4/27/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HGW 3D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HGW 3D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HGW 3D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HGW 3D	4/27/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HGW 3D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HGW 3D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HGW 3D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	UJ	1	0.47	ug/L
HGW 3D	4/30/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HGW 3D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.34	190	ug/L
HGW 3D	4/27/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HGW 3D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HGW 3D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HGW 3D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	UJ	1	190	ug/L
HGW 3D	5/7/2014	CHLOROFORM	0.3	1	J	J	0.37	80	ug/L
HGW 3D	4/27/2015	CHLOROFORM	0.1	1	J	U	0.36	80	ug/L
HGW 3D	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HGW 3D	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HGW 3D	5/20/2020	CHLOROFORM	0.333	1	U	UJ	1	80	ug/L
HGW 3D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HGW 3D	4/27/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HGW 3D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HGW 3D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HGW 3D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	UJ	1	2	ug/L
HGW 3D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HGW 3D	4/27/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HGW 3D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HGW 3D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HGW 3D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	UJ	1	21000	ug/L
HGW 3D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HGW 3D	4/27/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HGW 3D	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HGW 3D	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HGW 3D	5/20/2020	CHLOROBENZENE	0.333	1	U	UJ	1	100	ug/L
HGW 3D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HGW 3D	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	UJ	2	5	ug/L
HGW 3D	4/30/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 3D	5/7/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 3D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HGW 3D	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 3D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	UJ	1	5	ug/L
HGW 3D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HGW 3D	4/27/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HGW 3D	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HGW 3D	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HGW 3D	5/20/2020	CARBON DISULFIDE	1.67	5	U	UJ	5	800	ug/L
HGW 3D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	4/30/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3D	5/7/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 3D	5/7/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	5/2/2016	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	4/26/2017	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	CADMIUM	1.5	5	U	U	5	5	ug/L
HGW 3D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HGW 3D	4/27/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HGW 3D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HGW 3D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HGW 3D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	UJ	1	75	ug/L
HGW 3D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HGW 3D	4/27/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HGW 3D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HGW 3D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HGW 3D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	UJ	1	80	ug/L
HGW 3D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 3D	4/27/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HGW 3D	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HGW 3D	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HGW 3D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	UJ	1	80	ug/L
HGW 3D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HGW 3D	4/27/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HGW 3D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HGW 3D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HGW 3D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	UJ	1	83	ug/L
HGW 3D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	BENZENE	0.333	1	U	UJ	1	5	ug/L
HGW 3D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HGW 3D	4/27/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HGW 3D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HGW 3D	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HGW 3D	5/20/2020	ACETONE	1.74	5	U	UJ	5	14000	ug/L
HGW 3D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HGW 3D	4/27/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HGW 3D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HGW 3D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HGW 3D	5/20/2020	2-HEXANONE	1.67	5	U	UJ	5	38	ug/L
HGW 3D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HGW 3D	4/27/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HGW 3D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HGW 3D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HGW 3D	5/20/2020	1,4-DIOXANE	16.7	50	U	UJ	50	0.46	ug/L
HGW 3D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 3D	4/27/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HGW 3D	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HGW 3D	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HGW 3D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 3D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 3D	4/27/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HGW 3D	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HGW 3D	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HGW 3D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	UJ	1		ug/L
HGW 3D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	UJ	1	5	ug/L
HGW 3D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	UJ	1	5	ug/L
HGW 3D	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HGW 3D	4/27/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HGW 3D	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HGW 3D	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HGW 3D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	UJ	1	600	ug/L
HGW 3D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HGW 3D	4/27/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HGW 3D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HGW 3D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HGW 3D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	UJ	1	0.5	ug/L
HGW 3D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HGW 3D	4/27/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HGW 3D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HGW 3D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HGW 3D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	R	1	0.2	ug/L
HGW 3D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 3D	4/27/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HGW 3D	5/21/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HGW 3D	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HGW 3D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 3D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 3D	4/27/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HGW 3D	5/21/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HGW 3D	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HGW 3D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	UJ	1	7	ug/L
HGW 3D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HGW 3D	4/27/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HGW 3D	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HGW 3D	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HGW 3D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	UJ	1	7	ug/L
HGW 3D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 3D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	UJ	2	2.8	ug/L
HGW 3D	4/30/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 3D	5/7/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 3D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 3D	4/27/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HGW 3D	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 3D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HGW 3D	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HGW 3D	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HGW 3D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	UJ	1	2.8	ug/L
HGW 3D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HGW 3D	4/27/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HGW 3D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HGW 3D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HGW 3D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	UJ	1	5	ug/L
HGW 3D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5			122		ug/L
HGW 3D	4/27/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.5	5			100		ug/L
HGW 3D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5			56.5		ug/L
HGW 3D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	1.3	5			45		ug/L
HGW 3D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5		J	75.1		ug/L
HGW 3D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HGW 3D	4/27/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HGW 3D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HGW 3D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HGW 3D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	R	1	0.076	ug/L
HGW 3D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 3D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	UJ	2	200	ug/L
HGW 3D	4/30/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 3D	5/7/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 3D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 3D	4/27/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HGW 3D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HGW 3D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 3D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HGW 3D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HGW 3D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	UJ	1	200	ug/L
HGW 4D	5/3/2010	TRITIUM	0.461	1.39			4.37	20	pCi/mL
HGW 4D	5/4/2011	TRITIUM	0.587	1.69			4.91	20	pCi/mL
HGW 4D	5/1/2012	TRITIUM	0.49	1.55			5.5	20	pCi/mL
HGW 4D	5/8/2013	TRITIUM	0.528	1.55			4.38	20	pCi/mL
HGW 4D	5/8/2014	TRITIUM	0.415	1.22			3.14	20	pCi/mL
HGW 4D	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HGW 4D	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HGW 4D	5/4/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 4D	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 4D	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HGW 4D	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	J	J	0.48	5	ug/L
HGW 4D	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 4D	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HGW 4D	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HGW 4D	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	J	J	0.36	5	ug/L
HGW 4D	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HGW 4D	5/1/2012	SODIUM	0.04	0.4			2.31		ug/L
HGW 4D	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HGW 4D	5/3/2010	NONVOLATILE BETA	4.19	10.2	U	U	4.13	50	pCi/L
HGW 4D	5/4/2011	NONVOLATILE BETA	4.35	9.64	U	U	1.24	50	pCi/L
HGW 4D	5/1/2012	NONVOLATILE BETA	4.54	10.5	U	U	2.82	50	pCi/L
HGW 4D	5/8/2013	NONVOLATILE BETA	4.47	10.7	U	U	3.94	50	pCi/L
HGW 4D	5/8/2014	NONVOLATILE BETA	3.99	8.84	U	U	0.921	50	pCi/L
HGW 4D	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HGW 4D	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HGW 4D	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HGW 4D	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HGW 4D	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HGW 4D	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HGW 4D	5/3/2010	LEAD	0.4	4			7.07	15	ug/L
HGW 4D	5/4/2011	LEAD	1	10	J	J	2.32	15	ug/L
HGW 4D	5/1/2012	LEAD	1	10	J	J	1.78	15	ug/L
HGW 4D	5/8/2013	LEAD	1	10	U	U	10	15	ug/L
HGW 4D	5/8/2014	LEAD	0.5	5	J	J	1.22	15	ug/L
HGW 4D	5/8/2013	GROSS ALPHA	2.49	6.13	U	U	1.44	15	pCi/L
HGW 4D	5/8/2014	GROSS ALPHA	2.19	5.96	U	U	1.92	15	pCi/L
HGW 4D	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HGW 4D	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HGW 4D	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HGW 4D	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 4D	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HGW 4D	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HGW 4D	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HGW 4D	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	J	J	0.4	0.47	ug/L
HGW 4D	5/1/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HGW 4D	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.33	190	ug/L
HGW 4D	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HGW 4D	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HGW 4D	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HGW 4D	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HGW 4D	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HGW 4D	5/4/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 4D	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HGW 4D	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HGW 4D	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HGW 4D	5/3/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 4D	5/4/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 4D	5/1/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 4D	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HGW 4D	5/8/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HGW 4D	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HGW 4D	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HGW 4D	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HGW 4D	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HGW 4D	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HGW 4D	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HGW 4D	5/8/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 4D	5/8/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HGW 4D	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HGW 4D	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HGW 4D	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HGW 4D	5/8/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 4D	5/8/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HGW 4D	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HGW 4D	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HGW 4D	5/4/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 4D	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 4D	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HGW 4D	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HGW 4D	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HGW 4D	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	J	J	3.28		ug/L
HGW 4D	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HGW 4D	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HGW 4D	5/4/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 4D	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 4D	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HGW 4D	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 1D	5/3/2010	TRITIUM	0.46	1.25			2.5	20	pCi/mL
HHP 1D	5/3/2011	TRITIUM	0.465	1.31			3.06	20	pCi/mL
HHP 1D	4/30/2012	TRITIUM	0.567	1.36	J	J	1.29	20	pCi/mL
HHP 1D	5/6/2013	TRITIUM	0.393	1.09	J	J	1.95	20	pCi/mL
HHP 1D	5/7/2014	TRITIUM	0.377	1.04			1.81	20	pCi/mL
HHP 1D	5/7/2014	TRITIUM	0.378	1.03			1.72	20	pCi/mL
HHP 1D	4/22/2015	TRITIUM	0.528	1.35			2.52	20	pCi/mL
HHP 1D	4/26/2016	TRITIUM	0.534	1.37			2.61	20	pCi/mL
HHP 1D	4/26/2017	TRITIUM	0.435	1.28			3.24	20	pCi/mL
HHP 1D	5/21/2018	TRITIUM	0.499	1.27			1.98	20	pCi/mL
HHP 1D	5/14/2019	TRITIUM	0.396	1.29			4.43	20	pCi/mL
HHP 1D	5/14/2019	TRITIUM	0.398	1.28			4.25	20	pCi/mL
HHP 1D	5/20/2020	TRITIUM	0.275	0.877			2.14	20	pCi/mL
HHP 1D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HHP 1D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HHP 1D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HHP 1D	5/14/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HHP 1D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HHP 1D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HHP 1D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HHP 1D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 1D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 1D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HHP 1D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/14/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HHP 1D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HHP 1D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HHP 1D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/14/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HHP 1D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HHP 1D	4/22/2015	TOLUENE	0.07	1		U	1.9	1000	ug/L
HHP 1D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HHP 1D	5/14/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HHP 1D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HHP 1D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HHP 1D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HHP 1D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/14/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HHP 1D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HHP 1D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HHP 1D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HHP 1D	5/14/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HHP 1D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HHP 1D	5/3/2010	NONVOLATILE BETA	4.28	10.3	U	U	3.77	50	pCi/L
HHP 1D	5/3/2011	NONVOLATILE BETA	4.26	9.72	U	U	1.95	50	pCi/L
HHP 1D	4/30/2012	NONVOLATILE BETA	4.8	11.1	U	U	3.07	50	pCi/L
HHP 1D	5/6/2013	NONVOLATILE BETA	4.53	11	U	U	4.35	50	pCi/L
HHP 1D	5/7/2014	NONVOLATILE BETA	4.28	10.7	J	J	5	50	pCi/L
HHP 1D	4/22/2015	NONVOLATILE BETA	4.35	11.1	J	J	6.11	50	pCi/L
HHP 1D	4/26/2016	NONVOLATILE BETA	4.04	9.25	U	U	1.97	50	pCi/L
HHP 1D	4/26/2017	NONVOLATILE BETA	4.1	10.6	J	J	5.62	50	pCi/L
HHP 1D	5/21/2018	NONVOLATILE BETA	2.56	6.44	J	J	2.95	50	pCi/L
HHP 1D	5/21/2018	NONVOLATILE BETA	2.57	6.22	U	U	1.96	50	pCi/L
HHP 1D	5/14/2019	NONVOLATILE BETA	4.19	9.64	U	U	2	50	pCi/L
HHP 1D	5/20/2020	NONVOLATILE BETA	0.914	2.32	J	J	2.24	50	pCi/L
HHP 1D	5/20/2020	NONVOLATILE BETA	0.767	1.993	J	J	1.89	50	pCi/L
HHP 1D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HHP 1D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HHP 1D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HHP 1D	5/14/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HHP 1D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HHP 1D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HHP 1D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HHP 1D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HHP 1D	5/14/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HHP 1D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HHP 1D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HHP 1D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HHP 1D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HHP 1D	5/14/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HHP 1D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HHP 1D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HHP 1D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HHP 1D	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HHP 1D	5/14/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 1D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HHP 1D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HHP 1D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HHP 1D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HHP 1D	5/14/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HHP 1D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HHP 1D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HHP 1D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HHP 1D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HHP 1D	5/14/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HHP 1D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HHP 1D	5/6/2013	GROSS ALPHA	2.57	6.75	U	U	1.95	15	pCi/L
HHP 1D	5/7/2014	GROSS ALPHA	2.21	5.43	U	U	1.27	15	pCi/L
HHP 1D	4/22/2015	GROSS ALPHA	2.19	5.91	U	U	1.79	15	pCi/L
HHP 1D	4/26/2016	GROSS ALPHA	2.28	3.93	U	U	0.00232	15	pCi/L
HHP 1D	4/26/2017	GROSS ALPHA	2.36	4.04	U	U	0.011	15	pCi/L
HHP 1D	5/21/2018	GROSS ALPHA	1.47	3.45	U	U	0.629	15	pCi/L
HHP 1D	5/21/2018	GROSS ALPHA	1.48	2.87	U	U	0.0187	15	pCi/L
HHP 1D	5/14/2019	GROSS ALPHA	2.4	5.67	U	U	1.19	15	pCi/L
HHP 1D	5/20/2020	GROSS ALPHA	0.917	2.063	U	U	0.5182	15	pCi/L
HHP 1D	5/20/2020	GROSS ALPHA	1.15	2.452	U	U	0.353	15	pCi/L
HHP 1D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HHP 1D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HHP 1D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HHP 1D	5/14/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HHP 1D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HHP 1D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HHP 1D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HHP 1D	5/14/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HHP 1D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HHP 1D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HHP 1D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HHP 1D	5/14/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HHP 1D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HHP 1D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 1D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HHP 1D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 1D	5/14/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HHP 1D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 1D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HHP 1D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HHP 1D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HHP 1D	5/14/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HHP 1D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HHP 1D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HHP 1D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HHP 1D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HHP 1D	5/14/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HHP 1D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HHP 1D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 1D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HHP 1D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/14/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HHP 1D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HHP 1D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HHP 1D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/14/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HHP 1D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HHP 1D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HHP 1D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 1D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HHP 1D	5/14/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HHP 1D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HHP 1D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HHP 1D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HHP 1D	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HHP 1D	5/14/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HHP 1D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HHP 1D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HHP 1D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HHP 1D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HHP 1D	5/14/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HHP 1D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HHP 1D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HHP 1D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HHP 1D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HHP 1D	5/14/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HHP 1D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HHP 1D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HHP 1D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HHP 1D	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/14/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HHP 1D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HHP 1D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HHP 1D	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HHP 1D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HHP 1D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HHP 1D	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HHP 1D	5/14/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HHP 1D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HHP 1D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HHP 1D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HHP 1D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HHP 1D	5/14/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HHP 1D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HHP 1D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HHP 1D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HHP 1D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HHP 1D	5/14/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HHP 1D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HHP 1D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 1D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HHP 1D	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 1D	5/14/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HHP 1D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 1D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HHP 1D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HHP 1D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HHP 1D	5/14/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HHP 1D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HHP 1D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HHP 1D	4/22/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HHP 1D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 1D	5/14/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HHP 1D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HHP 1D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HHP 1D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HHP 1D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HHP 1D	5/14/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HHP 1D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HHP 1D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HHP 1D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HHP 1D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HHP 1D	5/14/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HHP 1D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HHP 1D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HHP 1D	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HHP 1D	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HHP 1D	5/14/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HHP 1D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HHP 1D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HHP 1D	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HHP 1D	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HHP 1D	5/14/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HHP 1D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HHP 1D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HHP 1D	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HHP 1D	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HHP 1D	5/14/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HHP 1D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HHP 1D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HHP 1D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HHP 1D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HHP 1D	5/14/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HHP 1D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HHP 1D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HHP 1D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HHP 1D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HHP 1D	5/14/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HHP 1D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HHP 1D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HHP 1D	4/22/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HHP 1D	5/21/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/14/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HHP 1D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HHP 1D	4/22/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HHP 1D	5/21/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/14/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HHP 1D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HHP 1D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HHP 1D	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/14/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HHP 1D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HHP 1D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 1D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HHP 1D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HHP 1D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 1D	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 1D	5/14/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HHP 1D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 1D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HHP 1D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HHP 1D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/14/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HHP 1D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HHP 1D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HHP 1D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HHP 1D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HHP 1D	5/14/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HHP 1D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HHP 1D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HHP 1D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HHP 1D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HHP 1D	5/14/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HHP 1D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HHP 1D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 1D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HHP 1D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 1D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HHP 1D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HHP 1D	5/14/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HHP 1D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HHP 2D	5/3/2010	TRITIUM	0.465	1.32			3.3	20	pCi/mL
HHP 2D	5/3/2011	TRITIUM	0.465	1.34			3.38	20	pCi/mL
HHP 2D	4/30/2012	TRITIUM	0.477	1.1	J	J	0.581	20	pCi/mL
HHP 2D	5/6/2013	TRITIUM	0.4	1.14	J	J	2.33	20	pCi/mL
HHP 2D	5/7/2014	TRITIUM	0.378	1.09			2.36	20	pCi/mL
HHP 2D	5/7/2014	TRITIUM	0.382	1.08			2.19	20	pCi/mL
HHP 2D	4/22/2015	TRITIUM	0.538	1.44			3.46	20	pCi/mL
HHP 2D	4/26/2016	TRITIUM	0.548	1.43			2.96	20	pCi/mL
HHP 2D	4/26/2017	TRITIUM	0.446	1.33			3.54	20	pCi/mL
HHP 2D	5/21/2018	TRITIUM	0.502	1.25			1.63	20	pCi/mL
HHP 2D	5/14/2019	TRITIUM	0.425	1.27			3.34	20	pCi/mL
HHP 2D	5/20/2020	TRITIUM	0.357	1.047			2.1	20	pCi/mL
HHP 2D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HHP 2D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HHP 2D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HHP 2D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HHP 2D	5/14/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HHP 2D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HHP 2D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HHP 2D	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HHP 2D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HHP 2D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 2D	5/14/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HHP 2D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HHP 2D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/14/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HHP 2D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HHP 2D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HHP 2D	4/22/2015	TOLUENE	0.07	1		U	1.4	1000	ug/L
HHP 2D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HHP 2D	5/14/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HHP 2D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HHP 2D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HHP 2D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HHP 2D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/14/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HHP 2D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HHP 2D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HHP 2D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HHP 2D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HHP 2D	5/14/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HHP 2D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HHP 2D	5/3/2010	NONVOLATILE BETA	4.45	11.2	J	J	5.49	50	pCi/L
HHP 2D	5/3/2011	NONVOLATILE BETA	4.58	11.2	J	J	4.59	50	pCi/L
HHP 2D	4/30/2012	NONVOLATILE BETA	4.44	9.92	U	U	1.78	50	pCi/L
HHP 2D	4/30/2012	NONVOLATILE BETA	4.39	9.76	U	U	1.64	50	pCi/L
HHP 2D	5/6/2013	NONVOLATILE BETA	4.44	10.3	U	U	2.82	50	pCi/L
HHP 2D	5/7/2014	NONVOLATILE BETA	4.7	11.6	J	J	5.38	50	pCi/L
HHP 2D	5/7/2014	NONVOLATILE BETA	4.8	11.7	J	J	5.17	50	pCi/L
HHP 2D	4/22/2015	NONVOLATILE BETA	4.19	10.2	U	U	4.04	50	pCi/L
HHP 2D	4/26/2016	NONVOLATILE BETA	4.1	10.2	J	J	4.45	50	pCi/L
HHP 2D	4/26/2017	NONVOLATILE BETA	4.49	11.4	J	J	5.86	50	pCi/L
HHP 2D	5/21/2018	NONVOLATILE BETA	2.58	6.89	J	J	4.67	50	pCi/L
HHP 2D	5/14/2019	NONVOLATILE BETA	4.23	11.1	J	J	6.49	50	pCi/L
HHP 2D	5/20/2020	NONVOLATILE BETA	0.895	2.533		J	3.91	50	pCi/L
HHP 2D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HHP 2D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HHP 2D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HHP 2D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HHP 2D	5/14/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HHP 2D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HHP 2D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HHP 2D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HHP 2D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HHP 2D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HHP 2D	5/14/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HHP 2D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HHP 2D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HHP 2D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HHP 2D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HHP 2D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HHP 2D	5/14/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HHP 2D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HHP 2D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HHP 2D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HHP 2D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HHP 2D	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HHP 2D	5/14/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HHP 2D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HHP 2D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HHP 2D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HHP 2D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HHP 2D	5/14/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HHP 2D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HHP 2D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HHP 2D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HHP 2D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HHP 2D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HHP 2D	5/14/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HHP 2D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HHP 2D	4/30/2012	GROSS ALPHA	2.65	4.7	U	U	0.073	15	pCi/L
HHP 2D	5/6/2013	GROSS ALPHA	2.61	5.94	U	U	1.05	15	pCi/L
HHP 2D	5/7/2014	GROSS ALPHA	2.32	8.52	J	J	5.45	15	pCi/L
HHP 2D	5/7/2014	GROSS ALPHA	2.32	8.06	J	J	4.62	15	pCi/L
HHP 2D	4/22/2015	GROSS ALPHA	2.18	4.56	U	U	0.561	15	pCi/L
HHP 2D	4/26/2016	GROSS ALPHA	2.39	6.35	U	U	1.99	15	pCi/L
HHP 2D	4/26/2017	GROSS ALPHA	2.45	7.14	J	J	2.89	15	pCi/L
HHP 2D	5/21/2018	GROSS ALPHA	1.51	3.84	U	U	1.06	15	pCi/L
HHP 2D	5/14/2019	GROSS ALPHA	2.52	6.67	U	U	2.07	15	pCi/L
HHP 2D	5/20/2020	GROSS ALPHA	1.26	3.126	J	J	1.64	15	pCi/L
HHP 2D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HHP 2D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HHP 2D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HHP 2D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HHP 2D	5/14/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HHP 2D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HHP 2D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HHP 2D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HHP 2D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HHP 2D	5/14/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HHP 2D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HHP 2D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HHP 2D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HHP 2D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HHP 2D	5/14/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HHP 2D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HHP 2D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 2D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HHP 2D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 2D	5/14/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HHP 2D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HHP 2D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HHP 2D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HHP 2D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HHP 2D	5/14/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HHP 2D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HHP 2D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HHP 2D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HHP 2D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HHP 2D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HHP 2D	5/14/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HHP 2D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HHP 2D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HHP 2D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	5/14/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HHP 2D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HHP 2D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HHP 2D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HHP 2D	5/14/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HHP 2D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HHP 2D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.36	190	ug/L
HHP 2D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.33	190	ug/L
HHP 2D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HHP 2D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HHP 2D	5/14/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HHP 2D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HHP 2D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HHP 2D	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HHP 2D	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HHP 2D	5/14/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HHP 2D	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HHP 2D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HHP 2D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HHP 2D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HHP 2D	5/14/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HHP 2D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HHP 2D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HHP 2D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HHP 2D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HHP 2D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HHP 2D	5/14/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HHP 2D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HHP 2D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HHP 2D	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HHP 2D	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/14/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HHP 2D	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HHP 2D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HHP 2D	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HHP 2D	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HHP 2D	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HHP 2D	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HHP 2D	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HHP 2D	5/14/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HHP 2D	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HHP 2D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HHP 2D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HHP 2D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HHP 2D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HHP 2D	5/14/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HHP 2D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HHP 2D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HHP 2D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HHP 2D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HHP 2D	5/14/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HHP 2D	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HHP 2D	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 2D	5/14/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HHP 2D	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HHP 2D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HHP 2D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HHP 2D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HHP 2D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HHP 2D	5/14/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HHP 2D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HHP 2D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HHP 2D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HHP 2D	4/22/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HHP 2D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HHP 2D	5/14/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HHP 2D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HHP 2D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HHP 2D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HHP 2D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HHP 2D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HHP 2D	5/14/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HHP 2D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HHP 2D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HHP 2D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HHP 2D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HHP 2D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HHP 2D	5/14/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HHP 2D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HHP 2D	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HHP 2D	5/7/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HHP 2D	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HHP 2D	5/21/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HHP 2D	5/14/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HHP 2D	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HHP 2D	5/7/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HHP 2D	5/7/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HHP 2D	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HHP 2D	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HHP 2D	5/14/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HHP 2D	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HHP 2D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HHP 2D	5/7/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
 (May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1	600	ug/L
HHP 2D	5/21/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HHP 2D	5/14/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1	600	ug/L
HHP 2D	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HHP 2D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HHP 2D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HHP 2D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HHP 2D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HHP 2D	5/14/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HHP 2D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HHP 2D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HHP 2D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HHP 2D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HHP 2D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HHP 2D	5/14/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HHP 2D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HHP 2D	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HHP 2D	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HHP 2D	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/14/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HHP 2D	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HHP 2D	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HHP 2D	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/14/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HHP 2D	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HHP 2D	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HHP 2D	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/14/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HHP 2D	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HHP 2D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HHP 2D	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HHP 2D	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HHP 2D	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HHP 2D	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 2D	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 2D	5/14/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HHP 2D	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HHP 2D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HHP 2D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HHP 2D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/14/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HHP 2D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HHP 2D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HHP 2D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HHP 2D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HHP 2D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HHP 2D	5/14/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HHP 2D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HHP 2D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HHP 2D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HHP 2D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HHP 2D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HHP 2D	5/14/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HHP 2D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HHP 2D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 2D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 2D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HHP 2D	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HHP 2D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HHP 2D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HHP 2D	5/14/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HHP 2D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 15DU	5/3/2010	TRITIUM	0.468	1.47			5.17	20	pCi/mL
HR3 15DU	5/3/2010	TRITIUM	0.457	1.4			4.65	20	pCi/mL
HR3 15DU	5/3/2011	TRITIUM	0.469	1.48			5.14	20	pCi/mL
HR3 15DU	5/1/2012	TRITIUM	0.487	1.5			4.88	20	pCi/mL
HR3 15DU	5/6/2013	TRITIUM	0.396	1.33			4.64	20	pCi/mL
HR3 15DU	5/8/2014	TRITIUM	0.416	1.3			4.11	20	pCi/mL
HR3 15DU	4/22/2015	TRITIUM	0.524	1.46			4.31	20	pCi/mL
HR3 15DU	4/26/2016	TRITIUM	0.536	1.5			4.61	20	pCi/mL
HR3 15DU	4/26/2017	TRITIUM	0.439	1.39			4.5	20	pCi/mL
HR3 15DU	4/26/2017	TRITIUM	0.445	1.38			4.13	20	pCi/mL
HR3 15DU	5/21/2018	TRITIUM	0.496	1.43			4.2	20	pCi/mL
HR3 15DU	5/13/2019	TRITIUM	0.411	1.24			3.7	20	pCi/mL
HR3 15DU	5/20/2020	TRITIUM	0.298	1.092			3.89	20	pCi/mL
HR3 15DU	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HR3 15DU	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HR3 15DU	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR3 15DU	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HR3 15DU	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR3 15DU	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HR3 15DU	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR3 15DU	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HR3 15DU	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HR3 15DU	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HR3 15DU	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HR3 15DU	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HR3 15DU	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HR3 15DU	4/22/2015	TOLUENE	0.07	1		U	1.7	1000	ug/L
HR3 15DU	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR3 15DU	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HR3 15DU	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR3 15DU	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	J	J	0.42	5	ug/L
HR3 15DU	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	J	J	0.42	5	ug/L
HR3 15DU	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	J	J	0.33	5	ug/L
HR3 15DU	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	J	J	0.39	5	ug/L
HR3 15DU	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HR3 15DU	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HR3 15DU	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HR3 15DU	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HR3 15DU	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HR3 15DU	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR3 15DU	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HR3 15DU	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR3 15DU	5/3/2010	NONVOLATILE BETA	4.39	10.5	U	U	3.82	50	pCi/L
HR3 15DU	5/3/2010	NONVOLATILE BETA	4.54	10.7	U	U	3.51	50	pCi/L
HR3 15DU	5/3/2011	NONVOLATILE BETA	4.52	10.1	U	U	1.44	50	pCi/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 15DU	5/1/2012	NONVOLATILE BETA	4.85	11.1	U	U	2.73	50	pCi/L
HR3 15DU	5/6/2013	NONVOLATILE BETA	4.58	10.4	U	U	2.26	50	pCi/L
HR3 15DU	5/8/2014	NONVOLATILE BETA	3.98	9.36	U	U	2.42	50	pCi/L
HR3 15DU	4/22/2015	NONVOLATILE BETA	4.18	9.59	U	U	2.37	50	pCi/L
HR3 15DU	4/26/2016	NONVOLATILE BETA	4.07	9.21	U	U	1.67	50	pCi/L
HR3 15DU	4/26/2017	NONVOLATILE BETA	4.21	9.99	U	U	2.8	50	pCi/L
HR3 15DU	4/26/2017	NONVOLATILE BETA	4.16	9.84	U	U	2.67	50	pCi/L
HR3 15DU	5/21/2018	NONVOLATILE BETA	3.83	8.59	U	U	1.48	50	pCi/L
HR3 15DU	5/13/2019	NONVOLATILE BETA	4.25	9.37	U	U	0.915	50	pCi/L
HR3 15DU	5/20/2020	NONVOLATILE BETA	0.874	1.996	U	U	0.614	50	pCi/L
HR3 15DU	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HR3 15DU	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HR3 15DU	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR3 15DU	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HR3 15DU	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR3 15DU	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HR3 15DU	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HR3 15DU	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR3 15DU	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HR3 15DU	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR3 15DU	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HR3 15DU	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HR3 15DU	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR3 15DU	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HR3 15DU	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR3 15DU	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HR3 15DU	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HR3 15DU	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR3 15DU	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HR3 15DU	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR3 15DU	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HR3 15DU	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HR3 15DU	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR3 15DU	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HR3 15DU	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR3 15DU	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HR3 15DU	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HR3 15DU	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR3 15DU	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HR3 15DU	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR3 15DU	5/3/2010	GROSS ALPHA	2.8	7.54	U	U	2.44	15	pCi/L
HR3 15DU	5/3/2010	GROSS ALPHA	2.84	6.29	U	U	1.02	15	pCi/L
HR3 15DU	5/3/2011	GROSS ALPHA	2.62	7.17	U	U	2.37	15	pCi/L
HR3 15DU	5/1/2012	GROSS ALPHA	2.77	8.65	J	J	3.94	15	pCi/L
HR3 15DU	5/6/2013	GROSS ALPHA	2.57	7.14	U	U	2.41	15	pCi/L
HR3 15DU	5/8/2014	GROSS ALPHA	2.29	4.67	U	U	0.438	15	pCi/L
HR3 15DU	4/22/2015	GROSS ALPHA	2.13	4.45	U	U	0.551	15	pCi/L
HR3 15DU	4/26/2016	GROSS ALPHA	2.3	5.45	U	U	1.16	15	pCi/L
HR3 15DU	4/26/2017	GROSS ALPHA	2.38	5.22	U	U	0.818	15	pCi/L
HR3 15DU	4/26/2017	GROSS ALPHA	2.38	4.72	U	U	0.417	15	pCi/L
HR3 15DU	5/21/2018	GROSS ALPHA	2.39	5.29	U	U	0.828	15	pCi/L
HR3 15DU	5/13/2019	GROSS ALPHA	2.44	7.63	J	J	3.65	15	pCi/L
HR3 15DU	5/20/2020	GROSS ALPHA	1.13	2.734	J	J	1.17	15	pCi/L
HR3 15DU	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HR3 15DU	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HR3 15DU	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR3 15DU	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HR3 15DU	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR3 15DU	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HR3 15DU	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HR3 15DU	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 15DU	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HR3 15DU	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HR3 15DU	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR3 15DU	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HR3 15DU	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR3 15DU	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR3 15DU	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HR3 15DU	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HR3 15DU	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HR3 15DU	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HR3 15DU	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR3 15DU	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HR3 15DU	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR3 15DU	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HR3 15DU	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HR3 15DU	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR3 15DU	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HR3 15DU	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR3 15DU	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR3 15DU	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HR3 15DU	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HR3 15DU	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HR3 15DU	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HR3 15DU	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HR3 15DU	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR3 15DU	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.33	190	ug/L
HR3 15DU	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HR3 15DU	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR3 15DU	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HR3 15DU	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR3 15DU	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HR3 15DU	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HR3 15DU	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HR3 15DU	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HR3 15DU	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HR3 15DU	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR3 15DU	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HR3 15DU	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR3 15DU	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HR3 15DU	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HR3 15DU	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR3 15DU	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HR3 15DU	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR3 15DU	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HR3 15DU	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HR3 15DU	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HR3 15DU	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR3 15DU	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HR3 15DU	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 15DU	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HR3 15DU	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HR3 15DU	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HR3 15DU	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HR3 15DU	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HR3 15DU	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HR3 15DU	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR3 15DU	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HR3 15DU	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR3 15DU	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HR3 15DU	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HR3 15DU	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HR3 15DU	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR3 15DU	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HR3 15DU	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HR3 15DU	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 15DU	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HR3 15DU	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HR3 15DU	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR3 15DU	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HR3 15DU	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR3 15DU	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HR3 15DU	4/22/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HR3 15DU	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HR3 15DU	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HR3 15DU	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HR3 15DU	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HR3 15DU	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HR3 15DU	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR3 15DU	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HR3 15DU	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR3 15DU	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HR3 15DU	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HR3 15DU	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR3 15DU	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HR3 15DU	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR3 15DU	5/8/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HR3 15DU	4/22/2015	1,4-DICHLOROENZENE	0.12	1	U	U	1		ug/L
HR3 15DU	5/21/2018	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR3 15DU	5/13/2019	1,4-DICHLOROENZENE	0.45	1	U	U	1		ug/L
HR3 15DU	5/20/2020	1,4-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR3 15DU	5/8/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HR3 15DU	4/22/2015	1,3-DICHLOROENZENE	0.08	1	U	U	1		ug/L
HR3 15DU	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR3 15DU	5/13/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HR3 15DU	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR3 15DU	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 15DU	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HR3 15DU	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HR3 15DU	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HR3 15DU	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HR3 15DU	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HR3 15DU	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HR3 15DU	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HR3 15DU	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR3 15DU	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HR3 15DU	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR3 15DU	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HR3 15DU	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HR3 15DU	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HR3 15DU	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HR3 15DU	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HR3 15DU	5/8/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HR3 15DU	4/22/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HR3 15DU	5/21/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HR3 15DU	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/8/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HR3 15DU	4/22/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HR3 15DU	5/21/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HR3 15DU	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HR3 15DU	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HR3 15DU	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HR3 15DU	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR3 15DU	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR3 15DU	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HR3 15DU	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR3 15DU	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 15DU	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 15DU	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HR3 15DU	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 15DU	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HR3 15DU	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HR3 15DU	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HR3 15DU	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR3 15DU	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HR3 15DU	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HR3 15DU	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR3 15DU	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HR3 15DU	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR3 15DU	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HR3 15DU	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HR3 15DU	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR3 15DU	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HR3 15DU	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR3 15DU	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR3 15DU	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HR3 15DU	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR3 15DU	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 15DU	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 15DU	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HR3 15DU	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 16DU	5/3/2010	TRITIUM	0.458	1.56			6.97	20	pCi/mL
HR3 16DU	5/3/2011	TRITIUM	0.464	1.61			7.24	20	pCi/mL
HR3 16DU	4/30/2012	TRITIUM	0.477	1.62			6.91	20	pCi/mL

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 16DU	5/6/2013	TRITIUM	0.396	1.42			5.81	20	pCi/mL
HR3 16DU	5/8/2014	TRITIUM	0.419	1.34			4.55	20	pCi/mL
HR3 16DU	4/22/2015	TRITIUM	0.433	1.41			5.02	20	pCi/mL
HR3 16DU	4/26/2016	TRITIUM	0.533	1.55			5.52	20	pCi/mL
HR3 16DU	4/26/2017	TRITIUM	0.443	1.45			5.12	20	pCi/mL
HR3 16DU	5/21/2018	TRITIUM	0.499	1.5			5.11	20	pCi/mL
HR3 16DU	5/13/2019	TRITIUM	0.414	1.27			4.03	20	pCi/mL
HR3 16DU	5/20/2020	TRITIUM	0.347	1.251			4.53	20	pCi/mL
HR3 16DU	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HR3 16DU	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HR3 16DU	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR3 16DU	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HR3 16DU	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR3 16DU	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HR3 16DU	4/26/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR3 16DU	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HR3 16DU	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HR3 16DU	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HR3 16DU	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HR3 16DU	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HR3 16DU	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HR3 16DU	4/22/2015	TOLUENE	0.07	1		U	1	1000	ug/L
HR3 16DU	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR3 16DU	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HR3 16DU	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR3 16DU	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HR3 16DU	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HR3 16DU	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HR3 16DU	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HR3 16DU	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HR3 16DU	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR3 16DU	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HR3 16DU	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR3 16DU	5/3/2010	NONVOLATILE BETA	5.22	12.7	J	J	6.03	50	pCi/L
HR3 16DU	5/3/2011	NONVOLATILE BETA	4.85	11.7	U	U	4.44	50	pCi/L
HR3 16DU	4/30/2012	NONVOLATILE BETA	6.1	15.3	J	J	9.5	50	pCi/L
HR3 16DU	5/6/2013	NONVOLATILE BETA	5.37	12.7	U	U	4.65	50	pCi/L
HR3 16DU	5/8/2014	NONVOLATILE BETA	4.28	11	J	J	5.8	50	pCi/L
HR3 16DU	4/22/2015	NONVOLATILE BETA	5.46	12.8	U	U	4.68	50	pCi/L
HR3 16DU	4/26/2016	NONVOLATILE BETA	4.27	10.4	U	U	4.1	50	pCi/L
HR3 16DU	4/26/2017	NONVOLATILE BETA	4.93	11.7	U	U	3.77	50	pCi/L
HR3 16DU	5/21/2018	NONVOLATILE BETA	3.98	11	J	J	8.13	50	pCi/L
HR3 16DU	5/13/2019	NONVOLATILE BETA	4.38	10.9	J	J	4.95	50	pCi/L
HR3 16DU	5/20/2020	NONVOLATILE BETA	1.1	2.968		J	3.89	50	pCi/L
HR3 16DU	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HR3 16DU	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 16DU	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR3 16DU	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HR3 16DU	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR3 16DU	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HR3 16DU	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HR3 16DU	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR3 16DU	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HR3 16DU	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR3 16DU	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HR3 16DU	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HR3 16DU	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR3 16DU	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HR3 16DU	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR3 16DU	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HR3 16DU	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HR3 16DU	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR3 16DU	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HR3 16DU	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR3 16DU	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HR3 16DU	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HR3 16DU	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR3 16DU	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HR3 16DU	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR3 16DU	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HR3 16DU	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HR3 16DU	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR3 16DU	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HR3 16DU	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR3 16DU	5/3/2010	GROSS ALPHA	3.29	13.4	J	J	10.7	15	pCi/L
HR3 16DU	5/3/2011	GROSS ALPHA	3.13	10.7	J	J	6.11	15	pCi/L
HR3 16DU	4/30/2012	GROSS ALPHA	2.86	18.1		J	26.6	15	pCi/L
HR3 16DU	5/6/2013	GROSS ALPHA	2.92	13	J	J	11.6	15	pCi/L
HR3 16DU	5/8/2014	GROSS ALPHA	2.51	11.8			12.1	15	pCi/L
HR3 16DU	4/22/2015	GROSS ALPHA	2.42	12.2			12.9	15	pCi/L
HR3 16DU	4/26/2016	GROSS ALPHA	2.51	10.2	J	J	8.39	15	pCi/L
HR3 16DU	4/26/2017	GROSS ALPHA	2.58	9.78	J	J	6.97	15	pCi/L
HR3 16DU	5/21/2018	GROSS ALPHA	2.63	9.3	J	J	5.77	15	pCi/L
HR3 16DU	5/13/2019	GROSS ALPHA	2.59	10.5	J	J	8.59	15	pCi/L
HR3 16DU	5/20/2020	GROSS ALPHA	1.34	4.7			6.67	15	pCi/L
HR3 16DU	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HR3 16DU	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HR3 16DU	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR3 16DU	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HR3 16DU	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR3 16DU	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HR3 16DU	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HR3 16DU	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HR3 16DU	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HR3 16DU	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HR3 16DU	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR3 16DU	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HR3 16DU	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR3 16DU	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR3 16DU	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HR3 16DU	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HR3 16DU	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HR3 16DU	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HR3 16DU	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR3 16DU	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 16DU	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR3 16DU	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HR3 16DU	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HR3 16DU	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR3 16DU	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HR3 16DU	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR3 16DU	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR3 16DU	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HR3 16DU	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HR3 16DU	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HR3 16DU	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HR3 16DU	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HR3 16DU	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR3 16DU	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.37	190	ug/L
HR3 16DU	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HR3 16DU	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR3 16DU	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HR3 16DU	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR3 16DU	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HR3 16DU	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HR3 16DU	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HR3 16DU	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HR3 16DU	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HR3 16DU	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR3 16DU	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HR3 16DU	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR3 16DU	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HR3 16DU	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HR3 16DU	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR3 16DU	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HR3 16DU	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR3 16DU	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HR3 16DU	4/22/2015	CHLOROBENZENE	0.15	1	J	J	0.23	100	ug/L
HR3 16DU	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HR3 16DU	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR3 16DU	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HR3 16DU	4/26/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HR3 16DU	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HR3 16DU	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HR3 16DU	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HR3 16DU	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HR3 16DU	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HR3 16DU	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HR3 16DU	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR3 16DU	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HR3 16DU	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR3 16DU	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HR3 16DU	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HR3 16DU	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HR3 16DU	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 16DU	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR3 16DU	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HR3 16DU	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HR3 16DU	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR3 16DU	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HR3 16DU	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HR3 16DU	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR3 16DU	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HR3 16DU	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR3 16DU	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HR3 16DU	4/22/2015	ACETONE	0.34	2	U	UJ	2	14000	ug/L
HR3 16DU	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HR3 16DU	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HR3 16DU	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HR3 16DU	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HR3 16DU	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HR3 16DU	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR3 16DU	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HR3 16DU	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR3 16DU	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HR3 16DU	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HR3 16DU	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR3 16DU	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HR3 16DU	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR3 16DU	5/8/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HR3 16DU	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HR3 16DU	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR3 16DU	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HR3 16DU	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR3 16DU	5/8/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HR3 16DU	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HR3 16DU	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR3 16DU	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HR3 16DU	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR3 16DU	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	J	J	0.48	600	ug/L
HR3 16DU	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.06	1	J	J	0.42	600	ug/L
HR3 16DU	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	600	ug/L
HR3 16DU	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.42	1	U	U	1	600	ug/L
HR3 16DU	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	600	ug/L
HR3 16DU	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HR3 16DU	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HR3 16DU	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR3 16DU	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HR3 16DU	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR3 16DU	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HR3 16DU	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HR3 16DU	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR3 16DU	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HR3 16DU	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HR3 16DU	5/8/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HR3 16DU	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HR3 16DU	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HR3 16DU	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/8/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HR3 16DU	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HR3 16DU	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HR3 16DU	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HR3 16DU	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HR3 16DU	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HR3 16DU	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR3 16DU	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR3 16DU	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HR3 16DU	4/26/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR3 16DU	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 16DU	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 16DU	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HR3 16DU	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR3 16DU	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HR3 16DU	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HR3 16DU	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HR3 16DU	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR3 16DU	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HR3 16DU	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HR3 16DU	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR3 16DU	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HR3 16DU	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR3 16DU	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HR3 16DU	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HR3 16DU	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR3 16DU	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HR3 16DU	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR3 16DU	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR3 16DU	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HR3 16DU	4/26/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR3 16DU	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 16DU	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR3 16DU	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HR3 16DU	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR8 11	5/3/2010	TRITIUM	0.46	1.45			5.12	20	pCi/mL
HR8 11	5/3/2011	TRITIUM	0.464	1.46			4.97	20	pCi/mL
HR8 11	5/1/2012	TRITIUM	0.484	1.49			4.89	20	pCi/mL
HR8 11	5/6/2013	TRITIUM	0.397	1.33			4.56	20	pCi/mL
HR8 11	5/8/2014	TRITIUM	0.414	1.28			3.85	20	pCi/mL
HR8 11	4/22/2015	TRITIUM	0.53	1.4			3.18	20	pCi/mL
HR8 11	5/2/2016	TRITIUM	0.479	1.34			2.96	20	pCi/mL
HR8 11	4/26/2017	TRITIUM	0.439	1.34			3.78	20	pCi/mL
HR8 11	5/21/2018	TRITIUM	0.502	1.43			3.96	20	pCi/mL
HR8 11	5/13/2019	TRITIUM	0.41	1.22			3.49	20	pCi/mL
HR8 11	5/20/2020	TRITIUM	0.296	1.078			3.77	20	pCi/mL
HR8 11	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HR8 11	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HR8 11	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR8 11	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HR8 11	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HR8 11	5/3/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR8 11	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR8 11	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HR8 11	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HR8 11	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR8 11	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR8 11	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HR8 11	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HR8 11	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR8 11	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HR8 11	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HR8 11	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HR8 11	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HR8 11	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HR8 11	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HR8 11	4/22/2015	TOLUENE	0.07	1	J	U	0.62	1000	ug/L
HR8 11	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR8 11	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HR8 11	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HR8 11	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HR8 11	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HR8 11	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HR8 11	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HR8 11	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HR8 11	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HR8 11	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HR8 11	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HR8 11	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HR8 11	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HR8 11	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR8 11	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HR8 11	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HR8 11	5/3/2010	NONVOLATILE BETA	4.47	11.7	J	J	7.07	50	pCi/L
HR8 11	5/3/2011	NONVOLATILE BETA	5.04	11.8	U	U	3.5	50	pCi/L
HR8 11	5/1/2012	NONVOLATILE BETA	4.93	11	U	U	1.99	50	pCi/L
HR8 11	5/6/2013	NONVOLATILE BETA	5.09	12	U	U	4.08	50	pCi/L
HR8 11	5/8/2014	NONVOLATILE BETA	4.06	10.1	U	U	4.02	50	pCi/L
HR8 11	4/22/2015	NONVOLATILE BETA	4.28	9.53	U	U	1.67	50	pCi/L
HR8 11	5/2/2016	NONVOLATILE BETA	4.16	9.12	U	U	0.963	50	pCi/L
HR8 11	4/26/2017	NONVOLATILE BETA	4.42	10.5	U	U	3.07	50	pCi/L
HR8 11	5/21/2018	NONVOLATILE BETA	2.68	7.03	J	J	4.55	50	pCi/L
HR8 11	5/13/2019	NONVOLATILE BETA	4.32	10.3	U	U	3.05	50	pCi/L
HR8 11	5/20/2020	NONVOLATILE BETA	0.929	2.377	J	J	1.99	50	pCi/L
HR8 11	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HR8 11	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HR8 11	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR8 11	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HR8 11	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HR8 11	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HR8 11	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HR8 11	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR8 11	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HR8 11	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HR8 11	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HR8 11	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HR8 11	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR8 11	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HR8 11	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HR8 11	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HR8 11	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HR8 11	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR8 11	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HR8 11	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HR8 11	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HR8 11	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR8 11	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR8 11	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HR8 11	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HR8 11	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HR8 11	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HR8 11	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR8 11	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HR8 11	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HR8 11	5/1/2012	GROSS ALPHA	2.61	8.73	J	J	4.63	15	pCi/L
HR8 11	5/6/2013	GROSS ALPHA	2.47	9.82	J	J	7.19	15	pCi/L
HR8 11	5/8/2014	GROSS ALPHA	2.18	7.87	J	J	4.92	15	pCi/L
HR8 11	4/22/2015	GROSS ALPHA	2.05	5.18	U	U	1.31	15	pCi/L
HR8 11	5/2/2016	GROSS ALPHA	2.26	8.14	J	J	5.28	15	pCi/L
HR8 11	4/26/2017	GROSS ALPHA	2.28	6.4	J	J	2.32	15	pCi/L
HR8 11	5/21/2018	GROSS ALPHA	1.44	6.34			6.95	15	pCi/L
HR8 11	5/13/2019	GROSS ALPHA	2.36	9.62	J	J	7.83	15	pCi/L
HR8 11	5/20/2020	GROSS ALPHA	1.04	3.26			3.79	15	pCi/L
HR8 11	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HR8 11	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HR8 11	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR8 11	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HR8 11	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HR8 11	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HR8 11	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR8 11	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HR8 11	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HR8 11	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HR8 11	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HR8 11	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HR8 11	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR8 11	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HR8 11	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HR8 11	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR8 11	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HR8 11	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR8 11	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HR8 11	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR8 11	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HR8 11	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HR8 11	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR8 11	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HR8 11	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HR8 11	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HR8 11	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HR8 11	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR8 11	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HR8 11	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HR8 11	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HR8 11	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HR8 11	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HR8 11	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HR8 11	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09	1	U	U	1	0.47	ug/L
HR8 11	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HR8 11	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HR8 11	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.35	190	ug/L
HR8 11	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HR8 11	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR8 11	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HR8 11	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HR8 11	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HR8 11	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HR8 11	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR8 11	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HR8 11	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HR8 11	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HR8 11	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HR8 11	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR8 11	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR8 11	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HR8 11	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HR8 11	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HR8 11	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR8 11	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HR8 11	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HR8 11	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HR8 11	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HR8 11	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HR8 11	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HR8 11	5/3/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HR8 11	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR8 11	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HR8 11	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HR8 11	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR8 11	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR8 11	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HR8 11	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HR8 11	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HR8 11	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HR8 11	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HR8 11	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HR8 11	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HR8 11	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HR8 11	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HR8 11	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR8 11	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HR8 11	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HR8 11	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HR8 11	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HR8 11	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HR8 11	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HR8 11	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HR8 11	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HR8 11	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HR8 11	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR8 11	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HR8 11	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HR8 11	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HR8 11	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HR8 11	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR8 11	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HR8 11	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HR8 11	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HR8 11	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HR8 11	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HR8 11	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HR8 11	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HR8 11	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HR8 11	4/22/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HR8 11	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HR8 11	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HR8 11	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HR8 11	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HR8 11	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HR8 11	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR8 11	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HR8 11	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HR8 11	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HR8 11	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HR8 11	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR8 11	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HR8 11	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HR8 11	5/8/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HR8 11	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HR8 11	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR8 11	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HR8 11	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HR8 11	5/8/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HR8 11	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR8 11	5/21/2018	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR8 11	5/13/2019	1,3-DICHLOROENZENE	0.37	1	U	U	1		ug/L
HR8 11	5/20/2020	1,3-DICHLOROENZENE	0.333	1	U	U	1		ug/L
HR8 11	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1		5 ug/L
HR8 11	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1		5 ug/L
HR8 11	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HR8 11	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1		5 ug/L
HR8 11	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1		5 ug/L
HR8 11	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1		5 ug/L
HR8 11	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1		5 ug/L
HR8 11	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1		5 ug/L
HR8 11	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	J	J	0.24		5 ug/L
HR8 11	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	J	J	0.58		5 ug/L
HR8 11	5/8/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HR8 11	4/22/2015	1,2-DICHLOROENZENE	0.06	1	U	U	1	600	ug/L
HR8 11	5/21/2018	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HR8 11	5/13/2019	1,2-DICHLOROENZENE	0.42	1	U	U	1	600	ug/L
HR8 11	5/20/2020	1,2-DICHLOROENZENE	0.333	1	U	U	1	600	ug/L
HR8 11	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HR8 11	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HR8 11	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR8 11	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HR8 11	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HR8 11	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HR8 11	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HR8 11	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HR8 11	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HR8 11	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HR8 11	5/8/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HR8 11	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HR8 11	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/13/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HR8 11	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/8/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HR8 11	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HR8 11	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/13/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HR8 11	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HR8 11	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HR8 11	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HR8 11	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HR8 11	5/3/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HR8 11	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR8 11	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HR8 11	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HR8 11	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR8 11	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR8 11	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HR8 11	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HR8 11	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HR8 11	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HR8 11	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR8 11	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HR8 11	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HR8 11	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HR8 11	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HR8 11	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR8 11	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HR8 11	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HR8 11	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HR8 11	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HR8 11	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR8 11	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HR8 11	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HR8 11	5/3/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HR8 11	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR8 11	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HR8 11	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HR8 11	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HR8 11	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HR8 11	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HR8 11	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HSL 3D	5/4/2010	TRITIUM	0.462	1.74			10.1	20	pCi/mL
HSL 3D	5/3/2011	TRITIUM	0.464	1.66			8.09	20	pCi/mL
HSL 3D	5/1/2012	TRITIUM	0.486	1.66			7.38	20	pCi/mL
HSL 3D	5/1/2012	TRITIUM	0.482	1.64			7.17	20	pCi/mL
HSL 3D	5/8/2013	TRITIUM	0.539	1.63			5.09	20	pCi/mL
HSL 3D	5/7/2014	TRITIUM	0.453	1.5			5.86	20	pCi/mL
HSL 3D	5/7/2014	TRITIUM	0.452	1.5			5.8	20	pCi/mL
HSL 3D	4/22/2015	TRITIUM	0.45	1.49			5.52	20	pCi/mL
HSL 3D	5/2/2016	TRITIUM	0.479	1.44			4.27	20	pCi/mL
HSL 3D	4/26/2017	TRITIUM	0.451	1.4			4.16	20	pCi/mL
HSL 3D	5/21/2018	TRITIUM	0.507	1.45			4.11	20	pCi/mL
HSL 3D	5/13/2019	TRITIUM	0.418	1.26			3.67	20	pCi/mL
HSL 3D	5/20/2020	TRITIUM	0.3	1.126			4.23	20	pCi/mL
HSL 3D	5/7/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HSL 3D	4/22/2015	TRICHLOROFLUOROMETHANE	0.11	1	U	U	1	5200	ug/L
HSL 3D	5/21/2018	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HSL 3D	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
HSL 3D	5/20/2020	TRICHLOROFLUOROMETHANE	0.333	1	U	U	1	5200	ug/L
HSL 3D	5/4/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HSL 3D	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HSL 3D	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HSL 3D	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HSL 3D	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HSL 3D	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HSL 3D	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25	1	U	U	1	5	ug/L
HSL 3D	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HSL 3D	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HSL 3D	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HSL 3D	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL 3D	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HSL 3D	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL 3D	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HSL 3D	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HSL 3D	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HSL 3D	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HSL 3D	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HSL 3D	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HSL 3D	4/22/2015	TOLUENE	0.07	1	J	U	0.15	1000	ug/L
HSL 3D	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HSL 3D	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HSL 3D	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HSL 3D	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HSL 3D	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HSL 3D	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HSL 3D	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HSL 3D	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HSL 3D	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HSL 3D	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HSL 3D	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HSL 3D	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HSL 3D	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HSL 3D	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HSL 3D	5/4/2010	NONVOLATILE BETA	4.07	8.68	U	U	0.747	50	pCi/L
HSL 3D	5/3/2011	NONVOLATILE BETA	4.3	9.94	U	U	2.34	50	pCi/L
HSL 3D	5/3/2011	NONVOLATILE BETA	4.46	8.88	U	U	-1.19	50	pCi/L
HSL 3D	5/1/2012	NONVOLATILE BETA	4.49	9.89	U	U	1.43	50	pCi/L
HSL 3D	5/1/2012	NONVOLATILE BETA	4.49	8.98	U	U	-0.816	50	pCi/L
HSL 3D	5/8/2013	NONVOLATILE BETA	4.36	10.5	U	U	3.9	50	pCi/L
HSL 3D	5/7/2014	NONVOLATILE BETA	4.33	9.57	U	U	1.33	50	pCi/L
HSL 3D	4/22/2015	NONVOLATILE BETA	4.34	10.3	U	U	3.47	50	pCi/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwm/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL 3D	5/2/2016	NONVOLATILE BETA	4.04	9.57	U	U	2.91	50	pCi/L
HSL 3D	4/26/2017	NONVOLATILE BETA	4.21	9.57	U	U	1.61	50	pCi/L
HSL 3D	5/21/2018	NONVOLATILE BETA	2.57	6.08	U	U	1.49	50	pCi/L
HSL 3D	5/13/2019	NONVOLATILE BETA	4.2	9.74	U	U	2.22	50	pCi/L
HSL 3D	5/20/2020	NONVOLATILE BETA	0.906	2.124	J	J	1.04	50	pCi/L
HSL 3D	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HSL 3D	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HSL 3D	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HSL 3D	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HSL 3D	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HSL 3D	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HSL 3D	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HSL 3D	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HSL 3D	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HSL 3D	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HSL 3D	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HSL 3D	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HSL 3D	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HSL 3D	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HSL 3D	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HSL 3D	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HSL 3D	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HSL 3D	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HSL 3D	5/13/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HSL 3D	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HSL 3D	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HSL 3D	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HSL 3D	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HSL 3D	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HSL 3D	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HSL 3D	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HSL 3D	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HSL 3D	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HSL 3D	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HSL 3D	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HSL 3D	5/3/2011	GROSS ALPHA	2.53	6.54	U	U	1.85	15	pCi/L
HSL 3D	5/3/2011	GROSS ALPHA	2.53	5.11	U	U	0.516	15	pCi/L
HSL 3D	5/8/2013	GROSS ALPHA	2.49	5.1	U	U	0.549	15	pCi/L
HSL 3D	5/7/2014	GROSS ALPHA	2.17	5.69	U	U	1.64	15	pCi/L
HSL 3D	4/22/2015	GROSS ALPHA	2.09	5.65	U	U	1.72	15	pCi/L
HSL 3D	5/2/2016	GROSS ALPHA	2.27	3.91	U	U	0.00207	15	pCi/L
HSL 3D	4/26/2017	GROSS ALPHA	2.35	5.15	U	U	0.81	15	pCi/L
HSL 3D	5/21/2018	GROSS ALPHA	1.44	3.36	U	U	0.613	15	pCi/L
HSL 3D	5/13/2019	GROSS ALPHA	2.43	6.11	U	U	1.61	15	pCi/L
HSL 3D	5/20/2020	GROSS ALPHA	1.3	2.896	U	U	0.714	15	pCi/L
HSL 3D	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HSL 3D	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HSL 3D	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HSL 3D	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HSL 3D	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HSL 3D	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HSL 3D	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HSL 3D	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HSL 3D	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HSL 3D	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HSL 3D	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HSL 3D	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HSL 3D	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HSL 3D	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HSL 3D	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HSL 3D	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HSL 3D	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HSL 3D	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HSL 3D	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HSL 3D	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HSL 3D	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HSL 3D	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HSL 3D	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HSL 3D	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL 3D	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08		1 U	U	1	450	ug/L
HSL 3D	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333		1 U	U	1	450	ug/L
HSL 3D	5/13/2019	CUMENE (ISOPROPYLBENZENE)	0.46		1 U	U	1	450	ug/L
HSL 3D	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333		1 U	U	1	450	ug/L
HSL 3D	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3		1 U	U	1	0.47	ug/L
HSL 3D	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07		1 U	U	1	0.47	ug/L
HSL 3D	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333		1 U	U	1	0.47	ug/L
HSL 3D	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24		1 U	U	1	0.47	ug/L
HSL 3D	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333		1 U	U	1	0.47	ug/L
HSL 3D	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3		1 U	U	1	0.47	ug/L
HSL 3D	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09		1 U	U	1	0.47	ug/L
HSL 3D	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333		1 U	U	1	0.47	ug/L
HSL 3D	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23		1 U	U	1	0.47	ug/L
HSL 3D	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333		1 U	U	1	0.47	ug/L
HSL 3D	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3		1 U	U	1	190	ug/L
HSL 3D	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08		2 U	U	2	190	ug/L
HSL 3D	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333		1 U	U	1	190	ug/L
HSL 3D	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32		2 U	U	2	190	ug/L
HSL 3D	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333		1 U	U	1	190	ug/L
HSL 3D	5/7/2014	CHLOROFORM	0.3		1 U	U	1	80	ug/L
HSL 3D	4/22/2015	CHLOROFORM	0.1		1 U	U	1	80	ug/L
HSL 3D	5/21/2018	CHLOROFORM	0.333		1 U	U	1	80	ug/L
HSL 3D	5/13/2019	CHLOROFORM	0.24		1 U	U	1	80	ug/L
HSL 3D	5/20/2020	CHLOROFORM	0.333		1 U	U	1	80	ug/L
HSL 3D	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3		1 U	U	1	2	ug/L
HSL 3D	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08		2 U	U	2	2	ug/L
HSL 3D	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333		1 U	U	1	2	ug/L
HSL 3D	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19		2 U	U	2	2	ug/L
HSL 3D	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333		1 U	U	1	2	ug/L
HSL 3D	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3		1 U	U	1	21000	ug/L
HSL 3D	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1		2 U	U	2	21000	ug/L
HSL 3D	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333		1 U	U	1	21000	ug/L
HSL 3D	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32		2 U	U	2	21000	ug/L
HSL 3D	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333		1 U	U	1	21000	ug/L
HSL 3D	5/7/2014	CHLOROBENZENE	0.3		1 U	U	1	100	ug/L
HSL 3D	4/22/2015	CHLOROBENZENE	0.15		1 U	U	1	100	ug/L
HSL 3D	5/21/2018	CHLOROBENZENE	0.333		1 U	U	1	100	ug/L
HSL 3D	5/13/2019	CHLOROBENZENE	0.28		1 U	U	1	100	ug/L
HSL 3D	5/20/2020	CHLOROBENZENE	0.333		1 U	U	1	100	ug/L
HSL 3D	5/4/2010	CARBON TETRACHLORIDE	1.04		2 U	U	2	5	ug/L
HSL 3D	5/3/2011	CARBON TETRACHLORIDE	0.13		2 U	U	2	5	ug/L
HSL 3D	5/1/2012	CARBON TETRACHLORIDE	0.13		2 U	U	2	5	ug/L
HSL 3D	5/1/2012	CARBON TETRACHLORIDE	0.13		2 U	U	2	5	ug/L
HSL 3D	5/8/2013	CARBON TETRACHLORIDE	0.13		2 U	U	2	5	ug/L
HSL 3D	5/7/2014	CARBON TETRACHLORIDE	0.3		1 U	U	1	5	ug/L
HSL 3D	4/22/2015	CARBON TETRACHLORIDE	0.13		1 U	U	1	5	ug/L
HSL 3D	5/2/2016	CARBON TETRACHLORIDE	0.3		1 U	U	1	5	ug/L
HSL 3D	4/26/2017	CARBON TETRACHLORIDE	0.333		1 U	U	1	5	ug/L
HSL 3D	5/21/2018	CARBON TETRACHLORIDE	0.333		1 U	U	1	5	ug/L
HSL 3D	5/13/2019	CARBON TETRACHLORIDE	0.19		1 U	U	1	5	ug/L
HSL 3D	5/20/2020	CARBON TETRACHLORIDE	0.333		1 U	U	1	5	ug/L
HSL 3D	5/7/2014	CARBON DISULFIDE	1.5		5 U	U	5	810	ug/L
HSL 3D	4/22/2015	CARBON DISULFIDE	0.05		1 U	U	1	810	ug/L
HSL 3D	5/21/2018	CARBON DISULFIDE	1.67		5 U	U	5	810	ug/L
HSL 3D	5/13/2019	CARBON DISULFIDE	0.4		1 U	U	1	810	ug/L
HSL 3D	5/20/2020	CARBON DISULFIDE	1.67		5 U	U	5	800	ug/L
HSL 3D	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3		1 U	U	1	75	ug/L
HSL 3D	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25		2 U	U	2	75	ug/L
HSL 3D	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337		1 U	U	1	75	ug/L
HSL 3D	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57		2 U	U	2	75	ug/L
HSL 3D	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337		1 U	U	1	75	ug/L
HSL 3D	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3		1 U	U	1	80	ug/L
HSL 3D	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17		1 U	U	1	80	ug/L
HSL 3D	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333		1 U	U	1	80	ug/L
HSL 3D	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32		1 U	U	1	80	ug/L
HSL 3D	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333		1 U	U	1	80	ug/L
HSL 3D	5/7/2014	BROMODICHLOROMETHANE	0.3		1 U	U	1	80	ug/L
HSL 3D	4/22/2015	BROMODICHLOROMETHANE	0.09		1 U	U	1	80	ug/L
HSL 3D	5/21/2018	BROMODICHLOROMETHANE	0.333		1 U	U	1	80	ug/L
HSL 3D	5/13/2019	BROMODICHLOROMETHANE	0.17		1 U	U	1	80	ug/L
HSL 3D	5/20/2020	BROMODICHLOROMETHANE	0.333		1 U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL 3D	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HSL 3D	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HSL 3D	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HSL 3D	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HSL 3D	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HSL 3D	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HSL 3D	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HSL 3D	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HSL 3D	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HSL 3D	4/22/2015	ACETONE	0.34	2	U	U	2	14000	ug/L
HSL 3D	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HSL 3D	5/13/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HSL 3D	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HSL 3D	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HSL 3D	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HSL 3D	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HSL 3D	5/13/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HSL 3D	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HSL 3D	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HSL 3D	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HSL 3D	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HSL 3D	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HSL 3D	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HSL 3D	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL 3D	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HSL 3D	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL 3D	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HSL 3D	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL 3D	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL 3D	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HSL 3D	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL 3D	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HSL 3D	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL 3D	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HSL 3D	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HSL 3D	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HSL 3D	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HSL 3D	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HSL 3D	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HSL 3D	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HSL 3D	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HSL 3D	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HSL 3D	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HSL 3D	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HSL 3D	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HSL 3D	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HSL 3D	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HSL 3D	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HSL 3D	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HSL 3D	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HSL 3D	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HSL 3D	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HSL 3D	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HSL 3D	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
HSL 3D	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HSL 3D	5/7/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HSL 3D	4/22/2015	1,2,4-TRICHLOROBENZENE	0.08	1	U	U	1	7	ug/L
HSL 3D	5/21/2018	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HSL 3D	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
HSL 3D	5/20/2020	1,2,4-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HSL 3D	5/7/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HSL 3D	4/22/2015	1,2,3-TRICHLOROBENZENE	0.09	1	U	U	1	7	ug/L
HSL 3D	5/21/2018	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HSL 3D	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
HSL 3D	5/20/2020	1,2,3-TRICHLOROBENZENE	0.333	1	U	U	1	7	ug/L
HSL 3D	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL 3D	4/22/2015	1,1-DICHLOROETHYLENE	0.08		1 U	U	1		7 ug/L
HSL 3D	5/21/2018	1,1-DICHLOROETHYLENE	0.333		1 U	U	1		7 ug/L
HSL 3D	5/13/2019	1,1-DICHLOROETHYLENE	0.27		1 U	U	1		7 ug/L
HSL 3D	5/20/2020	1,1-DICHLOROETHYLENE	0.333		1 U	U	1		7 ug/L
HSL 3D	5/4/2010	1,1-DICHLOROETHANE	0.9		2 U	U	2		2.8 ug/L
HSL 3D	5/3/2011	1,1-DICHLOROETHANE	0.1		2 U	U	2		2.8 ug/L
HSL 3D	5/1/2012	1,1-DICHLOROETHANE	0.1		2 U	U	2		2.8 ug/L
HSL 3D	5/1/2012	1,1-DICHLOROETHANE	0.1		2 U	U	2		2.8 ug/L
HSL 3D	5/8/2013	1,1-DICHLOROETHANE	0.1		2 U	U	2		2.8 ug/L
HSL 3D	5/7/2014	1,1-DICHLOROETHANE	0.3		1 U	U	1		2.8 ug/L
HSL 3D	4/22/2015	1,1-DICHLOROETHANE	0.07		1 U	U	1		2.8 ug/L
HSL 3D	5/2/2016	1,1-DICHLOROETHANE	0.3		1 U	U	1		2.8 ug/L
HSL 3D	4/26/2017	1,1-DICHLOROETHANE	0.333		1 U	U	1		2.8 ug/L
HSL 3D	5/21/2018	1,1-DICHLOROETHANE	0.333		1 U	U	1		2.8 ug/L
HSL 3D	5/13/2019	1,1-DICHLOROETHANE	0.25		1 U	U	1		2.8 ug/L
HSL 3D	5/20/2020	1,1-DICHLOROETHANE	0.333		1 U	U	1		2.8 ug/L
HSL 3D	5/7/2014	1,1,2-TRICHLOROETHANE	0.3		1 U	U	1		5 ug/L
HSL 3D	4/22/2015	1,1,2-TRICHLOROETHANE	0.15		1 U	U	1		5 ug/L
HSL 3D	5/21/2018	1,1,2-TRICHLOROETHANE	0.333		1 U	U	1		5 ug/L
HSL 3D	5/13/2019	1,1,2-TRICHLOROETHANE	0.25		1 U	U	1		5 ug/L
HSL 3D	5/20/2020	1,1,2-TRICHLOROETHANE	0.333		1 U	U	1		5 ug/L
HSL 3D	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2		5 U	U	5		ug/L
HSL 3D	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1		1 U	U	1		ug/L
HSL 3D	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98		5 U	U	5		ug/L
HSL 3D	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26		1 U	U	1		ug/L
HSL 3D	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98		5 U	U	5		ug/L
HSL 3D	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3		1 U	U	1		0.076 ug/L
HSL 3D	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1		1 U	U	1		0.076 ug/L
HSL 3D	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333		1 U	U	1		0.076 ug/L
HSL 3D	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34		1 U	U	1		0.076 ug/L
HSL 3D	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333		1 U	U	1		0.076 ug/L
HSL 3D	5/4/2010	1,1,1-TRICHLOROETHANE	0.79		2 U	U	2		200 ug/L
HSL 3D	5/3/2011	1,1,1-TRICHLOROETHANE	0.15		2 U	U	2		200 ug/L
HSL 3D	5/1/2012	1,1,1-TRICHLOROETHANE	0.15		2 U	U	2		200 ug/L
HSL 3D	5/1/2012	1,1,1-TRICHLOROETHANE	0.15		2 U	U	2		200 ug/L
HSL 3D	5/8/2013	1,1,1-TRICHLOROETHANE	0.15		2 U	U	2		200 ug/L
HSL 3D	5/7/2014	1,1,1-TRICHLOROETHANE	0.3		1 U	U	1		200 ug/L
HSL 3D	4/22/2015	1,1,1-TRICHLOROETHANE	0.07		1 U	U	1		200 ug/L
HSL 3D	5/2/2016	1,1,1-TRICHLOROETHANE	0.3		1 U	U	1		200 ug/L
HSL 3D	4/26/2017	1,1,1-TRICHLOROETHANE	0.333		1 U	U	1		200 ug/L
HSL 3D	5/21/2018	1,1,1-TRICHLOROETHANE	0.333		1 U	U	1		200 ug/L
HSL 3D	5/13/2019	1,1,1-TRICHLOROETHANE	0.25		1 U	U	1		200 ug/L
HSL 3D	5/20/2020	1,1,1-TRICHLOROETHANE	0.333		1 U	U	1		200 ug/L
HSL004DR	5/5/2010	TRITIUM	0.46	1.44			5.1		20 pCi/mL
HSL004DR	5/3/2011	TRITIUM	0.464	1.46			5.04		20 pCi/mL
HSL004DR	5/3/2011	TRITIUM	0.469	1.46			4.87		20 pCi/mL
HSL004DR	5/1/2012	TRITIUM	0.487	1.64			7		20 pCi/mL
HSL004DR	5/8/2013	TRITIUM	0.527	1.54			4.29		20 pCi/mL
HSL004DR	5/7/2014	TRITIUM	0.377	1.38			6		20 pCi/mL
HSL004DR	5/7/2014	TRITIUM	0.378	1.36			5.68		20 pCi/mL
HSL004DR	4/22/2015	TRITIUM	0.524	1.57			6.23		20 pCi/mL
HSL004DR	5/2/2016	TRITIUM	0.471	1.51			5.46		20 pCi/mL
HSL004DR	4/26/2017	TRITIUM	0.435	1.48			5.77		20 pCi/mL
HSL004DR	5/21/2018	TRITIUM	0.495	1.53			5.72		20 pCi/mL
HSL004DR	5/14/2019	TRITIUM	0.398	1.35			5.2		20 pCi/mL
HSL004DR	5/20/2020	TRITIUM	0.29	1.044			3.55		20 pCi/mL
HSL004DR	5/7/2014	TRICHLOROFLUOROMETHANE	0.3		1 U	U	1		5200 ug/L
HSL004DR	5/7/2014	TRICHLOROFLUOROMETHANE	0.3		1 U	U	1		5200 ug/L
HSL004DR	4/22/2015	TRICHLOROFLUOROMETHANE	0.11		1 U	U	1		5200 ug/L
HSL004DR	5/21/2018	TRICHLOROFLUOROMETHANE	0.333		1 U	U	1		5200 ug/L
HSL004DR	5/14/2019	TRICHLOROFLUOROMETHANE	0.26		1 U	U	1		5200 ug/L
HSL004DR	5/20/2020	TRICHLOROFLUOROMETHANE	0.333		1 U	U	1		5200 ug/L
HSL004DR	5/5/2010	TRICHLOROETHYLENE (TCE)	0.97		2 U	U	2		5 ug/L
HSL004DR	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1		2 U	U	2		5 ug/L
HSL004DR	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1		2 U	U	2		5 ug/L
HSL004DR	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1		2 U	U	2		5 ug/L
HSL004DR	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1		2 U	U	2		5 ug/L
HSL004DR	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3		1 U	U	1		5 ug/L
HSL004DR	5/7/2014	TRICHLOROETHYLENE (TCE)	0.3		1 U	U	1		5 ug/L
HSL004DR	4/22/2015	TRICHLOROETHYLENE (TCE)	0.25		1 U	U	1		5 ug/L
HSL004DR	5/2/2016	TRICHLOROETHYLENE (TCE)	0.3		1 U	U	1		5 ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL004DR	4/26/2017	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	TRICHLOROETHYLENE (TCE)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HSL004DR	4/22/2015	TRANS-1,3-DICHLOROPROPENE	0.08	1	U	U	1	0.47	ug/L
HSL004DR	5/21/2018	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/14/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
HSL004DR	5/20/2020	TRANS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HSL004DR	5/7/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HSL004DR	4/22/2015	TRANS-1,2-DICHLOROETHYLENE	0.08	1	U	U	1	100	ug/L
HSL004DR	5/21/2018	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/14/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
HSL004DR	5/20/2020	TRANS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HSL004DR	5/7/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HSL004DR	4/22/2015	TOLUENE	0.07	1	J	U	0.15	1000	ug/L
HSL004DR	5/21/2018	TOLUENE	0.333	1	U	U	1	1000	ug/L
HSL004DR	5/14/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
HSL004DR	5/20/2020	TOLUENE	0.333	1	U	U	1	1000	ug/L
HSL004DR	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	TETRACHLOROETHYLENE (PCE)	0.18	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	TETRACHLOROETHYLENE (PCE)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HSL004DR	5/7/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HSL004DR	4/22/2015	STYRENE	0.07	1	U	U	1	100	ug/L
HSL004DR	5/21/2018	STYRENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/14/2019	STYRENE	0.35	1	U	U	1	100	ug/L
HSL004DR	5/20/2020	STYRENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HSL004DR	5/7/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HSL004DR	4/22/2015	O-XYLENE	0.06	1	U	U	1	190	ug/L
HSL004DR	5/21/2018	O-XYLENE	0.333	1	U	U	1	190	ug/L
HSL004DR	5/14/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
HSL004DR	5/20/2020	O-XYLENE	0.333	1	U	U	1	190	ug/L
HSL004DR	5/5/2010	NONVOLATILE BETA	4.34	8.69	U	U	-0.512	50	pCi/L
HSL004DR	5/3/2011	NONVOLATILE BETA	4.56	10.7	U	U	3.05	50	pCi/L
HSL004DR	5/3/2011	NONVOLATILE BETA	4.46	10.1	U	U	2.03	50	pCi/L
HSL004DR	5/1/2012	NONVOLATILE BETA	4.74	11	U	U	3.16	50	pCi/L
HSL004DR	5/8/2013	NONVOLATILE BETA	4.57	10.3	U	U	2	50	pCi/L
HSL004DR	5/7/2014	NONVOLATILE BETA	4.74	11.5	J	J	4.98	50	pCi/L
HSL004DR	5/7/2014	NONVOLATILE BETA	5.07	11.2	U	U	1.62	50	pCi/L
HSL004DR	4/22/2015	NONVOLATILE BETA	4.49	10.2	U	U	2.42	50	pCi/L
HSL004DR	5/2/2016	NONVOLATILE BETA	4.08	9.62	U	U	2.8	50	pCi/L
HSL004DR	4/26/2017	NONVOLATILE BETA	4.2	9.73	U	U	2.08	50	pCi/L
HSL004DR	5/21/2018	NONVOLATILE BETA	2.59	6.32	U	U	2.25	50	pCi/L
HSL004DR	5/14/2019	NONVOLATILE BETA	4.17	9.7	U	U	2.25	50	pCi/L
HSL004DR	5/20/2020	NONVOLATILE BETA	0.874	2.05	J	J	0.946	50	pCi/L
HSL004DR	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HSL004DR	5/7/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HSL004DR	4/22/2015	METHYLCYCLOHEXANE	0.1	4	U	U	4		ug/L
HSL004DR	5/21/2018	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HSL004DR	5/14/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
HSL004DR	5/20/2020	METHYLCYCLOHEXANE	0.333	1	U	U	1		ug/L
HSL004DR	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HSL004DR	5/7/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HSL004DR	4/22/2015	METHYL TERTIARY BUTYL ETHER (MTBE)	0.11	2	U	U	2	14	ug/L
HSL004DR	5/21/2018	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HSL004DR	5/14/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
HSL004DR	5/20/2020	METHYL TERTIARY BUTYL ETHER (MTBE)	0.333	1	U	U	1	14	ug/L
HSL004DR	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HSL004DR	5/7/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HSL004DR	4/22/2015	METHYL ISOBUTYL KETONE	0.12	5	U	U	5	6300	ug/L
HSL004DR	5/21/2018	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L
HSL004DR	5/14/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
HSL004DR	5/20/2020	METHYL ISOBUTYL KETONE	1.67	5	U	U	5	6300	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL004DR	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HSL004DR	5/7/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HSL004DR	4/22/2015	METHYL ETHYL KETONE	0.52	5	U	U	5	5600	ug/L
HSL004DR	5/21/2018	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HSL004DR	5/14/2019	METHYL ETHYL KETONE	0.72	5	U	U	5	5600	ug/L
HSL004DR	5/20/2020	METHYL ETHYL KETONE	1.67	5	U	U	5	5600	ug/L
HSL004DR	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HSL004DR	5/7/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HSL004DR	4/22/2015	METHYL ACETATE	0.37	25	U	U	25	20000	ug/L
HSL004DR	5/21/2018	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HSL004DR	5/14/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
HSL004DR	5/20/2020	METHYL ACETATE	1.67	5	U	U	5	20000	ug/L
HSL004DR	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HSL004DR	5/7/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HSL004DR	4/22/2015	M,P-XYLENE	0.14	2	U	U	2	190	ug/L
HSL004DR	5/21/2018	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HSL004DR	5/14/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
HSL004DR	5/20/2020	M,P-XYLENE	0.667	2	U	U	2	190	ug/L
HSL004DR	5/8/2013	GROSS ALPHA	2.46	6.83	U	U	2.3	15	pCi/L
HSL004DR	5/7/2014	GROSS ALPHA	2.17	9.15	J	J	7.46	15	pCi/L
HSL004DR	5/7/2014	GROSS ALPHA	2.17	7.8	J	J	4.73	15	pCi/L
HSL004DR	4/22/2015	GROSS ALPHA	2.05	6.45	J	J	2.85	15	pCi/L
HSL004DR	5/2/2016	GROSS ALPHA	2.26	6.01	U	U	1.89	15	pCi/L
HSL004DR	4/26/2017	GROSS ALPHA	2.31	5.07	U	U	0.796	15	pCi/L
HSL004DR	5/21/2018	GROSS ALPHA	1.44	4.19	J	J	1.81	15	pCi/L
HSL004DR	5/14/2019	GROSS ALPHA	2.36	5.16	U	U	0.78	15	pCi/L
HSL004DR	5/20/2020	GROSS ALPHA	1.2	2.776	U	U	0.955	15	pCi/L
HSL004DR	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HSL004DR	5/7/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HSL004DR	4/22/2015	ETHYLBENZENE	0.09	1	U	U	1	700	ug/L
HSL004DR	5/21/2018	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HSL004DR	5/14/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
HSL004DR	5/20/2020	ETHYLBENZENE	0.333	1	U	U	1	700	ug/L
HSL004DR	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HSL004DR	5/7/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HSL004DR	4/22/2015	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HSL004DR	5/14/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	DICHLOROMETHANE (METHYLENE CHLORIDE)	1.67	5	U	U	5	5	ug/L
HSL004DR	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HSL004DR	5/7/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HSL004DR	4/22/2015	DICHLORODIFLUOROMETHANE	0.08	2	U	U	2	200	ug/L
HSL004DR	5/21/2018	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HSL004DR	5/14/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
HSL004DR	5/20/2020	DICHLORODIFLUOROMETHANE	0.355	1	U	U	1	200	ug/L
HSL004DR	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HSL004DR	4/22/2015	DIBROMOCHLOROMETHANE	0.13	1	U	U	1	80	ug/L
HSL004DR	5/21/2018	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HSL004DR	5/14/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
HSL004DR	5/20/2020	DIBROMOCHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HSL004DR	5/7/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HSL004DR	4/22/2015	CYCLOHEXANE	0.07	1	U	U	1	13000	ug/L
HSL004DR	5/21/2018	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HSL004DR	5/14/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
HSL004DR	5/20/2020	CYCLOHEXANE	0.333	1	U	U	1	13000	ug/L
HSL004DR	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HSL004DR	5/7/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HSL004DR	4/22/2015	CUMENE (ISOPROPYLBENZENE)	0.08	1	U	U	1	450	ug/L
HSL004DR	5/21/2018	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HSL004DR	5/14/2019	CUMENE (ISOPROPYLBENZENE)	0.46	1	U	U	1	450	ug/L
HSL004DR	5/20/2020	CUMENE (ISOPROPYLBENZENE)	0.333	1	U	U	1	450	ug/L
HSL004DR	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HSL004DR	4/22/2015	CIS-1,3-DICHLOROPROPENE	0.07	1	U	U	1	0.47	ug/L
HSL004DR	5/21/2018	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/14/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
HSL004DR	5/20/2020	CIS-1,3-DICHLOROPROPENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL004DR	4/22/2015	CIS-1,2-DICHLOROETHYLENE	0.09		1 U	U	1	0.47	ug/L
HSL004DR	5/21/2018	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/14/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
HSL004DR	5/20/2020	CIS-1,2-DICHLOROETHYLENE	0.333	1	U	U	1	0.47	ug/L
HSL004DR	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HSL004DR	5/7/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HSL004DR	4/22/2015	CHLOROMETHANE (METHYL CHLORIDE)	0.08	2	U	U	2	190	ug/L
HSL004DR	5/21/2018	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HSL004DR	5/14/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
HSL004DR	5/20/2020	CHLOROMETHANE (METHYL CHLORIDE)	0.333	1	U	U	1	190	ug/L
HSL004DR	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HSL004DR	4/22/2015	CHLOROFORM	0.1	1	U	U	1	80	ug/L
HSL004DR	5/21/2018	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HSL004DR	5/14/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
HSL004DR	5/20/2020	CHLOROFORM	0.333	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HSL004DR	5/7/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HSL004DR	4/22/2015	CHLOROETHENE (VINYL CHLORIDE)	0.08	2	U	U	2	2	ug/L
HSL004DR	5/21/2018	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HSL004DR	5/14/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
HSL004DR	5/20/2020	CHLOROETHENE (VINYL CHLORIDE)	0.333	1	U	U	1	2	ug/L
HSL004DR	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HSL004DR	5/7/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HSL004DR	4/22/2015	CHLOROETHANE (ETHYL CHLORIDE)	0.1	2	U	U	2	21000	ug/L
HSL004DR	5/21/2018	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HSL004DR	5/14/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
HSL004DR	5/20/2020	CHLOROETHANE (ETHYL CHLORIDE)	0.333	1	U	U	1	21000	ug/L
HSL004DR	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HSL004DR	5/7/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HSL004DR	4/22/2015	CHLOROBENZENE	0.15	1	U	U	1	100	ug/L
HSL004DR	5/21/2018	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/14/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
HSL004DR	5/20/2020	CHLOROBENZENE	0.333	1	U	U	1	100	ug/L
HSL004DR	5/5/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HSL004DR	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HSL004DR	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HSL004DR	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HSL004DR	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HSL004DR	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	CARBON TETRACHLORIDE	0.13	1	U	U	1	5	ug/L
HSL004DR	5/2/2016	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HSL004DR	4/26/2017	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	CARBON TETRACHLORIDE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HSL004DR	5/7/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HSL004DR	4/22/2015	CARBON DISULFIDE	0.05	1	U	U	1	810	ug/L
HSL004DR	5/21/2018	CARBON DISULFIDE	1.67	5	U	U	5	810	ug/L
HSL004DR	5/14/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
HSL004DR	5/20/2020	CARBON DISULFIDE	1.67	5	U	U	5	800	ug/L
HSL004DR	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HSL004DR	5/7/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HSL004DR	4/22/2015	BROMOMETHANE (METHYL BROMIDE)	0.25	2	U	U	2	75	ug/L
HSL004DR	5/21/2018	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HSL004DR	5/14/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
HSL004DR	5/20/2020	BROMOMETHANE (METHYL BROMIDE)	0.337	1	U	U	1	75	ug/L
HSL004DR	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HSL004DR	4/22/2015	BROMOFORM (TRIBROMOMETHANE)	0.17	1	U	U	1	80	ug/L
HSL004DR	5/21/2018	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HSL004DR	5/14/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
HSL004DR	5/20/2020	BROMOFORM (TRIBROMOMETHANE)	0.333	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HSL004DR	5/7/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HSL004DR	4/22/2015	BROMODICHLOROMETHANE	0.09	1	U	U	1	80	ug/L
HSL004DR	5/21/2018	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L
HSL004DR	5/14/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
HSL004DR	5/20/2020	BROMODICHLOROMETHANE	0.333	1	U	U	1	80	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL004DR	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HSL004DR	5/7/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HSL004DR	4/22/2015	BROMOCHLOROMETHANE	0.13	1	U	U	1	83	ug/L
HSL004DR	5/21/2018	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HSL004DR	5/14/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
HSL004DR	5/20/2020	BROMOCHLOROMETHANE	0.333	1	U	U	1	83	ug/L
HSL004DR	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	BENZENE	0.06	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	BENZENE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	BENZENE	0.26	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	BENZENE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HSL004DR	5/7/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HSL004DR	4/22/2015	ACETONE	0.34	2	U	UJ	2	14000	ug/L
HSL004DR	5/21/2018	ACETONE	1.74	5	U	U	5	14000	ug/L
HSL004DR	5/14/2019	ACETONE	0.94	2	U	R	2	14000	ug/L
HSL004DR	5/20/2020	ACETONE	1.74	5	U	U	5	14000	ug/L
HSL004DR	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HSL004DR	5/7/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HSL004DR	4/22/2015	2-HEXANONE	0.22	5	U	U	5	38	ug/L
HSL004DR	5/21/2018	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HSL004DR	5/14/2019	2-HEXANONE	0.51	5	U	U	5	38	ug/L
HSL004DR	5/20/2020	2-HEXANONE	1.67	5	U	U	5	38	ug/L
HSL004DR	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HSL004DR	5/7/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HSL004DR	4/22/2015	1,4-DIOXANE	7.6	80	U	U	80	0.46	ug/L
HSL004DR	5/21/2018	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HSL004DR	5/14/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
HSL004DR	5/20/2020	1,4-DIOXANE	16.7	50	U	U	50	0.46	ug/L
HSL004DR	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL004DR	5/7/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL004DR	4/22/2015	1,4-DICHLOROBENZENE	0.12	1	U	U	1		ug/L
HSL004DR	5/21/2018	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL004DR	5/14/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
HSL004DR	5/20/2020	1,4-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL004DR	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL004DR	5/7/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HSL004DR	4/22/2015	1,3-DICHLOROBENZENE	0.08	1	U	U	1		ug/L
HSL004DR	5/21/2018	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL004DR	5/14/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
HSL004DR	5/20/2020	1,3-DICHLOROBENZENE	0.333	1	U	U	1		ug/L
HSL004DR	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	1,2-DICHLOROPROPANE	0.1	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	1,2-DICHLOROPROPANE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	1,2-DICHLOROETHANE (EDC)	0.1	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	1,2-DICHLOROETHANE (EDC)	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HSL004DR	5/7/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
HSL004DR	4/22/2015	1,2-DICHLOROBENZENE	0.06	1	U	U	1	600	ug/L
HSL004DR	5/21/2018	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HSL004DR	5/14/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
HSL004DR	5/20/2020	1,2-DICHLOROBENZENE	0.333	1	U	U	1	600	ug/L
HSL004DR	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HSL004DR	5/7/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HSL004DR	4/22/2015	1,2-DIBROMOETHANE	0.13	1	U	U	1	0.5	ug/L
HSL004DR	5/21/2018	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HSL004DR	5/14/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
HSL004DR	5/20/2020	1,2-DIBROMOETHANE	0.333	1	U	U	1	0.5	ug/L
HSL004DR	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HSL004DR	5/7/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HSL004DR	4/22/2015	1,2-DIBROMO-3-CHLOROPROPANE	0.41	1	U	U	1	0.2	ug/L
HSL004DR	5/21/2018	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HSL004DR	5/14/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HSL004DR	5/20/2020	1,2-DIBROMO-3-CHLOROPROPANE	0.333	1	U	U	1	0.2	ug/L
HSL004DR	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HSL004DR	5/7/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HSL004DR	4/22/2015	1,2,4-TRICHLOROENZENE	0.08	1	U	U	1	7	ug/L
HSL004DR	5/21/2018	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/14/2019	1,2,4-TRICHLOROENZENE	0.54	1	U	U	1	7	ug/L
HSL004DR	5/20/2020	1,2,4-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HSL004DR	5/7/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HSL004DR	4/22/2015	1,2,3-TRICHLOROENZENE	0.09	1	U	U	1	7	ug/L
HSL004DR	5/21/2018	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/14/2019	1,2,3-TRICHLOROENZENE	0.48	1	U	U	1	7	ug/L
HSL004DR	5/20/2020	1,2,3-TRICHLOROENZENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HSL004DR	5/7/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HSL004DR	4/22/2015	1,1-DICHLOROETHYLENE	0.08	1	U	U	1	7	ug/L
HSL004DR	5/21/2018	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/14/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
HSL004DR	5/20/2020	1,1-DICHLOROETHYLENE	0.333	1	U	U	1	7	ug/L
HSL004DR	5/5/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HSL004DR	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HSL004DR	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HSL004DR	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HSL004DR	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HSL004DR	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HSL004DR	5/7/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HSL004DR	4/22/2015	1,1-DICHLOROETHANE	0.07	1	U	U	1	2.8	ug/L
HSL004DR	5/2/2016	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HSL004DR	4/26/2017	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HSL004DR	5/21/2018	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HSL004DR	5/14/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
HSL004DR	5/20/2020	1,1-DICHLOROETHANE	0.333	1	U	U	1	2.8	ug/L
HSL004DR	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HSL004DR	4/22/2015	1,1,2-TRICHLOROETHANE	0.15	1	U	U	1	5	ug/L
HSL004DR	5/21/2018	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/14/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
HSL004DR	5/20/2020	1,1,2-TRICHLOROETHANE	0.333	1	U	U	1	5	ug/L
HSL004DR	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HSL004DR	5/7/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HSL004DR	4/22/2015	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.1	1	U	U	1		ug/L
HSL004DR	5/21/2018	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HSL004DR	5/14/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
HSL004DR	5/20/2020	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2.98	5	U	U	5		ug/L
HSL004DR	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HSL004DR	5/7/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HSL004DR	4/22/2015	1,1,2,2-TETRACHLOROETHANE	0.1	1	U	U	1	0.076	ug/L
HSL004DR	5/21/2018	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HSL004DR	5/14/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
HSL004DR	5/20/2020	1,1,2,2-TETRACHLOROETHANE	0.333	1	U	U	1	0.076	ug/L
HSL004DR	5/5/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HSL004DR	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HSL004DR	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HSL004DR	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HSL004DR	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HSL004DR	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HSL004DR	5/7/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HSL004DR	4/22/2015	1,1,1-TRICHLOROETHANE	0.07	1	U	U	1	200	ug/L
HSL004DR	5/2/2016	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HSL004DR	4/26/2017	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HSL004DR	5/21/2018	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HSL004DR	5/14/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
HSL004DR	5/20/2020	1,1,1-TRICHLOROETHANE	0.333	1	U	U	1	200	ug/L
HTF 12D	5/11/2010	TRITIUM	0.435	1.57			7.84	20	pCi/mL
HTF 12D	5/9/2011	TRITIUM	0.501	1.65			7.11	20	pCi/mL
HTF 12D	5/1/2012	TRITIUM	0.492	1.79			9.36	20	pCi/mL
HTF 12D	5/6/2013	TRITIUM	0.398	1.49			6.83	20	pCi/mL
HTF 12D	5/6/2014	TRITIUM	0.387	1.38			5.8	20	pCi/mL
HTF 12D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HTF 12D	5/11/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HTF 12D	5/11/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HTF 12D	5/9/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 12D	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 12D	5/6/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 12D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HTF 12D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HTF 12D	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HTF 12D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HTF 12D	5/1/2012	SODIUM	0.04	0.4			17.5		ug/L
HTF 12D	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HTF 12D	5/11/2010	NONVOLATILE BETA	4.34	9.62	U	U	1.68	50	pCi/L
HTF 12D	5/9/2011	NONVOLATILE BETA	4.6	9	U	U	-1.64	50	pCi/L
HTF 12D	5/1/2012	NONVOLATILE BETA	4.78	10.8	U	U	2.46	50	pCi/L
HTF 12D	5/6/2013	NONVOLATILE BETA	4.66	11.3	U	U	4.46	50	pCi/L
HTF 12D	5/6/2014	NONVOLATILE BETA	4.03	9.22	U	U	1.73	50	pCi/L
HTF 12D	5/1/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			0.593	10	mg/L
HTF 12D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HTF 12D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HTF 12D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HTF 12D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HTF 12D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HTF 12D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HTF 12D	5/11/2010	LEAD	0.4	4	J	J	0.886	15	ug/L
HTF 12D	5/9/2011	LEAD	1	10	J	J	1.31	15	ug/L
HTF 12D	5/1/2012	LEAD	1	10	J	J	2.19	15	ug/L
HTF 12D	5/6/2013	LEAD	1	10	J	J	2.99	15	ug/L
HTF 12D	5/6/2014	LEAD	0.5	5	J	J	0.577	15	ug/L
HTF 12D	5/1/2012	GROSS ALPHA	2.95	8.5	J	J	3.17	15	pCi/L
HTF 12D	5/6/2013	GROSS ALPHA	2.83	8.26	J	J	3.16	15	pCi/L
HTF 12D	5/6/2014	GROSS ALPHA	2.6	5.3	U	U	0.496	15	pCi/L
HTF 12D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HTF 12D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HTF 12D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HTF 12D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HTF 12D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HTF 12D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HTF 12D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HTF 12D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HTF 12D	5/1/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HTF 12D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L
HTF 12D	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HTF 12D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HTF 12D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HTF 12D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HTF 12D	5/11/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HTF 12D	5/11/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HTF 12D	5/9/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 12D	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 12D	5/6/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 12D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HTF 12D	5/11/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 12D	5/9/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 12D	5/1/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 12D	5/6/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 12D	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HTF 12D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HTF 12D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HTF 12D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HTF 12D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HTF 12D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HTF 12D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HTF 12D	5/6/2014	1,4-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HTF 12D	5/6/2014	1,3-DICHLOROENZENE	0.3	1	U	U	1		ug/L
HTF 12D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	1,2-DICHLOROENZENE	0.3	1	U	U	1	600	ug/L
HTF 12D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HTF 12D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HTF 12D	5/6/2014	1,2,4-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HTF 12D	5/6/2014	1,2,3-TRICHLOROENZENE	0.3	1	U	U	1	7	ug/L
HTF 12D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HTF 12D	5/11/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HTF 12D	5/11/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HTF 12D	5/9/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 12D	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 12D	5/6/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 12D	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HTF 12D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HTF 12D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HTF 12D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HTF 12D	5/11/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HTF 12D	5/11/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HTF 12D	5/9/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 12D	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 12D	5/6/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 12D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
HTF 15D	5/11/2010	TRITIUM	0.434	1.53			7.21	20	pCi/mL
HTF 15D	5/9/2011	TRITIUM	0.505	1.53			4.96	20	pCi/mL
HTF 15D	5/9/2011	TRITIUM	0.503	1.52			4.95	20	pCi/mL
HTF 15D	5/1/2012	TRITIUM	0.488	1.56			5.73	20	pCi/mL
HTF 15D	5/1/2012	TRITIUM	0.484	1.53			5.4	20	pCi/mL
HTF 15D	5/6/2013	TRITIUM	0.398	1.42			5.77	20	pCi/mL
HTF 15D	5/6/2014	TRITIUM	0.383	1.37			5.81	20	pCi/mL
HTF 15D	5/6/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
HTF 15D	5/11/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
HTF 15D	5/9/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 15D	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 15D	5/6/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
HTF 15D	5/6/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HTF 15D	5/6/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
HTF 15D	5/6/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
HTF 15D	5/6/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	STYRENE	0.3	1	U	U	1	100	ug/L
HTF 15D	5/1/2012	SODIUM	0.04	0.4			8.07		ug/L
HTF 15D	5/6/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
HTF 15D	5/11/2010	NONVOLATILE BETA	4.09	8.72	U	U	0.751	50	pCi/L
HTF 15D	5/9/2011	NONVOLATILE BETA	4.37	9.59	U	U	1	50	pCi/L
HTF 15D	5/1/2012	NONVOLATILE BETA	4.51	9.54	U	U	0.435	50	pCi/L
HTF 15D	5/6/2013	NONVOLATILE BETA	4.58	10.5	U	U	2.51	50	pCi/L
HTF 15D	5/6/2014	NONVOLATILE BETA	4.02	9.33	U	U	2.07	50	pCi/L
HTF 15D	5/1/2012	NITRATE-NITRITE AS NITROGEN	0.01	0.02			1.27	10	mg/L
HTF 15D	5/6/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
HTF 15D	5/6/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
HTF 15D	5/6/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
HTF 15D	5/6/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
HTF 15D	5/6/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
HTF 15D	5/6/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
HTF 15D	5/11/2010	LEAD	0.4	4	U	U	4	15	ug/L
HTF 15D	5/11/2010	LEAD	0.4	4	U	U	4	15	ug/L
HTF 15D	5/9/2011	LEAD	1	10	U	U	10	15	ug/L
HTF 15D	5/9/2011	LEAD	1	10	U	U	10	15	ug/L
HTF 15D	5/1/2012	LEAD	1	10	U	U	10	15	ug/L
HTF 15D	5/6/2013	LEAD	1	10	U	U	10	15	ug/L
HTF 15D	5/6/2014	LEAD	0.5	5	J	J	4.91	15	ug/L
HTF 15D	5/1/2012	GROSS ALPHA	2.72	5.57	U	U	0.553	15	pCi/L
HTF 15D	5/6/2013	GROSS ALPHA	2.56	7.12	U	U	2.4	15	pCi/L
HTF 15D	5/6/2014	GROSS ALPHA	2.3	6.56	J	J	2.41	15	pCi/L
HTF 15D	5/6/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
HTF 15D	5/6/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
HTF 15D	5/6/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
HTF 15D	5/6/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HTF 15D	5/6/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
HTF 15D	5/6/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
HTF 15D	5/6/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
HTF 15D	5/6/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
HTF 15D	5/1/2012	CHROMIUM	20	200	U	U	200	100	ug/L
HTF 15D	5/6/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	1	190	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
HTF 15D	5/6/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
HTF 15D	5/6/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
HTF 15D	5/6/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
HTF 15D	5/6/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
HTF 15D	5/11/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
HTF 15D	5/9/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 15D	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 15D	5/6/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
HTF 15D	5/6/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
HTF 15D	5/11/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 15D	5/11/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 15D	5/9/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 15D	5/9/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
HTF 15D	5/1/2012	CADMIUM	0.2	2	J	J	0.206	5	ug/L
HTF 15D	5/6/2013	CADMIUM	0.2	2	J	J	0.267	5	ug/L
HTF 15D	5/6/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
HTF 15D	5/6/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
HTF 15D	5/6/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
HTF 15D	5/6/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
HTF 15D	5/6/2014	BENZENE	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
HTF 15D	5/6/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
HTF 15D	5/6/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
HTF 15D	5/6/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HTF 15D	5/6/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
HTF 15D	5/6/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	1,2-DICHLOROETHANE	0.3	1	U	U	1	600	ug/L
HTF 15D	5/6/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
HTF 15D	5/6/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
HTF 15D	5/6/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HTF 15D	5/6/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
HTF 15D	5/6/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
HTF 15D	5/11/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
HTF 15D	5/9/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 15D	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 15D	5/6/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
HTF 15D	5/6/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
HTF 15D	5/6/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
HTF 15D	5/6/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
HTF 15D	5/6/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
HTF 15D	5/11/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
HTF 15D	5/9/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 15D	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 15D	5/6/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
HTF 15D	5/6/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L
SBG 6	5/4/2010	TRITIUM	0.459	1.5			5.96	20	pCi/mL
SBG 6	5/3/2011	TRITIUM	0.438	1.49			6.03	20	pCi/mL
SBG 6	5/1/2012	TRITIUM	0.488	1.58			5.99	20	pCi/mL
SBG 6	5/8/2013	TRITIUM	0.528	1.62			5.26	20	pCi/mL
SBG 6	5/8/2014	TRITIUM	0.417	1.34			4.64	20	pCi/mL
SBG 6	5/8/2014	TRICHLOROFLUOROMETHANE	0.3	1	U	U	1	5200	ug/L
SBG 6	5/4/2010	TRICHLOROETHYLENE (TCE)	0.97	2	U	U	2	5	ug/L
SBG 6	5/3/2011	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
SBG 6	5/1/2012	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
SBG 6	5/8/2013	TRICHLOROETHYLENE (TCE)	0.1	2	U	U	2	5	ug/L
SBG 6	5/8/2014	TRICHLOROETHYLENE (TCE)	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	TRANS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
SBG 6	5/8/2014	TRANS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	100	ug/L
SBG 6	5/8/2014	TOLUENE	0.3	1	U	U	1	1000	ug/L
SBG 6	5/8/2014	TETRACHLOROETHYLENE (PCE)	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	STYRENE	0.3	1	U	U	1	100	ug/L
SBG 6	5/1/2012	SODIUM	0.04	0.4			4.06		ug/L
SBG 6	5/8/2014	O-XYLENE	0.3	1	U	U	1	190	ug/L
SBG 6	5/4/2010	NONVOLATILE BETA	4.29	10.3	U	U	3.67	50	pCi/L
SBG 6	5/3/2011	NONVOLATILE BETA	4.35	9.17	U	U	0.00577	50	pCi/L
SBG 6	5/1/2012	NONVOLATILE BETA	4.7	10.4	U	U	1.52	50	pCi/L
SBG 6	5/8/2013	NONVOLATILE BETA	4.42	8.81	U	U	-0.906	50	pCi/L
SBG 6	5/8/2014	NONVOLATILE BETA	3.98	8.83	U	U	0.965	50	pCi/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
SBG 6	5/8/2014	METHYLCYCLOHEXANE	0.3	1	U	U	1		ug/L
SBG 6	5/8/2014	METHYL TERTIARY BUTYL ETHER (MTBE)	0.3	1	U	U	1	14	ug/L
SBG 6	5/8/2014	METHYL ISOBUTYL KETONE	1.5	5	U	U	5	6300	ug/L
SBG 6	5/8/2014	METHYL ETHYL KETONE	1.5	5	U	U	5	5600	ug/L
SBG 6	5/8/2014	METHYL ACETATE	1.5	5	U	U	5	20000	ug/L
SBG 6	5/8/2014	M,P-XYLENE	0.3	2	U	U	2	190	ug/L
SBG 6	5/4/2010	LEAD	0.4	4			30.3	15	ug/L
SBG 6	5/3/2011	LEAD	1	10			21	15	ug/L
SBG 6	5/3/2011	LEAD	1	10			21	15	ug/L
SBG 6	5/1/2012	LEAD	1	10			39	15	ug/L
SBG 6	5/8/2013	LEAD	1	10			41.7	15	ug/L
SBG 6	5/8/2014	LEAD	0.5	5			8.5	15	ug/L
SBG 6	5/8/2013	GROSS ALPHA	2.47	5.61	U	U	0.99	15	pCi/L
SBG 6	5/8/2014	GROSS ALPHA	2.21	5.35	U	U	1.18	15	pCi/L
SBG 6	5/8/2014	ETHYLBENZENE	0.3	1	U	U	1	700	ug/L
SBG 6	5/8/2014	DICHLOROMETHANE (METHYLENE CHLORIDE)	1	5	U	U	5	5	ug/L
SBG 6	5/8/2014	DICHLORODIFLUOROMETHANE	0.3	1	U	U	1	200	ug/L
SBG 6	5/8/2014	DIBROMOCHLOROMETHANE	0.3	1	U	U	1	80	ug/L
SBG 6	5/8/2014	CYCLOHEXANE	0.3	1	U	U	1	13000	ug/L
SBG 6	5/8/2014	CUMENE (ISOPROPYLBENZENE)	0.3	1	U	U	1	450	ug/L
SBG 6	5/8/2014	CIS-1,3-DICHLOROPROPENE	0.3	1	U	U	1	0.47	ug/L
SBG 6	5/8/2014	CIS-1,2-DICHLOROETHYLENE	0.3	1	U	U	1	0.47	ug/L
SBG 6	5/1/2012	CHROMIUM	20	200	U	U	200	100	ug/L
SBG 6	5/8/2014	CHLOROMETHANE (METHYL CHLORIDE)	0.3	1	U	U	0.35	190	ug/L
SBG 6	5/8/2014	CHLOROFORM	0.3	1	U	U	1	80	ug/L
SBG 6	5/8/2014	CHLOROETHENE (VINYL CHLORIDE)	0.3	1	U	U	1	2	ug/L
SBG 6	5/8/2014	CHLOROETHANE (ETHYL CHLORIDE)	0.3	1	U	U	1	21000	ug/L
SBG 6	5/8/2014	CHLOROBENZENE	0.3	1	U	U	1	100	ug/L
SBG 6	5/4/2010	CARBON TETRACHLORIDE	1.04	2	U	U	2	5	ug/L
SBG 6	5/3/2011	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
SBG 6	5/1/2012	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
SBG 6	5/8/2013	CARBON TETRACHLORIDE	0.13	2	U	U	2	5	ug/L
SBG 6	5/8/2014	CARBON TETRACHLORIDE	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	CARBON DISULFIDE	1.5	5	U	U	5	810	ug/L
SBG 6	5/4/2010	CADMIUM	0.2	2	U	U	2	5	ug/L
SBG 6	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
SBG 6	5/3/2011	CADMIUM	0.2	2	U	U	2	5	ug/L
SBG 6	5/1/2012	CADMIUM	0.2	2	U	U	2	5	ug/L
SBG 6	5/8/2013	CADMIUM	0.2	2	U	U	2	5	ug/L
SBG 6	5/8/2014	CADMIUM	0.1	1	U	U	1	5	ug/L
SBG 6	5/8/2014	BROMOMETHANE (METHYL BROMIDE)	0.3	1	U	U	1	75	ug/L
SBG 6	5/8/2014	BROMOFORM (TRIBROMOMETHANE)	0.3	1	U	U	1	80	ug/L
SBG 6	5/8/2014	BROMODICHLOROMETHANE	0.3	1	U	U	1	80	ug/L
SBG 6	5/8/2014	BROMOCHLOROMETHANE	0.3	1	U	U	1	83	ug/L
SBG 6	5/8/2014	BENZENE	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	ACETONE	1.5	5	U	U	5	14000	ug/L
SBG 6	5/8/2014	2-HEXANONE	1.5	5	U	U	5	38	ug/L
SBG 6	5/8/2014	1,4-DIOXANE	15	50	U	U	50	0.46	ug/L
SBG 6	5/8/2014	1,4-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
SBG 6	5/8/2014	1,3-DICHLOROBENZENE	0.3	1	U	U	1		ug/L
SBG 6	5/8/2014	1,2-DICHLOROPROPANE	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	1,2-DICHLOROETHANE (EDC)	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	1,2-DICHLOROBENZENE	0.3	1	U	U	1	600	ug/L
SBG 6	5/8/2014	1,2-DIBROMOETHANE	0.3	1	U	U	1	0.5	ug/L
SBG 6	5/8/2014	1,2-DIBROMO-3-CHLOROPROPANE	0.5	1	U	U	1	0.2	ug/L
SBG 6	5/8/2014	1,2,4-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
SBG 6	5/8/2014	1,2,3-TRICHLOROBENZENE	0.3	1	U	U	1	7	ug/L
SBG 6	5/8/2014	1,1-DICHLOROETHYLENE	0.3	1	U	U	1	7	ug/L
SBG 6	5/4/2010	1,1-DICHLOROETHANE	0.9	2	U	U	2	2.8	ug/L
SBG 6	5/3/2011	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
SBG 6	5/1/2012	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
SBG 6	5/8/2013	1,1-DICHLOROETHANE	0.1	2	U	U	2	2.8	ug/L
SBG 6	5/8/2014	1,1-DICHLOROETHANE	0.3	1	U	U	1	2.8	ug/L
SBG 6	5/8/2014	1,1,2-TRICHLOROETHANE	0.3	1	U	U	1	5	ug/L
SBG 6	5/8/2014	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	2	5	U	U	5		ug/L
SBG 6	5/8/2014	1,1,2,2-TETRACHLOROETHANE	0.3	1	U	U	1	0.076	ug/L
SBG 6	5/4/2010	1,1,1-TRICHLOROETHANE	0.79	2	U	U	2	200	ug/L
SBG 6	5/3/2011	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
SBG 6	5/1/2012	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
SBG 6	5/8/2013	1,1,1-TRICHLOROETHANE	0.15	2	U	U	2	200	ug/L
SBG 6	5/8/2014	1,1,1-TRICHLOROETHANE	0.3	1	U	U	1	200	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
TRIP BLANK	5/13/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
TRIP BLANK	5/15/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
TRIP BLANK	5/20/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
TRIP BLANK	5/21/2019	TRICHLOROFLUOROMETHANE	0.26	1	U	U	1	5200	ug/L
TRIP BLANK	5/13/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	TRICHLOROETHYLENE (TCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
TRIP BLANK	5/15/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
TRIP BLANK	5/20/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
TRIP BLANK	5/21/2019	TRANS-1,3-DICHLOROPROPENE	0.27	1	U	U	1	0.47	ug/L
TRIP BLANK	5/13/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
TRIP BLANK	5/15/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
TRIP BLANK	5/20/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
TRIP BLANK	5/21/2019	TRANS-1,2-DICHLOROETHYLENE	0.26	1	U	U	1	100	ug/L
TRIP BLANK	5/13/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
TRIP BLANK	5/15/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
TRIP BLANK	5/20/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
TRIP BLANK	5/21/2019	TOLUENE	0.24	1	U	U	1	1000	ug/L
TRIP BLANK	5/13/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	TETRACHLOROETHYLENE (PCE)	0.31	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	STYRENE	0.35	1	U	U	1	100	ug/L
TRIP BLANK	5/15/2019	STYRENE	0.35	1	U	U	1	100	ug/L
TRIP BLANK	5/20/2019	STYRENE	0.35	1	U	U	1	100	ug/L
TRIP BLANK	5/21/2019	STYRENE	0.35	1	U	U	1	100	ug/L
TRIP BLANK	5/13/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
TRIP BLANK	5/15/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
TRIP BLANK	5/20/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
TRIP BLANK	5/21/2019	O-XYLENE	0.43	1	U	U	1	190	ug/L
TRIP BLANK	5/13/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
TRIP BLANK	5/15/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
TRIP BLANK	5/20/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
TRIP BLANK	5/21/2019	METHYLCYCLOHEXANE	0.32	4	U	U	4		ug/L
TRIP BLANK	5/13/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
TRIP BLANK	5/15/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
TRIP BLANK	5/20/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
TRIP BLANK	5/21/2019	METHYL TERTIARY BUTYL ETHER (MTBE)	0.31	2	U	U	2	14	ug/L
TRIP BLANK	5/13/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
TRIP BLANK	5/15/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
TRIP BLANK	5/20/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
TRIP BLANK	5/21/2019	METHYL ISOBUTYL KETONE	0.51	5	U	U	5	6300	ug/L
TRIP BLANK	5/13/2019	METHYL ETHYL KETONE	3.6	25			37	5600	ug/L
TRIP BLANK	5/15/2019	METHYL ETHYL KETONE	3.6	25			42	5600	ug/L
TRIP BLANK	5/20/2019	METHYL ETHYL KETONE	3.6	25		J	85	5600	ug/L
TRIP BLANK	5/21/2019	METHYL ETHYL KETONE	3.6	25		J	83	5600	ug/L
TRIP BLANK	5/13/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
TRIP BLANK	5/15/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
TRIP BLANK	5/20/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
TRIP BLANK	5/21/2019	METHYL ACETATE	2.7	25	U	U	25	20000	ug/L
TRIP BLANK	5/13/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
TRIP BLANK	5/15/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
TRIP BLANK	5/20/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
TRIP BLANK	5/21/2019	M,P-XYLENE	0.39	2	U	U	2	190	ug/L
TRIP BLANK	5/13/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
TRIP BLANK	5/15/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
TRIP BLANK	5/20/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
TRIP BLANK	5/21/2019	ETHYLBENZENE	0.34	1	U	U	1	700	ug/L
TRIP BLANK	5/13/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1			4.9	5	ug/L
TRIP BLANK	5/15/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1			4.7	5	ug/L
TRIP BLANK	5/20/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1			4.3	5	ug/L
TRIP BLANK	5/21/2019	DICHLOROMETHANE (METHYLENE CHLORIDE)	0.27	1			4.2	5	ug/L
TRIP BLANK	5/13/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
TRIP BLANK	5/15/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
TRIP BLANK	5/20/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
TRIP BLANK	5/21/2019	DICHLORODIFLUOROMETHANE	0.66	2	U	U	2	200	ug/L
TRIP BLANK	5/13/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
TRIP BLANK	5/15/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
TRIP BLANK	5/20/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
TRIP BLANK	5/21/2019	DIBROMOCHLOROMETHANE	0.14	1	U	U	1	80	ug/L
TRIP BLANK	5/13/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
TRIP BLANK	5/15/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
TRIP BLANK	5/20/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
TRIP BLANK	5/21/2019	CYCLOHEXANE	0.35	1	U	U	1	13000	ug/L
TRIP BLANK	5/13/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	U	1	450	ug/L
TRIP BLANK	5/15/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	U	1	450	ug/L
TRIP BLANK	5/20/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	U	1	450	ug/L
TRIP BLANK	5/21/2019	CUMENE (ISOPROPYL BENZENE)	0.46	1	U	U	1	450	ug/L
TRIP BLANK	5/13/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
TRIP BLANK	5/15/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
TRIP BLANK	5/20/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
TRIP BLANK	5/21/2019	CIS-1,3-DICHLOROPROPENE	0.24	1	U	U	1	0.47	ug/L
TRIP BLANK	5/13/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
TRIP BLANK	5/15/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
TRIP BLANK	5/20/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
TRIP BLANK	5/21/2019	CIS-1,2-DICHLOROETHYLENE	0.23	1	U	U	1	0.47	ug/L
TRIP BLANK	5/13/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
TRIP BLANK	5/15/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
TRIP BLANK	5/20/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
TRIP BLANK	5/21/2019	CHLOROMETHANE (METHYL CHLORIDE)	0.32	2	U	U	2	190	ug/L
TRIP BLANK	5/13/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
TRIP BLANK	5/15/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
TRIP BLANK	5/20/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
TRIP BLANK	5/21/2019	CHLOROFORM	0.24	1	U	U	1	80	ug/L
TRIP BLANK	5/13/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
TRIP BLANK	5/15/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
TRIP BLANK	5/20/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
TRIP BLANK	5/21/2019	CHLOROETHENE (VINYL CHLORIDE)	0.19	2	U	U	2	2	ug/L
TRIP BLANK	5/13/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
TRIP BLANK	5/15/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
TRIP BLANK	5/20/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
TRIP BLANK	5/21/2019	CHLOROETHANE (ETHYL CHLORIDE)	0.32	2	U	U	2	21000	ug/L
TRIP BLANK	5/13/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
TRIP BLANK	5/15/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
TRIP BLANK	5/20/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
TRIP BLANK	5/21/2019	CHLOROBENZENE	0.28	1	U	U	1	100	ug/L
TRIP BLANK	5/13/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	CARBON TETRACHLORIDE	0.19	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
TRIP BLANK	5/15/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
TRIP BLANK	5/20/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
TRIP BLANK	5/21/2019	CARBON DISULFIDE	0.4	1	U	U	1	810	ug/L
TRIP BLANK	5/13/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
TRIP BLANK	5/15/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
TRIP BLANK	5/20/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
TRIP BLANK	5/21/2019	BROMOMETHANE (METHYL BROMIDE)	0.57	2	U	U	2	75	ug/L
TRIP BLANK	5/13/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
TRIP BLANK	5/15/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
TRIP BLANK	5/20/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
TRIP BLANK	5/21/2019	BROMOFORM (TRIBROMOMETHANE)	0.32	1	U	U	1	80	ug/L
TRIP BLANK	5/13/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
TRIP BLANK	5/15/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
TRIP BLANK	5/20/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
TRIP BLANK	5/21/2019	BROMODICHLOROMETHANE	0.17	1	U	U	1	80	ug/L
TRIP BLANK	5/13/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
TRIP BLANK	5/15/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
TRIP BLANK	5/20/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
TRIP BLANK	5/21/2019	BROMOCHLOROMETHANE	0.21	1	U	U	1	83	ug/L
TRIP BLANK	5/13/2019	BENZENE	0.26	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	BENZENE	0.26	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	BENZENE	0.26	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	BENZENE	0.26	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	ACETONE	4.7	10	J	J	34	14000	ug/L
TRIP BLANK	5/15/2019	ACETONE	4.7	10	J	J	30	14000	ug/L
TRIP BLANK	5/20/2019	ACETONE	4.7	10	J	J	43	14000	ug/L
TRIP BLANK	5/21/2019	ACETONE	4.7	10	J	J	38	14000	ug/L
TRIP BLANK	5/13/2019	2-HEXANONE	0.51	5	J	J	2	38	ug/L
TRIP BLANK	5/15/2019	2-HEXANONE	0.51	5	J	J	1.9	38	ug/L

Bold indicates concentration exceeds the MCL or USEPA Regional Screening Levels, http://epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm.
(May 2016 RSL Table)

Station	Date	Analyte	MDL	PQL	Lab Qual	EPA Qual	Result	MCL/RSL	Units
TRIP BLANK	5/20/2019	2-HEXANONE	0.51	5	J	J	1.8	38	ug/L
TRIP BLANK	5/21/2019	2-HEXANONE	0.51	5	J	J	1.6	38	ug/L
TRIP BLANK	5/13/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
TRIP BLANK	5/15/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
TRIP BLANK	5/20/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
TRIP BLANK	5/21/2019	1,4-DIOXANE	14	80	U	U	80	0.46	ug/L
TRIP BLANK	5/13/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
TRIP BLANK	5/15/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
TRIP BLANK	5/20/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
TRIP BLANK	5/21/2019	1,4-DICHLOROBENZENE	0.45	1	U	U	1		ug/L
TRIP BLANK	5/13/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
TRIP BLANK	5/15/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
TRIP BLANK	5/20/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
TRIP BLANK	5/21/2019	1,3-DICHLOROBENZENE	0.37	1	U	U	1		ug/L
TRIP BLANK	5/13/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	1,2-DICHLOROPROPANE	0.2	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	1,2-DICHLOROETHANE (EDC)	0.23	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
TRIP BLANK	5/15/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
TRIP BLANK	5/20/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
TRIP BLANK	5/21/2019	1,2-DICHLOROBENZENE	0.42	1	U	U	1	600	ug/L
TRIP BLANK	5/13/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
TRIP BLANK	5/15/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
TRIP BLANK	5/20/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
TRIP BLANK	5/21/2019	1,2-DIBROMOETHANE	0.26	1	U	U	1	0.5	ug/L
TRIP BLANK	5/13/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
TRIP BLANK	5/15/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
TRIP BLANK	5/20/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
TRIP BLANK	5/21/2019	1,2-DIBROMO-3-CHLOROPROPANE	0.49	1	U	U	1	0.2	ug/L
TRIP BLANK	5/13/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
TRIP BLANK	5/15/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
TRIP BLANK	5/20/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
TRIP BLANK	5/21/2019	1,2,4-TRICHLOROBENZENE	0.54	1	U	U	1	7	ug/L
TRIP BLANK	5/13/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
TRIP BLANK	5/15/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
TRIP BLANK	5/20/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
TRIP BLANK	5/21/2019	1,2,3-TRICHLOROBENZENE	0.48	1	U	U	1	7	ug/L
TRIP BLANK	5/13/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
TRIP BLANK	5/15/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
TRIP BLANK	5/20/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
TRIP BLANK	5/21/2019	1,1-DICHLOROETHYLENE	0.27	1	U	U	1	7	ug/L
TRIP BLANK	5/13/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
TRIP BLANK	5/15/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
TRIP BLANK	5/20/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
TRIP BLANK	5/21/2019	1,1-DICHLOROETHANE	0.25	1	U	U	1	2.8	ug/L
TRIP BLANK	5/13/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
TRIP BLANK	5/15/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
TRIP BLANK	5/20/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
TRIP BLANK	5/21/2019	1,1,2-TRICHLOROETHANE	0.25	1	U	U	1	5	ug/L
TRIP BLANK	5/13/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
TRIP BLANK	5/15/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
TRIP BLANK	5/20/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
TRIP BLANK	5/21/2019	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.26	1	U	U	1		ug/L
TRIP BLANK	5/13/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
TRIP BLANK	5/15/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
TRIP BLANK	5/20/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
TRIP BLANK	5/21/2019	1,1,2,2-TETRACHLOROETHANE	0.34	1	U	U	1	0.076	ug/L
TRIP BLANK	5/13/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
TRIP BLANK	5/15/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
TRIP BLANK	5/20/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L
TRIP BLANK	5/21/2019	1,1,1-TRICHLOROETHANE	0.25	1	U	U	1	200	ug/L

APPENDIX B

**2020 Monitoring Well Results
Data Matrix Table**

This page was intentionally left blank.

Key to Field Conditions Codes for Data Matrix Tables

Field Code	Explanation
A	Pump is surging excessively; aerated
B	Blank sample was collected
C	Well is continuously pumping
D	Well is dry-no sample or field data collected
E	Equipment blank was collected
I	Well went dry during sampling; field data collected but insufficient water to collect all samples
L	Well went dry before sampling began; only depth to water can be determined
N	Well was not stabilized before sampling began
P	Inaccessibility or mechanical failure prevented sample collection and field analysis of the water
S	No water in standpipe; for water level events only
T	Samples were collected, but some samples were not sent to the laboratory due to high turbidity
W	Unable to sample well because of stabilization or sampling equipment failure; water-level measurements were obtained
X	Well went dry during purging; samples collected after well recovered measurements obtained
0	OK
1	Pump Dry
2	Sampled after recovery
3	Gallons purged through sample port
4	DI water obtained from 772-7B
5	High turbidity
6	Flow meter leaking
7	Pump failure
8	Flow meter not operating
9	# gallons added
10	Well is inaccessible, well cannot be Sampled
11	Well abandoned
12	No water to surface
13	Field measurements only
14	Not all samples were collected
15	Equipment failure
16	No water in standpipe
17	Bailed well
18	Water level tape not long enough
19	Well not sampled, maintenance required
20	Well sampled, maintenance required
21	Measurement Exceeded Criteria

This page was intentionally left blank.

GSA Eastern Groundwater OU 2020			Field Data										Metals		Radionuclides			VOC					
			SAMPLE COLLECTION DATE	WATER TEMPERATURE	PH	SPECIFIC CONDUCTANCE	TURBIDITY	DEPTH TO WATER	TOTAL ALKALINITY (AS CaCO3)	VOLUME PURGED	SAMPLING EVENT WATER ELEVATION	Constituent	FIELD CONDITIONS	CADMIUM	LEAD	GROSS ALPHA	NONVOLATILE BETA	TRITIUM	1,1,1-TRICHLOROETHANE	1,1-DICHLOROETHANE	CARBON TETRACHLORIDE	TRICHLOROETHYLENE (TCE)	
Station	Well Use	Aquifer Zone	day-month-year	degC	pH	uS/cm	NTU	ft	mg/L	gal	ft	GWPS	Unit	ug/L	ug/L	pCi/L	mg/L	pCi/mL	ug/L	ug/L	ug/L	ug/L	
CBS 1	Crouch Branch Seeline Piezometer Location	UAZ UTRAU	20-May-2020	NS	NS	NS	NS	7.42	NS	0	175.58		D	NS	NS	NS	NS	NS	NS	NS	NS	NS	
HHP 1D	HP52OU Monitoring Well	UAZ UTRAU	20-May-2020	21	5.1	44	2.6	6.4	0	3	270.9		No Comments	NS	NS	<EQL (2.452)	[2.24]	NS	2.14	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HHP 2D	HP52OU Monitoring Well	UAZ UTRAU	20-May-2020	19	4.7	102	8.7	7	0	3	273.2		No Comments	NS	NS	[1.64]	[3.91]	NS	2.1	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HR3 15DU	HRBOU Monitoring Well	UAZ UTRAU	20-May-2020	NS	NS	NS	NS	NS	NS	NS	NS		No Comments	NS	NS	NS	NS	NS	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HR3 16DU	HRBOU Monitoring Well	UAZ UTRAU	20-May-2020	23.5	5	83	4	12.1	0	7	250.04		No Comments	NS	NS	[1.17]	<EQL (1.996)	NS	3.89	NS	NS	NS	NS
HAA 5D	Monitoring Well	UAZ UTRAU	20-May-2020	19.7	4.3	238	5.3	10.57	0	8	247.1		No Comments	NS	NS	6.67	[3.89]	NS	4.53	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA 9AR	Monitoring Well	GAU	08-Jun-2020	21.8	4.8	102	1.1	21.64	0	5	279.83		No Comments	<EQL (5)	<EQL (10)	<EQL (2.548)	<EQL (2.264)	NS	1.81	1.88	3.68	<EQL (1)	<EQL (1)
HAA 9D	Monitoring Well	UAZ UTRAU	20-May-2020	21.7	8.8	188	14	109.96	103	10	173.62		No Comments	<EQL (5)	<EQL (10)	[2.606]	21.43	<EQL (0.705)	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HAA 11A	Monitoring Well	GAU	20-May-2020	22.1	5.2	45	0.2	17.5	6	7	266.76		No Comments	NS	NS	[2.43]	19.6	NS	NS	NS	NS	NS	NS
HAA 11D	Monitoring Well	UAZ UTRAU	20-May-2020	22.5	6.1	67	0.6	119.26	27	23	173.63		No Comments	<EQL (5)	[3.3]	<EQL (2.704)	[1.67]	<EQL (0.613)	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HAA 12A	Monitoring Well	GAU	20-May-2020	25.3	5.3	67	2.2	23.93	12	6	269.66		No Comments	<EQL (5)	<EQL (10)	<EQL (2.596)	<EQL (1.931)	NS	8.92	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA 12D	Monitoring Well	UAZ UTRAU	20-May-2020	NS	NS	NS	NS	NS	NS	NS	NS		No Comments	NS	NS	NS	NS	NS	8.154	NS	NS	NS	NS
HAA 13A	Monitoring Well	GAU	20-May-2020	24.5	12.4	6923	3.2	126.38	1387	23	175.02		No Comments	<EQL (5)	<EQL (10)	<EQL (57.7)	60.6	NS	14.2	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA 13D	Monitoring Well	UAZ UTRAU	20-May-2020	24.5	4.9	42	1	29.6	2	10	272.71		No Comments	<EQL (5)	<EQL (10)	[1.4]	<EQL (2.07)	NS	6.92	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA 14A	Monitoring Well	GAU	20-May-2020	21.6	12.1	5670	0.8	130.7	1671	2	175.43		No Comments	<EQL (5)	<EQL (10)	<EQL (34.2)	85	<EQL (0.594)	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HAA 14D	Monitoring Well	UAZ UTRAU	20-May-2020	26.3	7.3	53	14.7	33.24	5	8	273.02		No Comments	<EQL (5)	<EQL (10)	[1.09]	[0.964]	NS	7.61	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA 15A	Monitoring Well	GAU	20-May-2020	21.3	6.3	46	0.7	131.4	15	30	176.49		No Comments	<EQL (5)	<EQL (10)	<EQL (2.426)	[2.68]	<EQL (0.695)	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HAA 15D	Monitoring Well	UAZ UTRAU	20-May-2020	23.5	5.2	32	1.2	34.1	0	8	273.69		No Comments	<EQL (5)	[9.6]	[1.92]	<EQL (2.369)	NS	7.95	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HAA016D	Monitoring Well	UAZ UTRAU	20-May-2020	23.1	12.3	7545	0.4	134.1	1748	7	176.79		X, 2	<EQL (5)	54	[57.1]	75.1	NS	0.973	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HCB 2	Monitoring Well	UAZ UTRAU	20-May-2020	23.2	5.6	50	0.4	35.55	3	8	275.28		No Comments	<EQL (5)	[4.5]	<EQL (3.096)	<EQL (1.946)	NS	4.19	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HGW 2D	Monitoring Well	UAZ UTRAU	20-May-2020	17.1	5.2	18	1.8	14.8	0	7	216.47		No Comments	NS	NS	NS	NS	NS	4.26	NS	NS	NS	NS
HGW 3A	Monitoring Well	GAU	20-May-2020	20.5	4.8	92	1.3	7.7	0	47	274.3		No Comments	<EQL (5)	[7.4]	[2.53]	3.17	NS	1.8	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)
HGW 3D	Monitoring Well	UAZ UTRAU	20-May-2020	20.9	4.8	47	0.4	14.7	0	11	234.56		No Comments	<EQL (5)	14	[2.19]	[1.63]	NS	23.7	<EQL (1)	<EQL (1)	[1.84]	[3.76]
HR8 11	WPOU Monitoring Well	UAZ UTRAU	20-May-2020	21.8	6.2	74	0.4	128.7	25	25	171.82		No Comments	<EQL (5)	<EQL (10)	<EQL (2.366)	<EQL (1.705)	<EQL (0.608)	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)	
HSL 3D	WPOU Monitoring Well	UAZ UTRAU	20-May-2020	22.4	5	38	0.4	49.7	0	19	249.56		No Comments	<EQL (5)	150	<EQL (2.688)	<EQL (2.011)	NS	12.1	<EQL (1)	<EQL (1)	<EQL (1)	[3.35]
HSL004DR	WPOU Monitoring Well	UAZ UTRAU	20-May-2020	22	4	36	1.1	12.63	0	52	246.67		No Comments	NS	NS	3.79	[1.99]	NS	3.77	<EQL (1)	<EQL (1)	<EQL (1)	<EQL (1)

Explanation

- [##] EPA Functional Guideline Code of 'J' was applied to the result, indicating an estimated quantity.
- <EQL(##) Constituent was below detection. The sample-specific Estimated Quantitation Limit is in parentheses.
- REJ Result Rejected.
- Result is less than the applicable limit and without EPA Functional Guideline qualifiers.
- NS Requested to be sampled but was not. See comments as to why not.
- Blue Text Not a required sample analysis.

This page was intentionally left blank.

APPENDIX C


Gordon Aquifer Well(s) Replacement Evaluation

This page was intentionally left blank.

SRNS-E1500-2021-00001

June 9, 2021

To: J.J. Thibault, 730-4B
K.D. Boerstler, 730-4B

From: M.B. Amidon, 730-4B 

Cc: J. Ross, 730-4B
S.D. Miller, 730-4B

RE: Gordon Aquifer Well Replacement Evaluation at the GSA Eastern Groundwater Operable Unit (U)

An evaluation was conducted to determine suitable option(s) for replacing groundwater monitoring wells HAA 12A and 13A, which are screened in the Gordon Aquifer Unit (GAU) and located in H Area as part of the General Separations Area (GSA) Eastern Groundwater Operable Unit.

A tritium plume has been observed in the vicinity of these wells within the Upper Aquifer Zone (UAZ) with concentrations slightly above the maximum contaminant level (MCL) (20 pCi/mL) (Figure 1) (WSRC 2020). Previous sampling events have observed tritium concentrations above the MCL at HAA 12D (UAZ). However, concentrations in the UAZ have been declining and are now less than the MCL. In the Lower Aquifer Zone (LAZ), tritium is currently above the MCL at HAA 12C. In the GAU, tritium is detected at well HAA 12A. The observed concentrations overall tend to be stable fluctuating around 10 pCi/mL. However, there have been instances in the GAU where tritium concentrations have been observed slightly above the MCL. It is surmised that the presence of elevated levels of tritium at HAA 12A may be due to downward leakage along the well bore from the overlying UAZ or LAZ. In comparison, nearby GAU wells HAA 4A and 13A have observed tritium concentrations an order of magnitude less and in many cases, below detection. Figure 2 depicts tritium time-trends for well clusters HAA 4, 12, and 13.

Previous Core Team meetings discussed ongoing issues related to high pH in groundwater associated with wells HAA 12A and 13A that was most likely due to the presence of grout material in the well filter pack. Samples obtained from these wells are not representative of groundwater conditions. As a result, these wells were abandoned in late-2020. Follow-on discussions led to the possibility of replacing these wells. Two questions were proposed: 1) If either or both wells were replaced, where would a suitable location(s) be proposed? and 2) do the wells need to be replaced?

Question 1: If either or both wells were replaced, where would a suitable location(s) be proposed?

Wells HAA 12A and 13A were installed as part of a line of well clusters centrally located within H Area that included well clusters HAA 9 through 15 (Figure 3). The location of these well clusters, along with others in the area, provides for long-term groundwater monitoring of nearby operational facilities in H Area and of known spills and releases that have occurred in the past.

Groundwater flow in the UAZ, LAZ, and GAU in the vicinity of abandoned wells HAA 12A and 13A is generally in a northwesterly direction towards Upper Three Runs Creek. Figures 4, 5, and 6 depict the potentiometric surfaces for the UAZ, LAZ, and GAU, respectively.

Well clusters HAA 12 and 13 are currently located along a main entrance road on one side and a densely populated parking lot for employees working in H Area on the other. Also, co-located is an overhead powerline that feeds power to facilities in and around H Area along with many underground interferences present throughout the area.

Replacing the wells at or near the existing well clusters would not be feasible due to the following, but not limited to, conditions:

- High volume of traffic on main one-way entrance road.

Installation of the replacement well(s) would require closure of the road. Currently there is no secondary entrance/access to H Area and the parking lot without significant rerouting of traffic and establishment of a temporary traffic plan. Additionally, emergency vehicles would not be able to, within a reasonable amount of time, respond to an emergency. Therefore, relocating replacement well(s) near the existing well clusters is not feasible.

- Overhead Power Lines

The presence of overhead power lines at the well clusters precludes setting up a drill rig safely beyond the limits established in the hazardous energy control and process control procedures (Manual 8Q) and conduct of operations (Manual 2S). Additionally, locking out power that is supplied by these lines to operating facilities is not desirable and would require more logistics and effort than installing the wells. Other suitable locations should be explored before considering drilling under these power lines.

- Parking Lot

Installing the replacement well(s) in the heavy trafficked parking lot could be feasible. However, there would be concerns with accessibility and safety. During installation many lots would need to be blocked off as well as better containment of drilling fluids to maintain proper housekeeping. Upon completion of well installation(s), the wells could be 1) flush mounted or 2) standard completions above ground.

Flush Mounted Wells - Flush mounted wells have issues and maintenance items that need to be diligently addressed. Typically, over time with each subsequent sampling event, small rocks and sand accumulate around the O-ring gasket and lid causing containment failure and thus allowing rainwater to fill the manhole. If the seal is not maintained regularly, protection of the groundwater will be of concern. As the manhole fills and because the top of casing is slightly below the manhole cover, water could enter the well once the manhole fills and if the well is not plugged properly. Most wells at SRS utilize a pump to extract groundwater and therefore the top of the well is normally not sealed to prevent water that would accumulate in the manhole from entering the well. In addition to maintaining the O-ring gasket, the bolt holes used to seal the lid would need to also

utilize a rubber washer that seals the bolt hole to prevent rainwater or standing water from entering the manhole.

A flush mounted well(s) is typically completed slightly elevated from the surrounding area to prevent the area being a sink or low point where ponding water could accumulate and enter the manhole. However, experience has shown that by elevating the flush mounted wells, the concrete does not holdup, especially in heavily trafficked area. Over time, failure of the concrete and development of fractures in the concrete will result in the infiltration of water into the manhole.

A major concern would be from the abundance of residue on the parking lot from exhaust soot, oil, hydraulic fluid, etc that accumulates over time from vehicles. When it rains, this material becomes easily mobilized and could enter the manhole by any of the beforementioned pathways. This could cause issues with impact to groundwater and long-term monitoring resulting in issues for the site.

Flush mounting the well(s) would allow for maximum use of the parking spaces and reduce impact to the operating facilities. However, because of the potential for impact to groundwater, accessibility, and safety, installing flush mounted well(s) in the parking lot should not be considered. Additionally, regulatorily, locating the replacement well(s) in the parking lot may not be viewed as a favorable condition for well placement.

Standard Well Completion - Another option would be to complete the wells as standard above-ground completions with protective casing and bollards. This option may be more attractive as the well(s) is no longer below-grade as with flush mounted wells, and the issue with rainwater infiltration with roadway contaminants no longer becomes an issue. However, safety and protection of the well(s) becomes a concern with standard completion. Even with bollards and a protective casing, damage to the well is still likely to occur when struck by a vehicle, which is likely in this high-traffic area. If damage is severe enough, well integrity could be compromised and, if not repairable, the well would need to be abandoned and replaced.

To minimize as much as possible the potential for vehicular impact, parking spaces to either side of the well could be used as a buffer where no vehicle may use those spaces for parking. Additionally, concrete jersey barriers could be used as another layer of protection around the well. This would maximize protection of the wellhead and allow safe access for the samplers. This approach would occupy a minimum of 3 spaces per well thereby reducing the number of available parking spaces by 6 within a densely used parking lot.

Standard completion of the well(s) in the parking lot would reduce the number of available parking spaces and would have some impact on facility operations. Logistics and facility acceptance with this type of installation will be difficult to implement. However, this approach would afford maximum well protection while providing long-term monitoring stations.

Within Facility Area(s)

To maintain a reasonable proximity to the abandoned well(s) and provide long-term monitoring near facilities, a possible location(s) could be to the south on the other side of the main entrance

road inside H Area or to the north-northwest within the Tritium facility area. Figure 7 depicts these areas as outlined in red dashed areas.

Issues with either location would primarily deal with overhead and underground interferences as well as security concerns with placement of infrastructure close to security fencing. Additionally, within the Tritium facility area, high level security clearance and/or constant escort would be required. Egress in and out of the facility area would add significant time and cost to the project due to delays in obtaining potable water to support drilling and managing investigative derived waste.

Siting a replacement well(s) in either area could be done but would be extremely problematic and should be vetted thoroughly before proposing a replacement well(s) in either area.

Other possible location(s) for well replacement where logistics, as noted earlier, would be significantly less would entail relocating the well(s) further away to the other side of the Tritium Facility Area. Figure 8 depicts possible well replacement location(s) to the northwest of the current location(s) along groundwater flow in the GAU. The distance from the existing well location(s) is expected to be approximately 1,500 ft to 1,800 ft northwest of the current location. However, the problem with relocating the well(s) this far away, is the well(s) no longer provides monitoring near and within the facility operating areas. Any impact to groundwater that may occur and migrates vertically will take time to reach these wells before being detected.

This option may not be best suited for replacement of the well(s) due to the distance from existing GAU wells in the monitoring program.

Question 2: Do the wells need to be replaced?

Siting a replacement well(s) near the current abandoned well locations would be somewhat problematic. The location of the well(s) is within an industrialized area. Siting a replacement wells(s) would encounter one or more of the following conditions such as under- and above-ground interferences, relation to operating facilities, vehicle and personnel access areas, and elevated security areas. One or more of these conditions would require altering the proposed replacement well location, thereby possibly moving the proposed replacement well farther from the original abandoned wells. This would make it less desirable for meeting the intent of the monitoring program. Another alternative would be siting the replacement well(s) beyond the operating area, farther from the original abandoned well locations. This alternative would also make it less desirable for meeting the intent of the monitoring program.

Another option would be to review other existing groundwater wells in the area to determine suitability for groundwater monitoring in lieu of replacing the abandoned wells. A review of existing wells, not part of the GSA Eastern Groundwater Operable Unit, identifies a nearby GAU well (HAA 4A) (Figure 3). Currently, this well cluster is being sampled but is not included as part of the GSA Eastern Groundwater Operable Unit monitoring program. The location of the well is hydrologically upgradient of the abandoned wells and within the industrial area. The HAA 4A well splits the difference between HAA 12A and 13A wells with an approximate distance from each well of 286 ft and 212 ft, respectively (Figure 9). The HAA 4A well is also located at the approximate mid-point between existing wells HAA 11A and HAA 14A which are part of the GSA Eastern Groundwater Operable Unit monitoring program. Figures

10 and 11 depict the vertical relation of the HAA 4A, 12A, and 13A wells. Stratigraphically, the HAA 4A well is located within the same aquifer and horizon as the HAA 11A, 12A, 13A, and 14A wells. HAA 4A is at an excellent strategic location for providing long-term monitoring.

Siting a replacement well(s) in H Area may not be warranted, considering that just upgradient there is an existing GAU monitoring well at the HAA 4 well cluster (Figures 3, 7, and 9). This well, HAA 4A, would be best suited as a surrogate for wells HAA 12A and 13A. This would negate the need for installing a replacement well(s). The location of the GAU well, HAA 4A, is suitable for long-term monitoring due to location within the facility area and proximity to operational facilities and known areas of spills and releases. HAA 4A is down gradient of a large portion of the H-Area Tank Farm facilities and associated process sewer lines. HAA 4A is a two-inch diameter PVC cased well installed in 1994. Past sample data indicates HAA 4A produces samples representative of GAU water quality (i.e., pH, specific conductance, alkalinity, and major cations/anions are at normal levels for the GAU). The well was last sampled in 2010 and would be inspected and redeveloped prior to collecting future samples. Currently, this well is not included as part of the GSAEGWOU monitoring plan but could easily be added to the program. (WSRC 2020).

Recommendation

Based on the evaluation as described previously, the recommended option is to utilize existing GAU well, HAA 4A, in lieu of replacing wells HAA 12A and 13A.

References:

WSRC, 2020. *Scoping Summary for the General Separations Area Eastern Groundwater Operable Unit (U)*. WSRC-RP-2000-4134. Washington Savannah River Company, Savannah River Site, Aiken, SC




Figure 1: Observed Tritium Plume in the UAZ, H Area (WSRC 2020)



Figure 2: Tritium Time-Trend Graphs for HAA 4, 12, and 13 Well Clusters




Figure 3: Location of Wells within the GAU




Figure 4: Potentiometric Surface, UAZ, 2020




Figure 5: Potentiometric Surface, LAZ, 2020




Figure 6: Potentiometric Surface, GAU, 2020



Figure 7: Aerial Photo of Parking Lot and Surrounding Area, H Area




Figure 8: Possible Locations of GAU Replacement Wells




Figure 9: Relative Distance of Well HAA 4A from Abandoned Wells HAA 12A and 13A




Figure 11: Cross Section A-A' Depicting Elevation of GAU Wells