

ENVIRONMENTAL COMPLIANCE & AREA COMPLETION PROJECTS (EC&ACP) STANDARD OPERATING PROCEDURES, VOL. I

Manual: C3
Procedure: ER-IDS-019-072
Revision: 3
Effective Date: 11/15/2017
Type-Class: Checklist
Page: 1 of 3

EARLY ACTION D-AREA OPERABLE UNIT (EADAOU) FIELD INSPECTION CHECKLIST

WORKING COPY

This document is a Working Copy. Prior to start of work, verify this is the latest revision per the Procedure Index.

Charles P. Carter

Verified By

06/14/2022

Date

CAUTION

The Inspector shall IMMEDIATELY notify the Post-Closure Manager and Environmental Compliance Authority if there has been a breach or compromise of the institutional controls of this waste unit. This notification shall be in accordance with Savannah River Site post closure inspection procedures.

NOTE

1. Manual C3, ER-SOP-019, Waste Unit Inspection and Maintenance, shall be referred to for inspection details.
2. Steps in this checklist may be completed concurrently or in any order.

SCHEDULED

UNSCHEDULED

A = Satisfactory	X = Unsatisfactory (Explanation required)	A or X	Observation/Corrective Action Taken
1.	Verify roads are accessible.	A	
2.	Verify waste units warning signs (8) are in acceptable condition, have correct information, and are legible from a distance of 25 feet.	A	

Early Action D-Area Operable Unit (EADAOU) Field Inspection Checklist

Manual: C3
 Procedure: ER-IDS-019-072
 Revision: 3
 Page: 2 of 3

SCHEDULED

UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
3.	Verify there are no unauthorized excavation, digging, or construction activities within land use control boundaries.	A	
4.	Other	NO FURTHER ENTRIES	

CPG-06/14/2022


Inspected By

Charles P. Carter	<i>Charles P. Carter</i>	06/14/2022
Print Name	Signature	Date

Reviewed By Post Closure Manager

Brian Hanshew	<i>BH</i>	6-28-2022
Print Name	Signature	Date

Map of Early Action D-Area Operable Unit (EADAOU)



NOTES:

NO ENTRIES THIS PAGE