OPERATION AND MAINTENANCE
ACTIVITY PLAN

Grout Manhole SA-26 Outside Section 9 of 221-F

Prepared by: _____ 1/26/2021
H.N. Gotsch, F-Area Operation ECA — Date

Approved by: _____ 1/26/21
C.J. Ward, Operational Compliance Manager — Date

Approved by: _____ 1/20/21
W.S. Gilland, F-Area Deactivation Support — Date

Approved by: _____ 1/21/21
T. J. F-Area Radiological Protection Manager — Date

1. INTRODUCTION

This Operation and Maintenance (O&M) Plan is being written to support work activities planned to grout manhole No. SA-26 outside of Section 9 of 221-F as shown in Figure 1 with the Site Evaluation Areas identified in red (Reference 1) and in Figure 2 SA-26 is highlighted in magenta. This O&M Plan is characterized as minor, nonintrusive work because there's no excavation activities of the RCRA/CERCLA area(s).

Figure 1





Figure 2



2. AREA DESCRIPTION AND CONDITIONS

Site Evaluation Areas exist within 200 feet of this work location and include the following contaminants:

1. Waste Unit ID 343, Sandblast Area CMF-001
   Location: East of 221-F (A-line & 211-F)
   Contaminants: Lead and chromium

2. Waste Unit ID 394, Spill on 2/25/85 of 20,000CM of Water Vapor-Rad
   Location: 221-F

3. Waste Unit ID 563, F-Area Process Sewer Lines as Abandoned.
   Location: F-Area
   Contaminants: Unknown alpha, beta, gamma, and metals

4. Waste Unit ID 575, General Separations Area Western Groundwater Operable Unit
   Location: F-Area

5. SPF-006, 292-1F Vessel Vent Fan work, 11/1/57
   Location: 800 sq feet around 292-1F, North and East of 221-F and North of 292-F
   Contaminants: Unknown beta-gamma

6. SPF-010, Spill on 1/1/58 of Unknown Quantity of High-Level Waste
   Location: 221-F Section 9 Head Tower
   Contaminants: Sr-90, Cs-137

A site evaluation has not been performed and impacts to the IOU have not been determined.

3. O & M ACTIVITY

A. O&M Activity Description

The O&M activity involves grouting a manhole, SA-26, in the outside facilities near Section 9 of 221-F. There is no plan to remove any soil or excavate the site.

B. O&M Activity Sampling and Monitoring for Health and Safety

The work area will be barricaded with rope or rigid handrail to ensure that access is controlled. This is due to personnel safety around the work area.

Worker health and safety will be directed and controlled as required in the work package and the Assisted Hazard Analysis (AHA).

RPD will monitor the activities for radioactive contamination per their standard procedures. If radiological contamination is encountered RPD will determine if protective equipment and personnel access restrictions are required.

C. Health and Safety Plan

The health and safety concerns involve worker exposure to contaminants of interest listed in Section 2 above.

The Work Order and/or AHA for these activities will contain instructions to comply with this plan.

The safety requirements and personal protective equipment described in these documents is appropriate for the potential hazards of the waste units.

D. Characterization and Sampling Plan for the Affected Area within the Unit

There will be no Soil Sampling Plan since no soil is planned to be removed from this area in order to grout.

Additional work scope may be necessary and will be addressed per guidance from the Facility Manager (FM) or designee, RPD and the SRS SRNS-OSC (On-Scene Coordinator) should radioactive contamination outside the identified area be found present.

E. Contaminated Materials Management and/or Disposal

There is no disposal of the waste materials going to be generated during this activity. Other clean waste originating from this job will be managed as appropriate and specified by RCO or handled in accordance with existing F-Area procedures.

If radioactive contamination is found, the ECA and/or GCO will be contacted before any rad waste is placed into a container for disposal. Any other job control waste will be disposed of as "Low Level Radioactive Waste" under current F-Area Waste Management procedures if deemed appropriate by the SRNS-OSC.

F. Environmental Plans and Permit Modification Requests:

No permit modifications are required as a result of this activity.

4. CONTINGENCY PLAN

If at any time during the implementation of the activity, the conditions change such that the activity is no longer considered "minor" (as defined in Reference 1) or any other unanticipated event occurs, the Project Manager or Environmental Compliance Authority shall:

- Immediately notify the SRNS-OSC. The SRNS-OSC will notify the DOE-OSC
- Contain and stabilize the area, investigate as necessary to determine the necessary change in the activity plan, secure the area, and stop work.
- Update the SRNS-OSC as to the findings and the requested path forward. The SRNS-OSC will communicate the information to the DOE-OSC and obtain concurrence on the path forward

5. DOCUMENTATION & REPORTING

The Project Manager will transmit the following documentation to the SRNS-OSC by the 31st day of the month the activity was completed:

- the signed O&M plan
- Any sampling and characterization data collected,
- Quantity of contaminated materials generated, and
- Treatment, storage, and disposal location of contaminated material

6. References

1. WSRC-RP-96-45, Savannah River Site Plan for Performing Maintenance in Federal Facility Agreement Area (O&M) Plan (U), December 15, 1996