

**ENVIRONMENTAL COMPLIANCE & AREA COMPLETION PROJECTS (EC&ACP) STANDARD
OPERATING PROCEDURES, VOL. I**
Manual: C3
Procedure: ER-IDS-019-004
Revision: 8
Effective Date: 09/02/2021
Type-Class: Checklist
Page: 1 of 3
K-AREA BINGHAM PUMP OUTAGE PIT (BLDG. 643-1G) FIELD INSPECTION CHECKLIST
WORKING COPY

This document is a Working Copy. Prior to start of work, verify this is the latest revision per the Procedure Index.

Dylan Price Verified By 12-6-24 Date

CAUTION

The Inspector will IMMEDIATELY notify the Post-Closure Manager and Environmental Compliance Authority if there has been a breach or compromise of the institutional controls of this waste unit. This notification will be in accordance with Savannah River Site post-closure inspection procedures.

NOTE

1. Manual C3, Volume 1, Procedure ER-SOP-019, Waste Unit and IOU Inspection and Maintenance, will be used as a reference for inspection details.
2. Monitoring wells associated with this waste unit are maintained in accordance with EC&ACP monitoring well procedures.
3. Steps in this checklist may be completed concurrently or in any order.

 SCHEDULED

 UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
1.	VERIFY roads to waste unit are accessible.	A	
2.	VERIFY waste unit signs (5) are in acceptable condition, have correct information, and are legible from a distance of 25 feet.	A	
3.	VERIFY there is no excavating, digging, or construction activity on soil cover.	A	

K-Area Bingham Pump Outage Pit (Bldg. 643-1G) Field Inspection Checklist

Manual: C3
 Procedure: ER-IDS-019-004
 Revision: 8
 Page: 2 of 3

 SCHEDULED

 UNSCHEDULED

A = Satisfactory	A or X	Observation/Corrective Action Taken
X = Unsatisfactory (Explanation required)		
4. VERIFY no woody vegetation is growing on soil cover, AND REMOVE OR IDENTIFY as needed.	A	
5. VISUALLY CHECK vegetative cover for grass density with no bare spots more than 3 feet by 3 feet in area. (The height of vegetative cover should not impair visual inspection of soil cover. This will be determined by Inspector.)	A	
6. CHECK soil cover for signs of erosion or depressions (subsidence).	A	
7. CHECK for evidence of burrowing animals.	A	
8. VISUALLY INSPECT concrete markers (benchmarks) to ensure they are not damaged.	A	
9. Other	A	

Inspected By

Dylan Price (Print Name)	Dylan Price (Signature)	12-6-24 (Date)
-----------------------------	----------------------------	-------------------


Reviewed by Post-Closure Manager

BRIAN HANSHAW (Print Name)	[Signature] (Signature)	12-10-24 (Date)
-------------------------------	----------------------------	--------------------

**K-Area Bingham Pump Outage Pit (Bldg. 643-1G) Field
Inspection Checklist**

Manual: C3
Procedure: ER-IDS-019-004
Revision: 8
Page: 3 of 3

Map of K-Area Bingham Pump Outage Pit (Bldg. 643-1G)



NOTES: *None*