



Department of Energy
Savannah River Operations Office
P O Box A
Aiken, South Carolina 29802

NOV 10 2022

Ms. Susan B. Fulmer, P.G., Manager
Federal Remediation Section
Division of Site Assessment, Remediation and Revitalization
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Mr. Jon Richards
Savannah River Site Remedial Project Manager
Superfund Division
U. S. Environmental Protection Agency, Region 4
61 Forsyth Street, SW
Atlanta, Georgia 30303

Dear Ms. Fulmer and Mr. Richards:

SUBJECT: Clean Copies of the Remedial Action Implementation Plan for the Lower Three Runs Integrator Operable Unit Upper Subunit (U) (SRNS-RP-2022-00011, Revision 1, August 2022), Land Use Control Implementation Plan (LUCIP) for the Lower Three Runs Integrator Operable Unit (Upper Subunit) (U) (SRNS-RP-2022-00017, Revision 1, August 2022), and Monitored Natural Recovery Effectiveness Plan for the Lower Three Runs Integrator Operable Unit – Upper Subunit (U) (SRNS-RP-2022-00085, Revision 1, August 2022), SEMS Number: 35

In accordance with the terms of the Federal Facility Agreement, the U. S. Department of Energy is submitting the subject documents for the Lower Three Runs Integrator Operable Unit for your files. The South Carolina Department of Health and Environmental Control (SCDHEC) and the U. S. Environmental Protection Agency (EPA) approved the Redline Revision 1 documents on September 22, 2022, and October 4, 2022, respectively. The effort and time that the EPA and SCDHEC have given on the subject operable unit are greatly appreciated.

Questions from you or your staff may be directed to me at (803) 952-8365.

Sincerely,

Brian T. Hennessey Digitally signed by Brian T. Hennessey
Date: 2022.11.09 12:48:11 -05'00'

Brian T. Hennessey
SRS Remedial Project Manager
Infrastructure and Area Completion Division

NOV 10 2022

Ms. Susan Fulmer
Mr. Jon Richards

2

Enclosures:

1. Remedial Action Implementation Plan for the Lower Three Runs Integrator Operable Unit Upper Subunit (U) (SRNS-RP-2022-00011, Revision 1, August 2022) (Clean Copy) SEMS Number: 35
2. Land Use Control Implementation Plan (LUCIP) for the Lower Three Runs Integrator Operable Unit (Upper Subunit) (U) (SRNS-RP-2022-00017, Revision 1, August 2022) (Clean Copy) SEMS Number: 35
3. Monitored Natural Recovery Effectiveness Plan for the Lower Three Runs Integrator Operable Unit – Upper Subunit (U) (SRNS-RP-2022-00085, Revision 1, August 2022) (Clean Copy) SEMS Number: 35

cc w/o encl:

J. Blalock, SCDHEC-Columbia
S. French, SCDHEC-Columbia
M. Reece, SCDHEC-Columbia
G. K. Taylor, SCDHEC-Columbia
G. Stewart, SCDHEC-Columbia
T. R. Fuss, SCDHEC-Aiken Environmental Affairs Office
G. O'Quinn, SCDHEC-Aiken Environmental Affairs Office
B. A. Cameron, SCDHEC-Aiken Environmental Affairs Office
K. L. Beatty, SCDHEC-Aiken Environmental Affairs Office
H. L. Herlong, SCDHEC-Aiken Environmental Affairs Office

cc w/encl:

R. H. Pope, EPA-Atlanta
M. McRae, TechLaw, Inc.