

**ENVIRONMENTAL COMPLIANCE & AREA COMPLETION PROJECTS (EC&ACP) STANDARD  
OPERATING PROCEDURES, VOL. I**
**M-AREA HAZARDOUS WASTE MANAGEMENT FACILITY (BLDG. 904-51G) FIELD INSPECTION  
CHECKLIST**
**Manual: C3**  
**Procedure: ER-IDS-019-022**  
**Revision: 3**  
**Effective Date: 06/01/2016**  
**Type-Class: Form**  
**Page: 1 of 5**
**WORKING COPY**

This document is a Working Copy. Prior to start of work, verify this is the latest revision per the Procedure Index.



Verified By

02/26/2020

Date

**CAUTION**

The Inspector shall IMMEDIATELY notify the Post-Closure Manager and Environmental Compliance Authority if there has been a breach or compromise of the institutional controls of this waste unit. This notification shall be in accordance with Savannah River Site post-closure inspection procedures.

**NOTE**

1. Manual C3, ER-SOP-019, *Waste Unit Inspection and Maintenance*, shall be referred to for inspection details.
2. Monitoring wells associated with this waste unit are maintained in accordance with EC&ACP monitoring well procedures.
3. Steps in this checklist may be completed concurrently or in any order.
4. Unsatisfactory conditions found during the inspection may be listed on the detailed map of the inspected area.

 **SCHEDULED**
 **UNSCHEDULED**

A = Satisfactory		A or X	Observation/Corrective Action Taken
X = Unsatisfactory (Explanation required)			
1.	Verify roads to waste unit are accessible.	A	
2.	Verify fence, posts, and gates that surround M-Area Settling Basin are intact, in good condition, and unattended gates are locked.	A	

**M-Area Hazardous Waste Management Facility (Bldg. 904-51G) Field Inspection Checklist**

Manual: C3  
 Procedure: ER-IDS-019-022  
 Revision: 3  
 Page: 2 of 5

SCHEDULED                       UNSCHEDULED

<b>A = Satisfactory</b> <b>X = Unsatisfactory (Explanation required)</b>		A or X	Observation/Corrective Action Taken
3.	Verify M-Area Settling Basin signs (10) and postings are in acceptable condition, have correct information, and are legible from a distance of 25 feet.	A	
4.	Check integrity of drainage ditches, drain pipes and general area (including the drainage ditch to Lost Lake) for presence excessive erosion, sediment buildups any debris restricting water flow.	A	
5.	Check the soil cover for signs of erosion, abnormal soil cracks, depressions (subsidence) or physical impacts.	A	
6.	Visually check vegetative cover of M-Area Settling Basin for grass density, with no bare spots more than 3 feet by 3 feet in area and large weeds or woody vegetation on capped area. (The height of the vegetative cover should not impair the visual inspection of the soil cover. This will be determined by the Inspector.)	A	
7.	Check for excessive vegetation growing over fences, which may obstruct warning signs or visibility of inspected area.	A	
8.	Check M-Settling Basin cover for signs of burrowing animals.	A	
9.	Check side slopes for slumping and any observable signs of subsidence/depressions.	A	
10.	Inspect ditches for standing water, excessive vegetation and debris.	A	
11.	Verify annual Topographic/Subsidence Survey has been done for current calendar year.	A	COMPLETED ON 05/02/2019
12.	Verify copies of survey results are in EC&ACP Document Control Center.	A	

M-Area Hazardous Waste Management Facility (Bldg. 904-51G) Field Inspection Checklist

Manual: C3  
 Procedure: ER-IDS-019-022  
 Revision: 3  
 Page: 3 of 5

SCHEDULED

UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
13.	Check around Lost Lake for evidence of any unauthorized activity in immediate area.	A	
14.	Ensure benchmark is visible and not damaged.	A	
15.	Other	NO FURTHER ENTRIES	

CPC 02/26/2020

Inspected By		
Charles P. Carter <i>(Print Name)</i>	<i>Charles P. Carter</i> <i>(Signature)</i>	02/26/2020 <i>(Date)</i>


Review By Post-Closure Manager		
George W. Joyner <i>(Print Name)</i>	<i>George W. Joyner</i> <i>(Signature)</i>	2/27/2020 <i>(Date)</i>

**M-Area Hazardous Waste Management Facility (Bldg. 904-51G) Field Inspection Checklist**

Manual: C3  
Procedure: ER-IDS-019-022  
Revision: 3  
Page: 4 of 5

**Map of M-Area Hazardous Waste Management Facility 904-51G**


Coordinates - N5-W7



• | Waste Unit Signs  
X Access Gate

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
**NO ENTRIES THIS PAGE**  
\_\_\_\_\_  
\_\_\_\_\_

Map of M-Area Hazardous Waste Management Facility (Lost Lake)



NOTES:

~~NO ENTRIES THIS PAGE~~

Interactive Help is also available by placing your cursor over any [Blue-Underline Text](#) and clicking your mouse button.

<a href="#">Instructions</a> <a href="#">FAQ</a>	<h1 style="text-align: center;">Request for Information Review and Release</h1>				Proc. Ref. <a href="#">1B, 1.05</a> <a href="#">1B, 3.11</a> <a href="#">1B, 3.25</a>
<b><a href="#">Document Number (R)</a></b> SRNS-J2000-2020-00154	<b><a href="#">Rev</a></b> 0	<b><a href="#">Doc. Date (R)</a></b> 03/02/2020	<b><a href="#">Requested Approval (R)</a></b> 03/09/2020	<b><a href="#">Speed Chart Number (R)</a></b> 07YXBPMDOC	
<b><a href="#">Title (R)</a></b> VARIOUS FIELD INSPECTION CHECKLIST TO BE ENTERED INTO ARF (ADMINISTRATIVE RECORDS FILE)					
<b>Change Author User ID</b>	<b>Primary Author/Contact</b> Dexter Mcdaniel	<b>Location</b> 730-4B Rm 135	<b>Phone Number</b> (803) 952-7401	<b>Organization Code</b> F4113	<b>Organization</b> Archival & Acp Records Process
<b>Additional Authors</b>		<b>Additional Authors' User IDs</b>		<b>Additional Authors' Names:</b>	
<b><a href="#">Invention Disclosure /Patent/Copyright Information</a></b>					
<b>Has an invention disclosure , patent application , or copyright application been submitted related to this information ? (R)</b>		<input type="radio"/> Yes <input checked="" type="radio"/> No			
<b>Do you intend to submit one ? (R)</b>		<input type="radio"/> Yes <input checked="" type="radio"/> No			
<b>Is this <a href="#">Scientific and Technical Information</a> ? (R) (abstracts and slides are not STI) <input type="radio"/> Yes <input checked="" type="radio"/> No</b> <input checked="" type="checkbox"/> - <b>Administrative/Financial/Management/Environmental Report</b> (Non - Scientific and Technical Information Reports only) <a href="#">Examples</a> <input type="checkbox"/> - <b>Engineering Drawing/Engineering Calculations</b> <input type="checkbox"/> - <b>Slide Presentation</b> (includes STI Slide Presentations) / <b>Marketing/Public Relations Materials</b> <a href="#">Examples</a> <input type="checkbox"/> - <b>Multimedia/Video</b> <a href="#">Examples</a> <input type="checkbox"/> - <b>Procedure/User Guide</b> <input type="checkbox"/> - <b>Abstract</b> <a href="#">Examples</a> <input type="checkbox"/> - <b>Web Site/Page</b> (External Only) <b>URL</b>					
<b><a href="#">Who is this information being released to and for what purpose? (R)</a></b> THIS INFORMATION WILL BE INCLUDED IN THE ADMINISTRATIVE RECORD			<b><a href="#">Is release of information to a Foreign National planned? (R)</a></b> <input type="radio"/> Yes <input checked="" type="radio"/> No		

FILE FOR PUBLIC VIEWING.

[Document to be Reviewed](#)

Add Document (PDF ONLY)

View Document

(name the file the document number)  
Viewable by Submitter , Author & Approvers Only)

[Other Attachments](#)

*No Attachment*

[Click to add comments for the reviewers](#)

**Approval Section** \*NA indicates that the approval is not applicable to this request

Approver Title	Approver	Approver Title	Approver
Classification	Daniel Campbell	SRNS-PAD	NA
Export Control	Daniel Campbell	SRR-PAD	NA
OPSEC	Daniel Campbell	STI Reviewer	NA
Web External	NA	DOE-OEA	NA
SRNL-PAD	NA	DOE-TIO	NA

**Comments**

Submitted	Submitted By	Comment

**Submitter Name**

\_\_\_\_\_

Submitter's User ID	Submitter	Location	Phone No.	Org Code	Organization
J0938	Dexter Mcdaniel	730-4B Rm 135	(803) 952-7401	F4113	Archival & Acp Records Process

Admin Only ==>

Review Document	<a href="#">List of Attachment Types</a>
-----------------	--

Request for Information Review and Release: Approved on 03/03/2020				
Approvers	Assigned	Received	Status Changed	Status
Daniel Campbell	03/02/2020 12:10:33 PM	03/02/2020 04:00:02 PM	03/03/2020 08:59:54 AM	Approved