



**Department of Energy**  
 Savannah River Operations Office  
 P.O. Box A  
 Aiken, South Carolina 29802

OCT 26 2021

Ms. Susan B. Fulmer, P.G., Manager  
 Federal Remediation Section  
 Division of Site Assessment, Remediation and Revitalization  
 Bureau of Land and Waste Management  
 South Carolina Department of Health and Environmental Control  
 2600 Bull Street  
 Columbia, South Carolina 29201

Mr. Jon Richards  
 Savannah River Site Remedial Project Manager  
 Superfund Division  
 U. S. Environmental Protection Agency, Region 4  
 61 Forsyth Street, SW  
 Atlanta, Georgia 30303

Dear Ms. Fulmer and Mr. Richards:

**SUBJECT:** U. S. Department of Energy-Signed Record of Decision Remedial Alternative Selection for the Lower Three Runs Integrator Operable Unit (U) (SRNS-RP-2020-00542, Revision 1, August 2021) SEMS Number: 35

In accordance with the terms of the Federal Facility Agreement, the U.S. Department of Energy (DOE) is submitting the subject document for your signature. The South Carolina Department of Health and Environmental Control (SCDHEC) and U. S. Environmental Protection Agency (EPA) approved the Redline Revision 1 Record of Decision (ROD) in letters dated September 14, 2021 and September 20, 2021, respectively. The document has been signed by DOE and is being provided to SCDHEC for signature. Once the SCDHEC has signed the ROD, please forward it to the EPA for signature. Once all required signatures are completed, please return the three Party signed ROD to the Savannah River Site (SRS) for issuance to the public and distribution to the EPA, SCDHEC, and SRS personnel. The effort and time that the SCDHEC and EPA have given on the subject operable unit are greatly appreciated.

Questions from you or your staff may be directed to me at (803) 952-8365.

Sincerely,

**Brian T. Hennessey**

Digitally signed by Brian T.  
 Hennessey  
 Date: 2021.10.21 10:36:08 -04'00'

Brian T. Hennessey  
 SRS Remedial Project Manager  
 Infrastructure and Area Completion Division

OCT 26 2021

Ms. Susan Fulmer  
Mr. Jon Richards

2

Enclosure:

Record of Decision Remedial Alternative Selection for the Lower Three Runs Integrator Operable Unit (U) (SRNS-RP-2020-00542, Revision 1, August 2021) SEMS Number: 35

cc w/o encl:

J. Blalock, SCDHEC-Columbia  
S. French, SCDHEC-Columbia  
M. Reece, SCDHEC-Columbia  
G. K. Taylor, SCDHEC-Columbia  
T. R. Fuss, SCDHEC-Aiken Environmental Affairs Office  
G. O'Quinn, SCDHEC-Aiken Environmental Affairs Office  
B. Cameron, SCDHEC-Aiken Environmental Affairs Office  
K. L. Beatty, SCDHEC-Aiken Environmental Affairs Office  
H. Herlong, SCDHEC-Aiken Environmental Affairs Office

cc w/encl:

R. H. Pope, EPA-Atlanta  
M. McRae, TechLaw, Inc.