



**Department of Energy**  
Savannah River Operations Office  
P.O. Box A  
Aiken, South Carolina 29802

MAR 29 2022

Ms. Susan B. Fulmer, P.G., Manager  
Federal Remediation Section  
Division of Site Assessment, Remediation and Revitalization  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control  
2600 Bull Street  
Columbia, South Carolina 29201

Mr. Jon Richards  
Savannah River Site Remedial Project Manager  
Superfund Division  
U. S. Environmental Protection Agency, Region 4  
61 Forsyth Street, SW  
Atlanta, Georgia 30303

Dear Ms. Fulmer and Mr. Richards:

**SUBJECT:** Remedial Action Implementation Plan for the Lower Three Runs Integrator Operable Unit Upper Subunit (U) (SRNS-RP-2022-00011, Revision 0, March 2022), Land Use Control Implementation Plan (LUCIP) for the Lower Three Runs Integrator Operable Unit (Upper Subunit) (U) (SRNS-RP-2022-00017, Revision 0, March 2022), and the Monitored Natural Recovery Effectiveness Plan for the Lower Three Runs Integrator Operable Unit – Upper Subunit (U) (SRNS-RP-2022-00085, Revision 0, March 2022) SEMS Number: 35

In accordance with the terms of the Federal Facility Agreement, the U. S. Department of Energy (DOE) is submitting the subject documents for the Lower Three Runs Integrator Operable Unit. Please review and provide comments or approvals within ninety (90) days of receipt of the documents. The effort and time that the U. S. Environmental Protection Agency and the South Carolina Department of Health and Environmental Control have given on the subject operable unit are greatly appreciated.

Questions from you or your staff may be directed to me at (803) 952-8365.

Sincerely,

**Brian T. Hennessey**

Digitally signed by Brian T.  
Hennessey  
Date: 2022.03.24 16:10:12 -04'00'

Brian T. Hennessey  
SRS Remedial Project Manager  
Infrastructure and Area Completion Division

IACD-22-135

MAR 29 2022

Ms. Susan Fulmer  
Mr. Jon Richards

2

Enclosures:

1. Remedial Action Implementation Plan for the Lower Three Runs Integrator Operable Unit Upper Subunit (U) (SRNS-RP-2022-00011, Revision 0, March 2022) SEMS Number: 35
2. Land Use Control Implementation Plan (LUCIP) for the Lower Three Runs Integrator Operable Unit (Upper Subunit) (U) (SRNS-RP-2022-00017, Revision 0, March 2022) SEMS Number: 35
3. Monitored Natural Recovery Effectiveness Plan for the Lower Three Runs Integrator Operable Unit – Upper Subunit (U) (SRNS-RP-2022-00085, Revision 0, March 2022) SEMS Number: 35

cc w/o encl:

J. Blalock, SCDHEC-Columbia  
S. French, SCDHEC-Columbia  
M. Reece, SCDHEC-Columbia  
G. K. Taylor, SCDHEC-Columbia  
T. R. Fuss, SCDHEC-Aiken Environmental Affairs Office  
G. N. O'Quinn, SCDHEC-Aiken Environmental Affairs Office  
B. A. Cameron, SCDHEC-Aiken Environmental Affairs Office  
K. L. Beatty, SCDHEC-Aiken Environmental Affairs Office  
H. L. Herlong, SCDHEC-Aiken Environmental Affairs Office

cc w/encl:

R. H. Pope, EPA-Atlanta  
M. McRae, TechLaw, Inc.