



Department of Energy
Savannah River Operations Office
P.O. Box A
Aiken, South Carolina 29802

DEC 20 2022

Ms. Susan B. Fulmer, P. G., Manager
Federal Remediation Section
Division of Site Assessment, Remediation and Revitalization
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Mr. Jon Richards
Savannah River Site Remedial Project Manager
Superfund Division
U. S. Environmental Protection Agency, Region 4
61 Forsyth Street, SW
Atlanta, Georgia 30303

Dear Ms. Fulmer and Mr. Richards:

SUBJECT: Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina (SRNS-RP-2022-00468, Revision 0, December 2022), Sixth Five-Year Remedy Review Report for SRS Operable Units with Operating Equipment Fact Sheet (SRNS-RP-2022-00488, December 2022), and Scoping Summary for the Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) (SRNS-RP-2022-00489, Final, August 2022) SEMS Number: 00

The U. S. Department of Energy (DOE) is submitting the Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina (SRNS-RP-2022-00468, Revision 0, December 2022) and associated Fact Sheet (SRNS-RP-2022-00488, December 2022) for your review. The Scoping Summary for the Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) (SRNS-RP-2022-00489, Draft, August 2022) was discussed with South Carolina Department of Health and Environmental Control (SCDHEC) and U. S. Environmental Protection Agency (EPA) personnel via Microsoft Teams on August 30, 2022. There were no changes to the scoping summary based on the Teams meeting. The Scoping Summary (SRNS-RP-2022-00489, Final, August 2022) is enclosed to aid in your review of the operating equipment report and fact sheet.

Please review the report and fact sheet and provide any comments that you may have within ninety (90) days of receipt. The effort and time that the SCDHEC and EPA have given on the subject report are greatly appreciated.

Ms. Susan Fulmer
Mr. Jon Richards

2

DEC 20 2022

Questions from you or your staff may be directed to me at (803) 952-8365.

Sincerely,

Brian T. Hennessey Digitally signed by Brian T. Hennessey
Date: 2022.12.20 11:08:31 -05'00'

Brian T. Hennessey
SRS Remedial Project Manager
Infrastructure and Area Completion Division

IACD-23-116

Enclosures:

1. Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) Aiken, South Carolina (SRNS-RP-2022-00468, Revision 0, December 2022)
2. Sixth Five-Year Remedy Review Report for SRS Operable Units with Operating Equipment Fact Sheet (SRNS-RP-2022-00488, December 2022)
3. Scoping Summary for the Sixth Five-Year Remedy Review Report for Savannah River Site Operable Units with Operating Equipment (U) (SRNS-RP-2022-00489, Final, August 2022)

cc w/o encl:

J. Blalock, SCDHEC-Columbia
G. K. Taylor, SCDHEC – Columbia
S. French, SCDHEC-Columbia
M. Reece, SCDHEC-Columbia
G. Stewart, SCDHEC-Columbia
T. R. Fuss, SCDHEC-Aiken Environmental Affairs Office
G. N. O'Quinn, SCDHEC-Aiken Environmental Affairs Office
B. A. Cameron, SCDHEC-Aiken Environmental Affairs Office
K. L. Beatty, SCDHEC-Aiken Environmental Affairs Office
H. L. Herlong, SCDHEC-Aiken Environmental Affairs Office

cc w/encl:

J. Dawson, EPA-Atlanta
R. H. Pope, EPA-Atlanta
D. Lloyd, EPA-Atlanta
M. McRae, TechLaw, Inc.