

**ENVIRONMENTAL COMPLIANCE & AREA COMPLETION PROJECTS (EC&ACP) STANDARD
OPERATING PROCEDURES, VOL. I**

Manual: C3
Procedure: ER-IDS-019-020
Revision: 5
Effective Date: 08/30/2016
Type-Class: Form
Page: 1 of 5

**METALLURGICAL LABORATORY HAZARDOUS WASTE MANAGEMENT FACILITY (HWMF) POST
CLOSURE FIELD INSPECTION CHECKLIST**

WORKING COPY

This document is a Working Copy. Prior to start of work, verify this is the latest revision per the Procedure Index.

Charles P. Carter

Verified By

02/25/2020

Date

CAUTION

The Inspector shall IMMEDIATELY notify the Post-Closure Manager and Environmental Compliance Authority if there has been a breach or compromise of the institutional controls of this waste unit. This notification shall be in accordance with Savannah River Site post-closure inspection procedures.

NOTE

1. Manual C3, ER-SOP-019, *Waste Unit Inspection and Maintenance*, shall be referred to for inspection details.
2. Monitoring wells associated with this waste unit are maintained in accordance with EC&ACP monitoring well procedures.
3. Steps in this checklist may be completed concurrently or in any order.

SCHEDULED

UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
1.	Verify roads are accessible to closed site.	A	
2.	Check fence/barricade for presence of signs "Danger Unauthorized Personnel Keep Out". Confirm Post Closure Manager and Savannah River Site Operations Center Emergency Contact sign has current information and is in good condition.	A	

Metallurgical Laboratory Hazardous Waste Management Facility (HWMF) Post Closure Field Inspection Checklist

Manual: C3
 Procedure: ER-IDS-019-020
 Revision: 5
 Page: 2 of 5

SCHEDULED UNSCHEDULED

A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
3.	Verify fence wire, posts, gates, and other areas of fence are intact and in good condition (e.g., shows no signs of serious wear).	A	
4.	Check for excessive vegetation growing over fences, which may obstruct warning signs or visibility of closure cover.	A	
5.	Walk across the closure cover and check for erosion, abnormal soil cracks and evidence of burrowing animals.	X	Active ant mounds on soil cover. See map note: 1 Ref. Maint. Register: PC-2020-00014
6.	Check integrity of drainage ditches inside and outside fenced areas for erosion and presence of soil sediment or debris restricting water flow. Standing water not to exceed 30 feet in length.	A	
7.	Visually check cover and side slopes for any subsidence/ depressions.	A	
8.	Visually check vegetative cover for grass density with no bare spots more than 3 feet in diameter. There should be no woody vegetation or shrubs growing on the Closure cover. The height of vegetative cover should not impair visual inspection of closure. This will be determined by the Post Closure Inspector.	A	
9.	Visually perform a condition check of the survey monitor or benchmarks for damage and visibility.	A	
10.	Verify unattended gates are locked to prevent unauthorized entry.	A	

Metallurgical Laboratory Hazardous Waste Management Facility (HWMF) Post Closure Field Inspection Checklist

Manual: C3
 Procedure: ER-IDS-019-020
 Revision: 5
 Page: 3 of 5

SCHEDULED UNSCHEDULED


A = Satisfactory X = Unsatisfactory (Explanation required)		A or X	Observation/Corrective Action Taken
11.	Check side slopes for signs of slumping and channels or excessive erosion.	A	
12.	Verify annual topographic/subsidence survey has been performed by end of June for current year. Verify copies of survey results are in EC&ACP Document Control Center.	A	Completed on 04/29/2019
13.	The Inspector shall verify in January, April, July, and October, the previous "Quarterly Monitoring Well Inspection Summary Report" has been sent to EC&ACP Document Control Center. This report can be obtained from Post Closure Well Maintenance Group.	A	SRNS-J2000-2020-00142
14.	Inspect A-008 Diversion Ditch for the presence of erosion and debris restricting water flow.	A	
15.	Verify Carolina Bay "Danger Unauthorized Personnel Keep Out" signs (11) are posted and are legible from a distance of 25 feet.	A	
16.	Other	NO FURTHER ENTRIES	

CPC 02/25/2020

Inspected By		
Charles P. Carter <i>(Print Name)</i>	<i>Charles P. Carter</i> <i>(Signature)</i>	02/25/2020 <i>(Date)</i>

Review By Post-Closure Manager		
George W. Joyner <i>(Print Name)</i>	<i>George W. Joyner</i> <i>(Signature)</i>	2/27/20 <i>(Date)</i>


Map of Metallurgical Laboratory HWMF



NOTES: 1=Active ant mounds on soil cover. Applied 0.25 lbs. of extinguish ant bait.

~~NO FURTHER ENTRIES~~

Map of Map of Metallurgical Laboratory HWMF (Carolina Bay)



NOTES:

~~NO FURTHER ENTRIES~~

POST CLOSURE MAINTENANCE REGISTER

Index Number

Unit Name

15 METALLURGICAL LABORATORY HAZARDOUS WASTE MANAGEMENT FACILITY - 904-110G

Watershed UPPER THREE RUNS

AHA # NA
Work Order # NA
Work Group POST CLOSURE MAINTENANCE
Priority Medium
RCRA YES

Maintenance Number	PC-2020-00014	Maintenance Status	Complete
Inspection Date	2/25/2020	Chemical Type	Pesticide
Completion Date	2/25/2020	Chemical Name	Extinguish
		Amount Used	0.25 Pounds


Description Of Maintenance Item
Active ant mounds on waste unit

Maintenance Item Corrected
Applied Extinguish pesticide

Notes New observation

Approved by : George Joyner - ACP Post Closure Manager

Signature



Approval date :

2/27/20

Interactive Help is also available by placing your cursor over any [Blue-Underline Text](#) and clicking your mouse button.

Instructions FAQ	<h1 style="text-align: center;">Request for Information Review and Release</h1>				Proc. Ref. 1B, 1.05 1B, 3.11 1B, 3.25
Document Number (R) SRNS-J2000-2020-00154	Rev 0	Doc. Date (R) 03/02/2020	Requested Approval (R) 03/09/2020	Speed Chart Number (R) 07YXBPMDOC	
Title (R) VARIOUS FIELD INSPECTION CHECKLIST TO BE ENTERED INTO ARF (ADMINISTRATIVE RECORDS FILE)					
Change Author User ID	Primary Author/Contact Dexter Mcdaniel	Location 730-4B Rm 135	Phone Number (803) 952-7401	Organization Code F4113	Organization Archival & Acp Records Process
Additional Authors		Additional Authors' User IDs		Additional Authors' Names:	
Invention Disclosure /Patent/Copyright Information					
Has an invention disclosure , patent application , or copyright application been submitted related to this information ? (R)		<input type="radio"/> Yes <input checked="" type="radio"/> No			
Do you intend to submit one ? (R)		<input type="radio"/> Yes <input checked="" type="radio"/> No			
Is this Scientific and Technical Information ? (R) (abstracts and slides are not STI) <input type="radio"/> Yes <input checked="" type="radio"/> No <input checked="" type="checkbox"/> - Administrative/Financial/Management/Environmental Report (Non - Scientific and Technical Information Reports only) Examples <input type="checkbox"/> - Engineering Drawing/Engineering Calculations <input type="checkbox"/> - Slide Presentation (includes STI Slide Presentations) / Marketing/Public Relations Materials Examples <input type="checkbox"/> - Multimedia/Video Examples <input type="checkbox"/> - Procedure/User Guide <input type="checkbox"/> - Abstract Examples <input type="checkbox"/> - Web Site/Page (External Only) URL					
Who is this information being released to and for what purpose? (R) THIS INFORMATION WILL BE INCLUDED IN THE ADMINISTRATIVE RECORD			Is release of information to a Foreign National planned? (R) <input type="radio"/> Yes <input checked="" type="radio"/> No		

FILE FOR PUBLIC VIEWING.

[Document to be Reviewed](#)

Add Document (PDF ONLY)

View Document

(name the file the document number)
Viewable by Submitter , Author & Approvers Only)

[Other Attachments](#)

No Attachment

[Click to add comments for the reviewers](#)

Approval Section *NA indicates that the approval is not applicable to this request

Approver Title	Approver	Approver Title	Approver
Classification	Daniel Campbell	SRNS-PAD	NA
Export Control	Daniel Campbell	SRR-PAD	NA
OPSEC	Daniel Campbell	STI Reviewer	NA
Web External	NA	DOE-OEA	NA
SRNL-PAD	NA	DOE-TIO	NA

Comments

Submitted	Submitted By	Comment
-----------	--------------	---------

Submitter Name

Submitter's User ID	Submitter	Location	Phone No.	Org Code	Organization
J0938	Dexter Mcdaniel	730-4B Rm 135	(803) 952-7401	F4113	Archival & Acp Records Process

Admin Only ==>

Review Document [List of Attachment Types](#)

Request for Information Review and Release: Approved on 03/03/2020				
Approvers	Assigned	Received	Status Changed	Status
Daniel Campbell	03/02/2020 12:10:33 PM	03/02/2020 04:00:02 PM	03/03/2020 08:59:54 AM	Approved